



wwPDB X-ray Structure Validation Summary Report ⓘ

Aug 4, 2026 – 10:54 PM EDT

PDB ID : 1D4C / pdb_00001d4c
Title : CRYSTAL STRUCTURE OF THE UNCOMPLEXED FORM OF THE FLAVOCYTOCHROME C FUMARATE REDUCTASE OF SHEWANELLA PUTREFACIENS STRAIN MR-1
Authors : Leys, D.; Tsapin, A.S.; Meyer, T.E.; Cusanovich, M.A.; Van Beeumen, J.J.
Deposited on : 1999-10-03
Resolution : 2.90 Å(reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtrriage (Phenix)	:	NOT EXECUTED
EDS	:	NOT EXECUTED
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.50


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.90 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	190562	2690 (2.90-2.90)
Ramachandran outliers	187476	2623 (2.90-2.90)
Sidechain outliers	187428	2625 (2.90-2.90)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$.

Note EDS was not executed.

Mol	Chain	Length	Quality of chain
1	A	572	
1	B	572	
1	C	572	
1	D	572	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	HEC	A	601	X	-	-	-
2	HEC	A	602	X	-	-	-
2	HEC	A	603	X	-	-	-
2	HEC	A	604	X	-	-	-
2	HEC	B	601	X	-	-	-
2	HEC	B	602	X	-	-	-
2	HEC	B	603	X	-	-	-
2	HEC	B	604	X	-	-	-
2	HEC	C	601	X	-	-	-
2	HEC	C	602	X	-	-	-
2	HEC	C	603	X	-	-	-
2	HEC	C	604	X	-	-	-
2	HEC	D	601	X	-	-	-
2	HEC	D	602	X	-	-	-
2	HEC	D	604	X	-	-	-
3	FAD	A	600	X	-	-	-
3	FAD	B	700	X	-	-	-
3	FAD	C	800	X	-	-	-
3	FAD	D	900	X	-	-	-

2 Entry composition [i](#)


There are 5 unique types of molecules in this entry. The entry contains 17470 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called FLAVOCYTOCHROME C FUMARATE REDUCTASE.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	570	Total	C	N	O	S	0	0	0
			4124	2562	736	807	19			
1	B	566	Total	C	N	O	S	0	0	0
			4093	2542	731	801	19			
1	C	568	Total	C	N	O	S	0	0	0
			4099	2546	733	801	19			
1	D	570	Total	C	N	O	S	0	0	0
			4113	2553	734	807	19			

- Molecule 2 is HEME C (CCD ID: HEC) (formula: $C_{34}H_{36}FeN_4O_4$).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	Fe	N	O	0	0
			43	34	1	4	4		
2	A	1	Total	C	Fe	N	O	0	0
			43	34	1	4	4		

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total 43	C 34	Fe 1	N 4	O 4	0	0
2	A	1	Total 43	C 34	Fe 1	N 4	O 4	0	0
2	B	1	Total 43	C 34	Fe 1	N 4	O 4	0	0
2	B	1	Total 43	C 34	Fe 1	N 4	O 4	0	0
2	B	1	Total 43	C 34	Fe 1	N 4	O 4	0	0
2	B	1	Total 43	C 34	Fe 1	N 4	O 4	0	0
2	C	1	Total 43	C 34	Fe 1	N 4	O 4	0	0
2	C	1	Total 43	C 34	Fe 1	N 4	O 4	0	0
2	C	1	Total 43	C 34	Fe 1	N 4	O 4	0	0
2	C	1	Total 43	C 34	Fe 1	N 4	O 4	0	0
2	D	1	Total 43	C 34	Fe 1	N 4	O 4	0	0
2	D	1	Total 43	C 34	Fe 1	N 4	O 4	0	0
2	D	1	Total 43	C 34	Fe 1	N 4	O 4	0	0
2	D	1	Total 43	C 34	Fe 1	N 4	O 4	0	0

- Molecule 3 is FLAVIN-ADENINE DINUCLEOTIDE (CCD ID: FAD) (formula: $C_{27}H_{33}N_9O_{15}P_2$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	A	1	Total 53	C 27	N 9	O 15	P 2	0	0
3	B	1	Total 53	C 27	N 9	O 15	P 2	0	0
3	C	1	Total 53	C 27	N 9	O 15	P 2	0	0
3	D	1	Total 53	C 27	N 9	O 15	P 2	0	0

- Molecule 4 is SULFATE ION (CCD ID: SO4) (formula: O_4S).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	B	1	Total	O	S	0	0
			5	4	1		
4	C	1	Total	O	S	0	0
			5	4	1		
4	D	1	Total	O	S	0	0
			5	4	1		

- Molecule 5 is water.


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	48	Total	O	0	0
			48	48		
5	B	29	Total	O	0	0
			29	29		
5	C	30	Total	O	0	0
			30	30		
5	D	19	Total	O	0	0
			19	19		


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

Note EDS was not executed.


• Molecule 1: FLAVOCYTOCHROME C FUMARATE REDUCTASE






● Molecule 1: FLAVOCYTOCHROME C FUMARATE REDUCTASE


Chain C: 34% 43% 19%





• Molecule 1: FLAVOCYTOCHROME C FUMARATE REDUCTASE

Chain D: 38% 43% 16%



4 Data and refinement statistics

Xtriage (Phenix) and EDS were not executed - this section is therefore incomplete.

Property	Value	Source
Space group	P 21 21 2	Depositor
Cell constants a, b, c, α , β , γ	109.69Å 216.36Å 112.04Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	15.00 – 2.90	Depositor
% Data completeness (in resolution range)	93.7 (15.00-2.90)	Depositor
R_{merge}	0.08	Depositor
R_{sym}	(Not available)	Depositor
Refinement program	REFMAC	Depositor
R, R_{free}	0.210 , 0.300	Depositor
Estimated twinning fraction	No twinning to report.	Xtriage
Total number of atoms	17470	wwPDB-VP
Average B, all atoms (Å ²)	40.0	wwPDB-VP

5 Model quality ⓘ

5.1 Standard geometry ⓘ

Bond lengths and bond angles in the following residue types are not validated in this section: HEC, SO4, FAD

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	1.01	1/4192 (0.0%)	2.68	353/5683 (6.2%)
1	B	0.97	15/4159 (0.4%)	2.52	288/5637 (5.1%)
1	C	0.93	3/4166 (0.1%)	2.56	322/5649 (5.7%)
1	D	0.84	1/4179 (0.0%)	2.44	251/5665 (4.4%)
All	All	0.94	20/16696 (0.1%)	2.55	1214/22634 (5.4%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	3
1	B	0	2
1	C	0	3
1	D	0	2
All	All	0	10

The worst 5 of 20 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	476	ASP	CG-OD1	10.26	1.44	1.25
1	B	475	LYS	C-O	10.05	1.36	1.23
1	C	477	ALA	C-O	9.29	1.35	1.24
1	B	477	ALA	N-CA	7.39	1.55	1.46
1	B	469	GLY	N-CA	7.25	1.55	1.45

The worst 5 of 1214 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	D	245	ARG	CD-NE-CZ	28.45	164.23	124.40
1	D	491	ALA	CA-C-O	-25.02	100.19	119.46
1	C	491	ALA	CA-C-O	-23.99	95.97	119.24
1	B	570	ASP	CA-CB-CG	23.53	136.13	112.60
1	A	267	ARG	CD-NE-CZ	23.43	157.20	124.40

There are no chirality outliers.

5 of 10 planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	146	ASP	Mainchain
1	A	491	ALA	Peptide,Mainchain
1	B	491	ALA	Peptide,Mainchain
1	C	477	ALA	Mainchain
1	C	491	ALA	Mainchain

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4124	0	4013	191	1
1	B	4093	0	3976	185	0
1	C	4099	0	3977	203	2
1	D	4113	0	3988	224	1
2	A	172	0	121	15	0
2	B	172	0	121	13	0
2	C	172	0	120	13	0
2	D	172	0	121	21	0
3	A	53	0	31	9	0
3	B	53	0	31	8	0
3	C	53	0	31	12	0
3	D	53	0	30	9	0
4	B	5	0	0	1	0
4	C	5	0	0	0	0
4	D	5	0	0	0	0
5	A	48	0	0	2	0
5	B	29	0	0	3	0
5	C	30	0	0	2	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
5	D	19	0	0	2	0
All	All	17470	0	16560	831	2

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 25.

The worst 5 of 831 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:18:CYS:SG	2:D:603:HEC:HAC	1.21	1.71
3:B:700:FAD:C2'	3:B:700:FAD:C1'	1.77	1.62
3:D:900:FAD:C2'	3:D:900:FAD:C1'	1.78	1.59
3:A:600:FAD:C1'	3:A:600:FAD:C2'	1.78	1.57
3:C:800:FAD:C2'	3:C:800:FAD:C1'	1.78	1.56

All (2) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:125:THR:OG1	1:C:247:THR:OG1[4_555]	2.12	0.08
1:C:125:THR:OG1	1:D:247:THR:OG1[4_456]	2.15	0.05

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	568/572 (99%)	504 (89%)	51 (9%)	13 (2%)	5	19
1	B	562/572 (98%)	495 (88%)	52 (9%)	15 (3%)	4	16
1	C	566/572 (99%)	482 (85%)	64 (11%)	20 (4%)	3	12
1	D	566/572 (99%)	488 (86%)	61 (11%)	17 (3%)	3	14

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
All	All	2262/2288 (99%)	1969 (87%)	228 (10%)	65 (3%)	3	15

5 of 65 Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	57	VAL
1	A	142	VAL
1	A	147	ALA
1	A	454	ASP
1	B	250	ALA

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	409/429 (95%)	343 (84%)	66 (16%)	2	8
1	B	406/429 (95%)	339 (84%)	67 (16%)	2	8
1	C	405/429 (94%)	328 (81%)	77 (19%)	1	5
1	D	407/429 (95%)	339 (83%)	68 (17%)	2	7
All	All	1627/1716 (95%)	1349 (83%)	278 (17%)	2	7

5 of 278 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	D	211	LEU
1	D	273	LEU
1	D	440	VAL
1	B	291	VAL
1	B	267	ARG

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 64 such sidechains are listed below:

Mol	Chain	Res	Type
1	D	350	GLN
1	D	411	GLN
1	B	336	ASN
1	B	319	ASN
1	D	452	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

23 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
4	SO4	B	714	-	4,4,4	0.58	0	6,6,6	0.45	0
3	FAD	A	600	-	58,58,58	2.90	11 (18%)	85,89,89	2.82	31 (36%)
2	HEC	C	604	1	50,50,50	1.44	6 (12%)	68,82,82	2.12	18 (26%)
2	HEC	C	602	1	50,50,50	1.39	9 (18%)	68,82,82	1.45	9 (13%)
4	SO4	C	814	-	4,4,4	0.65	0	6,6,6	0.65	0
2	HEC	B	603	1	50,50,50	1.41	5 (10%)	68,82,82	1.35	8 (11%)
2	HEC	D	602	1	50,50,50	1.39	9 (18%)	68,82,82	1.46	6 (8%)
3	FAD	C	800	-	58,58,58	2.92	10 (17%)	85,89,89	3.42	27 (31%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	HEC	D	601	1	50,50,50	1.50	6 (12%)	68,82,82	1.75	11 (16%)
2	HEC	D	604	1	50,50,50	1.30	5 (10%)	68,82,82	1.75	13 (19%)
2	HEC	A	603	1	50,50,50	1.39	7 (14%)	68,82,82	1.17	6 (8%)
2	HEC	A	602	1	50,50,50	1.45	10 (20%)	68,82,82	1.48	10 (14%)
2	HEC	A	601	1	50,50,50	1.44	7 (14%)	68,82,82	2.08	21 (30%)
2	HEC	A	604	1	50,50,50	1.38	8 (16%)	68,82,82	1.52	12 (17%)
2	HEC	B	602	1	50,50,50	1.39	3 (6%)	68,82,82	1.16	4 (5%)
2	HEC	C	603	1	50,50,50	1.36	5 (10%)	68,82,82	1.25	8 (11%)
2	HEC	C	601	1	50,50,50	1.28	6 (12%)	68,82,82	1.57	9 (13%)
2	HEC	D	603	1	50,50,50	1.40	6 (12%)	68,82,82	1.10	4 (5%)
2	HEC	B	601	1	50,50,50	1.39	7 (14%)	68,82,82	1.56	10 (14%)
2	HEC	B	604	1	50,50,50	1.29	5 (10%)	68,82,82	1.69	18 (26%)
3	FAD	D	900	-	58,58,58	2.87	10 (17%)	85,89,89	2.93	22 (25%)
3	FAD	B	700	-	58,58,58	2.89	9 (15%)	85,89,89	2.77	34 (40%)
4	SO4	D	914	-	4,4,4	0.57	0	6,6,6	0.68	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	FAD	A	600	-	2/2/9/9	14/34/50/50	0/6/6/6
2	HEC	C	604	1	1/1/3/7	8/14/54/54	-
2	HEC	C	602	1	1/1/3/7	8/14/54/54	-
2	HEC	B	603	1	1/1/3/7	2/14/54/54	-
2	HEC	D	602	1	1/1/3/7	7/14/54/54	-
3	FAD	C	800	-	3/3/9/9	15/34/50/50	0/5/6/6
2	HEC	D	601	1	1/1/3/7	9/14/54/54	-
2	HEC	D	604	1	1/1/3/7	4/14/54/54	-
2	HEC	A	603	1	1/1/3/7	5/14/54/54	-
2	HEC	A	602	1	1/1/3/7	8/14/54/54	-
2	HEC	A	601	1	1/1/3/7	9/14/54/54	-
2	HEC	A	604	1	1/1/3/7	4/14/54/54	-
2	HEC	B	602	1	1/1/3/7	7/14/54/54	-
2	HEC	C	603	1	1/1/3/7	7/14/54/54	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	HEC	C	601	1	1/1/3/7	7/14/54/54	-
2	HEC	D	603	1	-	3/14/54/54	-
2	HEC	B	601	1	1/1/3/7	8/14/54/54	-
2	HEC	B	604	1	1/1/3/7	4/14/54/54	-
3	FAD	D	900	-	2/2/9/9	16/34/50/50	0/6/6/6
3	FAD	B	700	-	2/2/9/9	13/34/50/50	0/6/6/6

The worst 5 of 144 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	C	800	FAD	C1'-C2'	18.79	1.78	1.52
3	D	900	FAD	C1'-C2'	18.35	1.78	1.52
3	A	600	FAD	C1'-C2'	18.22	1.78	1.52
3	B	700	FAD	C1'-C2'	17.72	1.77	1.52
3	A	600	FAD	C5B-C4B	6.83	1.72	1.51

The worst 5 of 281 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	C	800	FAD	O4B-C4B-C5B	16.97	163.68	109.33
3	C	800	FAD	O5B-C5B-C4B	16.46	165.03	108.99
3	D	900	FAD	O5B-C5B-C4B	11.62	148.57	108.99
3	D	900	FAD	C5B-C4B-C3B	-11.44	74.02	115.21
3	A	600	FAD	C5B-C4B-C3B	-11.29	74.55	115.21

5 of 24 chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
2	A	601	HEC	NA
2	A	602	HEC	NA
2	A	603	HEC	NA
2	A	604	HEC	NA
2	B	601	HEC	NA

5 of 158 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	601	HEC	C3D-CAD-CBD-CGD
2	B	602	HEC	C2A-CAA-CBA-CGA
2	C	602	HEC	C2A-CAA-CBA-CGA

Continued on next page...

Continued from previous page...


Mol	Chain	Res	Type	Atoms
2	C	604	HEC	C2D-C3D-CAD-CBD
3	A	600	FAD	C5B-O5B-PA-O1A


There are no ring outliers.

19 monomers are involved in 101 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	B	714	SO4	1	0
3	A	600	FAD	9	0
2	C	604	HEC	4	0
2	C	602	HEC	4	0
2	B	603	HEC	1	0
2	D	602	HEC	9	0
3	C	800	FAD	12	0
2	D	601	HEC	4	0
2	D	604	HEC	4	0
2	A	602	HEC	5	0
2	A	601	HEC	6	0
2	A	604	HEC	4	0
2	B	602	HEC	6	0
2	C	601	HEC	5	0
2	D	603	HEC	4	0
2	B	601	HEC	5	0
2	B	604	HEC	1	0
3	D	900	FAD	9	0
3	B	700	FAD	8	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.







Ligand HEC C 602




Bond lengths



Bond angles




Torsions




Rings


Ligand HEC B 603




Bond lengths




Bond angles





Torsions





Rings

















Ligand HEC A 601



Bond lengths



Bond angles




Torsions




Rings


Ligand HEC A 604




Bond lengths



Bond angles




Torsions




Rings


Ligand HEC B 602




Bond lengths



Bond angles




Torsions




Rings


Ligand HEC C 603




Bond lengths



Bond angles




Torsions




Rings


Ligand HEC C 601




Bond lengths



Bond angles




Torsions




Rings


Ligand HEC D 603




Bond lengths



Bond angles




Torsions




Rings


Ligand HEC B 601




Bond lengths



Bond angles




Torsions




Rings


Ligand HEC B 604




Bond lengths




Bond angles




Torsions



Rings





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

EDS was not executed - this section is therefore empty.

6.2 Non-standard residues in protein, DNA, RNA chains

EDS was not executed - this section is therefore empty.

6.3 Carbohydrates

EDS was not executed - this section is therefore empty.

6.4 Ligands

EDS was not executed - this section is therefore empty.

6.5 Other polymers

EDS was not executed - this section is therefore empty.