



Full wwPDB X-ray Structure Validation Report ⓘ

Aug 3, 2026 – 05:26 PM EDT

PDB ID : 5E4F / pdb_00005e4f
Title : The spring alpha-helix coordinates multiple modes of HCV NS3 helicase action
Authors : Gu, M.; Rice, C.M.
Deposited on : 2015-10-05
Resolution : 2.10 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.015 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.50


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.10 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	6658 (2.10-2.10)
Clashscore	190562	7164 (2.10-2.10)
Ramachandran outliers	187476	7099 (2.10-2.10)
Sidechain outliers	187428	7100 (2.10-2.10)
RSRZ outliers	180081	6662 (2.10-2.10)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	437	
1	B	437	

2 Entry composition [i](#)


There are 5 unique types of molecules in this entry. The entry contains 7069 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Serine protease NS3.


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	437	Total	C	N	O	S	0	0	0
			3280	2077	556	626	21			
1	B	429	Total	C	N	O	S	0	0	0
			3225	2042	547	615	21			

- Molecule 2 is TETRAFLUOROALUMINATE ION (CCD ID: ALF) (formula: AlF_4).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	Al	F	0	0
			5	1	4		
2	B	1	Total	Al	F	0	0
			5	1	4		

- Molecule 3 is ADENOSINE-5'-DIPHOSPHATE (CCD ID: ADP) (formula: $\text{C}_{10}\text{H}_{15}\text{N}_5\text{O}_{10}\text{P}_2$).



- Molecule 4 is MAGNESIUM ION (CCD ID: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	1	Total	Mg	0	0
			1	1		
4	B	1	Total	Mg	0	0
			1	1		


- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	314	Total	O	0	0
			314	314		
5	B	184	Total	O	0	0
			184	184		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Serine protease NS3



• Molecule 1: Serine protease NS3



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	95.45Å 46.10Å 109.04Å 90.00° 104.05° 90.00°	Depositor
Resolution (Å)	50.00 – 2.10 50.00 – 2.10	Depositor EDS
% Data completeness (in resolution range)	93.8 (50.00-2.10) 93.8 (50.00-2.10)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	3.57 (at 2.10Å)	Xtriage
Refinement program	CNS	Depositor
R, R_{free}	0.214 , 0.252 0.207 , 0.246	Depositor DCC
R_{free} test set	2536 reflections (4.66%)	wwPDB-VP
Wilson B-factor (Å ²)	19.4	Xtriage
Anisotropy	0.103	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.37 , 56.4	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.31$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.92	EDS
Total number of atoms	7069	wwPDB-VP
Average B, all atoms (Å ²)	25.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.71% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: ADP, ALF, MG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.42	0/3361	0.96	15/4592 (0.3%)
1	B	0.38	0/3303	0.86	5/4509 (0.1%)
All	All	0.40	0/6664	0.91	20/9101 (0.2%)

There are no bond length outliers.

All (20) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	412	ASP	N-CA-C	9.27	121.32	111.03
1	B	412	ASP	N-CA-C	6.38	119.18	111.40
1	A	256	VAL	N-CA-C	6.37	117.16	110.72
1	A	410	ALA	N-CA-C	6.08	118.21	109.14
1	A	336	ILE	N-CA-C	5.96	116.59	107.77
1	A	321	ALA	N-CA-C	5.86	119.02	109.59
1	B	336	ILE	N-CA-C	5.86	116.30	107.75
1	A	502	TYR	N-CA-C	5.81	120.38	112.88
1	A	309	GLN	N-CA-C	5.78	121.37	113.97
1	A	225	VAL	N-CA-C	5.75	116.75	108.48
1	A	579	ASP	N-CA-C	-5.46	103.33	110.53
1	A	556	ASN	N-CA-C	5.36	117.20	111.36
1	B	487	ASP	N-CA-C	5.30	117.53	110.53
1	A	297	SER	N-CA-C	5.28	117.04	111.28
1	A	310	ALA	N-CA-C	5.22	117.38	111.11
1	A	341	LEU	N-CA-C	-5.19	103.55	110.55
1	A	427	ASP	N-CA-C	5.18	116.96	108.52
1	B	410	ALA	N-CA-C	5.13	116.78	109.14
1	A	323	ALA	N-CA-C	-5.04	107.13	113.28
1	B	586	ILE	N-CA-C	5.01	115.73	110.62

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3280	0	3241	50	0
1	B	3225	0	3186	93	0
2	A	5	0	0	0	0
2	B	5	0	0	1	0
3	A	27	0	12	0	0
3	B	27	0	12	0	0
4	A	1	0	0	0	0
4	B	1	0	0	0	0
5	A	314	0	0	14	0
5	B	184	0	0	15	0
All	All	7069	0	6451	142	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 11.

All (142) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:253:ARG:HH11	1:B:253:ARG:HB3	1.49	0.78
1:B:253:ARG:HB3	1:B:253:ARG:NH1	1.98	0.78
1:B:225:VAL:HG12	1:B:286:ILE:HB	1.64	0.78
1:A:250:PRO:HD2	5:A:801:HOH:O	1.85	0.76
1:A:435:THR:HG21	5:A:1078:HOH:O	1.87	0.74
1:A:191:PRO:HD2	5:A:815:HOH:O	1.90	0.72
1:A:485:MET:HG2	1:A:524:VAL:HG23	1.70	0.71
1:B:580:GLN:O	1:B:583:LYS:HG3	1.91	0.70
1:B:397:VAL:HG22	5:B:833:HOH:O	1.91	0.69
1:A:242:MET:HB2	5:A:801:HOH:O	1.93	0.69
1:A:249:ASP:HB3	5:A:997:HOH:O	1.95	0.66
1:B:202:LEU:HD21	1:B:214:VAL:HG21	1.77	0.66
1:B:346:GLU:H	1:B:346:GLU:CD	2.04	0.65
1:A:257:ARG:NH1	1:A:259:ILE:HG12	2.12	0.65

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:391:TYR:OH	1:B:397:VAL:HG12	1.97	0.64
1:B:429:ASN:ND2	1:B:476:VAL:H	1.94	0.64
1:B:371:LYS:HG3	5:B:874:HOH:O	1.97	0.64
1:B:331:VAL:HG13	1:B:332:PRO:HD2	1.81	0.62
1:A:425:VAL:HG23	1:A:465:THR:HB	1.80	0.62
1:B:396:ASP:O	1:B:399:VAL:HG22	1.99	0.62
1:B:485:MET:HB2	1:B:524:VAL:O	1.99	0.61
1:B:355:PRO:HB2	1:B:358:THR:HG23	1.81	0.61
1:B:589:LYS:HB3	1:B:590:PRO:HD3	1.83	0.61
1:B:255:GLY:HA2	1:B:272:LYS:HD3	1.84	0.60
1:B:251:ASN:HB2	1:B:266:THR:HG23	1.84	0.60
1:A:595:PRO:HA	1:A:608:GLU:HG3	1.84	0.60
1:B:612:THR:O	1:B:617:LYS:HE3	2.03	0.59
1:A:243:SER:N	5:A:801:HOH:O	2.34	0.59
1:A:305:THR:OG1	1:A:512:ARG:HD3	2.02	0.59
1:A:547:LEU:O	1:A:551:LYS:HG3	2.02	0.58
1:B:305:THR:OG1	1:B:512:ARG:HD3	2.03	0.58
1:B:547:LEU:O	1:B:551:LYS:HG3	2.04	0.57
1:A:372:LYS:HE2	1:A:376:GLU:OE1	2.05	0.57
1:B:311:GLU:HB2	5:B:801:HOH:O	2.04	0.57
1:B:252:ILE:HD12	1:B:252:ILE:N	2.19	0.57
1:A:257:ARG:HH11	1:A:257:ARG:HG2	1.69	0.57
1:B:415:MET:O	1:B:464:ARG:HD2	2.06	0.55
1:B:429:ASN:HD21	1:B:475:PHE:HB2	1.70	0.55
1:B:224:LYS:HA	1:B:264:PRO:O	2.07	0.54
1:A:616:THR:O	1:A:620:MET:HG3	2.07	0.54
1:B:530:GLU:HG3	5:B:898:HOH:O	2.07	0.53
1:B:581:MET:HE3	1:B:582:TRP:NE1	2.24	0.53
1:B:346:GLU:OE2	1:B:356:ILE:HG13	2.08	0.53
1:B:229:ASN:O	1:B:269:THR:HA	2.09	0.53
1:A:542:ILE:HD11	1:A:562:ALA:HB3	1.91	0.53
1:B:242:MET:O	1:B:246:HIS:HB2	2.09	0.52
1:A:380:LYS:HD2	5:A:1081:HOH:O	2.10	0.52
1:B:339:VAL:O	1:B:474:ARG:HA	2.09	0.52
1:B:223:TYR:O	1:B:264:PRO:HB2	2.09	0.52
1:A:393:ARG:NE	1:A:393:ARG:H	2.08	0.52
1:B:508:GLU:O	1:B:512:ARG:HG3	2.10	0.51
1:B:507:ALA:HA	1:B:533:GLU:OE2	2.11	0.51
1:B:578:TRP:CZ2	1:B:589:LYS:HG3	2.46	0.51
1:A:194:PRO:HD2	5:A:1088:HOH:O	2.11	0.51
1:A:415:MET:HA	1:A:415:MET:HE2	1.92	0.51

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:228:LEU:HD23	1:B:268:SER:HB3	1.93	0.50
1:B:294:SER:HB2	1:B:299:THR:HG21	1.92	0.50
1:A:538:GLY:HA3	1:A:618:TYR:CE2	2.46	0.50
1:A:193:VAL:HG23	5:A:952:HOH:O	2.12	0.50
1:B:443:THR:O	1:B:623:MET:HE1	2.13	0.49
1:B:214:VAL:N	1:B:215:PRO:HD2	2.27	0.49
1:B:429:ASN:HD21	1:B:476:VAL:H	1.61	0.49
1:A:229:ASN:O	1:A:269:THR:HA	2.13	0.49
1:A:250:PRO:CD	5:A:801:HOH:O	2.54	0.49
1:B:416:THR:HG23	5:B:942:HOH:O	2.13	0.49
1:B:466:GLY:HA2	1:B:469:ARG:O	2.13	0.49
1:B:346:GLU:CD	1:B:346:GLU:N	2.69	0.48
1:B:309:GLN:N	5:B:804:HOH:O	2.46	0.48
1:B:225:VAL:HG12	1:B:286:ILE:CB	2.41	0.48
1:B:251:ASN:HA	1:B:259:ILE:O	2.14	0.48
1:B:485:MET:HA	5:B:841:HOH:O	2.13	0.48
1:B:612:THR:C	1:B:617:LYS:HE3	2.40	0.47
1:A:393:ARG:HH21	1:A:413:ALA:HB3	1.79	0.47
1:A:371:LYS:HE3	1:A:392:TYR:CD2	2.49	0.46
1:A:257:ARG:HH11	1:A:257:ARG:CG	2.29	0.46
1:A:356:ILE:HD11	1:A:384:LEU:HD13	1.97	0.46
1:B:198:GLN:HG3	5:B:814:HOH:O	2.15	0.46
1:B:227:VAL:HG13	1:B:267:TYR:HA	1.97	0.46
1:A:190:PRO:HA	1:A:191:PRO:HD2	1.88	0.45
1:A:432:VAL:HG12	1:A:448:THR:CG2	2.46	0.45
1:B:429:ASN:ND2	1:B:476:VAL:N	2.64	0.45
1:A:393:ARG:NH2	5:A:814:HOH:O	2.49	0.45
1:B:198:GLN:O	1:B:317:LEU:HD12	2.16	0.45
1:B:205:PRO:HG2	1:B:208:SER:HB3	1.98	0.45
1:B:360:LYS:HE3	5:B:966:HOH:O	2.16	0.45
1:B:456:VAL:HG23	1:B:483:SER:OG	2.17	0.45
1:A:393:ARG:NH2	1:A:411:THR:OG1	2.50	0.45
1:B:406:VAL:HG22	1:B:407:ILE:N	2.32	0.45
1:B:462:ARG:HG3	1:B:473:TYR:CG	2.52	0.45
1:A:341:LEU:HD23	5:A:961:HOH:O	2.16	0.44
1:B:436:VAL:HG11	1:B:488:SER:HB3	1.98	0.44
1:B:201:HIS:CE1	1:B:521:GLY:HA3	2.52	0.44
1:B:291:GLU:HG3	1:B:416:THR:HG22	1.98	0.44
1:B:253:ARG:HH11	1:B:253:ARG:CB	2.26	0.44
1:A:478:PRO:HD2	1:B:606:GLN:NE2	2.33	0.44
1:B:552:GLN:HG3	5:B:870:HOH:O	2.17	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:359:ILE:HD12	1:A:407:ILE:HD13	1.98	0.44
1:B:218:TYR:HB3	1:B:225:VAL:HG11	2.00	0.44
1:B:335:ASN:HB3	1:B:469:ARG:O	2.17	0.44
1:B:246:HIS:C	1:B:248:ILE:H	2.26	0.43
1:B:301:LEU:HD21	1:B:509:THR:HG23	2.00	0.43
1:B:307:LEU:HD13	1:B:519:THR:OG1	2.18	0.43
1:B:219:ALA:C	1:B:221:GLN:H	2.26	0.43
1:B:581:MET:HE3	1:B:582:TRP:CE2	2.54	0.43
1:A:406:VAL:HG22	1:A:407:ILE:N	2.34	0.43
1:B:429:ASN:ND2	1:B:477:THR:H	2.16	0.43
1:B:225:VAL:CG1	1:B:286:ILE:HD12	2.48	0.43
1:B:287:ILE:HG21	1:B:306:VAL:CG1	2.49	0.43
1:B:557:PHE:O	1:B:561:VAL:HG23	2.19	0.43
1:B:430:THR:HG21	5:B:930:HOH:O	2.19	0.42
1:B:250:PRO:O	1:B:252:ILE:HD12	2.19	0.42
1:B:616:THR:O	1:B:620:MET:HG3	2.20	0.42
1:B:210:LYS:HE2	5:B:845:HOH:O	2.18	0.42
1:B:310:ALA:HB1	1:B:315:ALA:HB3	2.01	0.42
1:B:348:PRO:HB3	5:B:891:HOH:O	2.20	0.42
1:B:246:HIS:HB3	1:B:248:ILE:HG22	2.01	0.42
1:B:316:ARG:HB3	5:B:964:HOH:O	2.20	0.42
1:A:291:GLU:HA	1:A:291:GLU:OE2	2.19	0.42
1:A:193:VAL:HG22	1:A:316:ARG:CD	2.50	0.42
1:A:244:LYS:HD3	5:A:827:HOH:O	2.19	0.42
1:B:311:GLU:CB	5:B:801:HOH:O	2.66	0.42
1:A:586:ILE:HG23	1:A:587:ARG:N	2.35	0.41
1:A:609:VAL:HG12	1:A:610:THR:N	2.35	0.41
1:B:485:MET:CB	1:B:524:VAL:O	2.68	0.41
1:A:197:PHE:O	1:A:198:GLN:NE2	2.54	0.41
1:B:275:ALA:C	1:B:277:GLY:H	2.28	0.41
1:B:596:THR:HA	1:B:597:PRO:HD3	1.88	0.41
1:B:417:GLY:HA2	2:B:701:ALF:F1	2.11	0.41
1:A:466:GLY:HA2	1:A:469:ARG:O	2.21	0.41
1:B:228:LEU:HA	1:B:268:SER:O	2.21	0.41
1:B:500:ALA:HB1	1:B:551:LYS:HD3	2.03	0.41
1:A:193:VAL:CG2	1:A:316:ARG:HG3	2.50	0.41
1:A:193:VAL:O	1:A:193:VAL:HG13	2.20	0.41
1:A:542:ILE:HD11	1:A:562:ALA:CB	2.51	0.41
1:A:300:ILE:HD12	1:A:516:TYR:CZ	2.55	0.41
1:A:613:HIS:ND1	1:A:614:PRO:HD2	2.36	0.40
1:A:347:ILE:HD13	1:A:381:LEU:HD21	2.04	0.40

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:542:ILE:HG22	5:A:971:HOH:O	2.21	0.40
1:B:280:SER:HB2	1:B:283:ALA:HB3	2.02	0.40
1:B:201:HIS:HE1	1:B:521:GLY:HA3	1.87	0.40
1:B:274:LEU:HD21	1:B:302:GLY:HA2	2.04	0.40
1:B:425:VAL:HG23	1:B:465:THR:HB	2.03	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	435/437 (100%)	421 (97%)	13 (3%)	1 (0%)	43	44
1	B	427/437 (98%)	394 (92%)	33 (8%)	0	100	100
All	All	862/874 (99%)	815 (94%)	46 (5%)	1 (0%)	48	50

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	413	ALA

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	356/356 (100%)	350 (98%)	6 (2%)	53	62
1	B	349/356 (98%)	337 (97%)	12 (3%)	32	35
All	All	705/712 (99%)	687 (97%)	18 (3%)	40	46

All (18) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	346	GLU
1	A	373	LYS
1	A	377	LEU
1	A	393	ARG
1	A	447	GLU
1	A	530	GLU
1	B	198	GLN
1	B	227	VAL
1	B	260	THR
1	B	290	ASP
1	B	346	GLU
1	B	373	LYS
1	B	377	LEU
1	B	384	LEU
1	B	397	VAL
1	B	434	GLN
1	B	442	PRO
1	B	547	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (14) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	198	GLN
1	A	518	ASN
1	A	526	GLN
1	A	549	GLN
1	A	572	GLN
1	A	593	HIS
1	A	606	GLN
1	B	198	GLN
1	B	333	HIS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	429	ASN
1	B	434	GLN
1	B	518	ASN
1	B	526	GLN
1	B	545	HIS

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 6 ligands modelled in this entry, 2 are monoatomic - leaving 4 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
3	ADP	B	702	2,4	28,29,29	1.47	4 (14%)	43,45,45	2.01	9 (20%)
3	ADP	A	702	2,4	28,29,29	1.44	4 (14%)	43,45,45	2.03	8 (18%)
2	ALF	B	701	5,3	4,4,4	0.07	0	-		
2	ALF	A	701	5,3	4,4,4	0.13	0	-		

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns.

'-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	ADP	B	702	2,4	-	3/16/32/32	0/3/3/3
3	ADP	A	702	2,4	-	3/16/32/32	0/3/3/3

All (8) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	B	702	ADP	C5-N7	-4.50	1.30	1.39
3	A	702	ADP	C5-N7	-4.27	1.31	1.39
3	B	702	ADP	C4-N9	-2.86	1.31	1.37
3	A	702	ADP	C1'-N9	2.49	1.53	1.46
3	A	702	ADP	C4-N9	-2.34	1.32	1.37
3	B	702	ADP	PA-O3A	-2.30	1.57	1.59
3	B	702	ADP	C1'-N9	2.08	1.52	1.46
3	A	702	ADP	C8-N9	-2.06	1.34	1.37

All (17) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	B	702	ADP	N3-C2-N1	-6.52	118.72	128.58
3	A	702	ADP	N3-C2-N1	-6.33	119.00	128.58
3	A	702	ADP	C5-C4-N3	-5.57	119.04	126.72
3	B	702	ADP	C5-C4-N3	-5.34	119.36	126.72
3	B	702	ADP	C2-N3-C4	4.57	122.98	111.83
3	A	702	ADP	C2-N3-C4	4.49	122.80	111.83
3	B	702	ADP	N3-C4-N9	3.78	133.60	127.17
3	A	702	ADP	N3-C4-N9	3.67	133.40	127.17
3	A	702	ADP	C4-C5-N7	-3.48	106.61	110.58
3	A	702	ADP	C5-N7-C8	3.46	108.89	103.45
3	B	702	ADP	N9-C8-N7	-3.35	109.19	113.94
3	B	702	ADP	C5-N7-C8	3.28	108.61	103.45
3	A	702	ADP	N9-C8-N7	-3.17	109.44	113.94
3	A	702	ADP	O4'-C1'-N9	3.10	114.05	108.09
3	B	702	ADP	C4-C5-N7	-2.91	107.25	110.58
3	B	702	ADP	O4'-C1'-N9	2.30	112.51	108.09
3	B	702	ADP	C4-N9-C8	2.07	107.91	105.74

There are no chirality outliers.

All (6) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
3	B	702	ADP	PA-O3A-PB-O3B
3	A	702	ADP	PA-O3A-PB-O1B
3	B	702	ADP	PA-O3A-PB-O2B
3	B	702	ADP	PA-O3A-PB-O1B
3	A	702	ADP	PA-O3A-PB-O2B
3	A	702	ADP	PA-O3A-PB-O3B


There are no ring outliers.

1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	B	701	ALF	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	437/437 (100%)	0.02	11 (2%) 58 61	6, 18, 35, 51	0
1	B	429/437 (98%)	0.96	71 (16%) 4 4	12, 29, 50, 56	0
All	All	866/874 (99%)	0.48	82 (9%) 14 14	6, 24, 47, 56	0

All (82) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	193	VAL	5.9
1	A	192	ALA	5.1
1	B	248	ILE	5.0
1	B	312	THR	4.7
1	A	479	GLY	4.7
1	B	250	PRO	4.7
1	B	260	THR	4.7
1	B	219	ALA	4.6
1	B	265	ILE	4.6
1	B	262	GLY	4.4
1	B	225	VAL	4.4
1	B	284	TYR	4.1
1	A	191	PRO	4.0
1	A	625	ALA	3.9
1	B	313	ALA	3.9
1	B	263	ALA	3.8
1	B	264	PRO	3.8
1	B	220	ALA	3.8
1	B	249	ASP	3.7
1	B	285	ASP	3.7
1	B	217	ALA	3.6
1	B	258	THR	3.6
1	B	261	THR	3.6
1	B	222	GLY	3.5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	251	ASN	3.5
1	B	315	ALA	3.4
1	B	625	ALA	3.4
1	B	247	GLY	3.2
1	B	314	GLY	3.2
1	B	281	GLY	3.2
1	B	308	ASP	3.0
1	B	413	ALA	3.0
1	B	223	TYR	3.0
1	B	257	ARG	2.9
1	B	310	ALA	2.9
1	B	254	THR	2.9
1	A	190	PRO	2.9
1	B	252	ILE	2.9
1	B	237	GLY	2.9
1	B	226	LEU	2.8
1	B	197	PHE	2.8
1	B	280	SER	2.8
1	B	484	GLY	2.8
1	A	194	PRO	2.8
1	B	215	PRO	2.8
1	B	316	ARG	2.7
1	B	214	VAL	2.7
1	B	481	ARG	2.7
1	B	255	GLY	2.7
1	B	259	ILE	2.6
1	B	266	THR	2.6
1	B	241	TYR	2.6
1	B	224	LYS	2.6
1	B	253	ARG	2.6
1	B	283	ALA	2.6
1	B	245	ALA	2.5
1	B	307	LEU	2.5
1	B	286	ILE	2.5
1	A	608	GLU	2.4
1	B	244	LYS	2.4
1	B	267	TYR	2.4
1	B	282	GLY	2.4
1	B	384	LEU	2.3
1	B	414	LEU	2.3
1	A	624	SER	2.3
1	B	288	ILE	2.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	221	GLN	2.3
1	B	246	HIS	2.2
1	B	389	VAL	2.2
1	B	242	MET	2.2
1	B	317	LEU	2.2
1	A	606	GLN	2.2
1	B	331	VAL	2.1
1	B	309	GLN	2.1
1	A	413	ALA	2.1
1	B	236	LEU	2.0
1	B	386	LEU	2.0
1	B	556	ASN	2.0
1	B	279	CYS	2.0
1	B	275	ALA	2.0
1	B	621	ALA	2.0
1	B	552	GLN	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)


There are no oligosaccharides in this entry.


6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
4	MG	B	703	1/1	0.86	0.11	36,36,36,36	0
3	ADP	B	702	27/27	0.91	0.11	25,31,34,36	0
4	MG	A	703	1/1	0.95	0.07	12,12,12,12	0
2	ALF	B	701	5/5	0.96	0.06	21,22,22,22	0
3	ADP	A	702	27/27	0.98	0.06	6,15,19,21	0
2	ALF	A	701	5/5	0.98	0.05	10,12,15,15	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.





6.5 Other polymers ⓘ

There are no such residues in this entry.