



wwPDB X-ray Structure Validation Summary Report ⓘ

Aug 6, 2026 – 06:16 AM EDT

PDB ID : 8F5W / pdb_00008f5w
Title : Dihydropyrimidine Dehydrogenase (DPD) C671S Mutant Soaked with Dihydrothymine and NADPH Quasi-Anaerobically
Authors : Kaley, N.; Smith, M.; Forouzesh, D.; Liu, D.; Moran, G.
Deposited on : 2022-11-15
Resolution : 1.97 Å(reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.015 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.50


1 Overall quality at a glance ⓘ

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.97 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	1506 (1.98-1.98)
Clashscore	190562	1534 (1.98-1.98)
Ramachandran outliers	187476	1518 (1.98-1.98)
Sidechain outliers	187428	1518 (1.98-1.98)
RSRZ outliers	180081	1506 (1.98-1.98)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	1025	6% 88% 10%
1	B	1025	4% 89% 10%
1	C	1025	7% 88% 11%
1	D	1025	6% 88% 10%

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard

residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
4	NAP	A	1106	X	-	-	-
4	NAP	B	1106	X	-	-	-
4	NAP	C	1106	X	-	-	-
4	NAP	D	1106	X	-	-	-
5	FNR	A	1107	-	X	-	-
5	FNR	B	1108	-	X	-	-
5	FNR	C	1107	-	X	-	-
5	FNR	D	1107	-	X	-	-

2 Entry composition

There are 7 unique types of molecules in this entry. The entry contains 32519 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Dihydropyrimidine dehydrogenase [NADP(+)].

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	1010	Total	C	N	O	S	0	0	0
			7702	4889	1303	1458	52			
1	B	1012	Total	C	N	O	S	30	0	0
			7713	4896	1306	1458	53			
1	C	1018	Total	C	N	O	S	0	0	0
			7735	4909	1311	1462	53			
1	D	1010	Total	C	N	O	S	30	0	0
			7700	4887	1302	1458	53			

There are 8 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	60	ASP	GLY	conflict	UNP Q28943
A	671	SER	CYS	engineered mutation	UNP Q28943
B	60	ASP	GLY	conflict	UNP Q28943
B	671	SER	CYS	engineered mutation	UNP Q28943
C	60	ASP	GLY	conflict	UNP Q28943
C	671	SER	CYS	engineered mutation	UNP Q28943
D	60	ASP	GLY	conflict	UNP Q28943
D	671	SER	CYS	engineered mutation	UNP Q28943

- Molecule 2 is IRON/SULFUR CLUSTER (CCD ID: SF4) (formula: Fe₄S₄) (labeled as "Ligand of Interest" by depositor).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	Fe	S	0	0
			8	4	4		
2	A	1	Total	Fe	S	0	0
			8	4	4		
2	A	1	Total	Fe	S	0	0
			8	4	4		
2	A	1	Total	Fe	S	0	0
			8	4	4		
2	B	1	Total	Fe	S	0	0
			8	4	4		
2	B	1	Total	Fe	S	0	0
			8	4	4		
2	B	1	Total	Fe	S	0	0
			8	4	4		
2	B	1	Total	Fe	S	0	0
			8	4	4		
2	C	1	Total	Fe	S	0	0
			8	4	4		
2	C	1	Total	Fe	S	0	0
			8	4	4		
2	C	1	Total	Fe	S	0	0
			8	4	4		
2	C	1	Total	Fe	S	0	0
			8	4	4		
2	D	1	Total	Fe	S	0	0
			8	4	4		
2	D	1	Total	Fe	S	0	0
			8	4	4		

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	D	1	Total	Fe	S	0	0
			8	4	4		
2	D	1	Total	Fe	S	0	0
			8	4	4		

- Molecule 3 is FLAVIN-ADENINE DINUCLEOTIDE (CCD ID: FAD) (formula: C₂₇H₃₃N₉O₁₅P₂) (labeled as "Ligand of Interest" by depositor).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	A	1	Total	C	N	O	P	0	0
			53	27	9	15	2		
3	B	1	Total	C	N	O	P	0	0
			53	27	9	15	2		
3	C	1	Total	C	N	O	P	0	0
			53	27	9	15	2		
3	D	1	Total	C	N	O	P	0	0
			53	27	9	15	2		

- Molecule 4 is NADP NICOTINAMIDE-ADENINE-DINUCLEOTIDE PHOSPHATE (CCD ID: NAP) (formula: C₂₁H₂₈N₇O₁₇P₃) (labeled as "Ligand of Interest" by depositor).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
4	A	1	Total	C	N	O	P	0	0
			48	21	7	17	3		
4	B	1	Total	C	N	O	P	0	0
			48	21	7	17	3		
4	C	1	Total	C	N	O	P	0	0
			48	21	7	17	3		
4	D	1	Total	C	N	O	P	0	0
			48	21	7	17	3		

- Molecule 5 is 1-DEOXY-1-(7,8-DIMETHYL-2,4-DIOXO-3,4-DIHYDRO-2H-BENZO[G]PT ERIDIN-1-ID-10(5H)-YL)-5-O-PHOSPHONATO-D-RIBITOL (CCD ID: FNR) (formula: C₁₇H₂₃N₄O₉P) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
5	A	1	Total	C	N	O	P	0	0
			31	17	4	9	1		
5	B	1	Total	C	N	O	P	0	0
			31	17	4	9	1		
5	C	1	Total	C	N	O	P	0	0
			31	17	4	9	1		
5	D	1	Total	C	N	O	P	0	0
			31	17	4	9	1		

- Molecule 6 is THYMINE (CCD ID: TDR) (formula: $C_5H_6N_2O_2$) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
6	A	1	Total	C	N	O	0	0
			9	5	2	2		
6	B	1	Total	C	N	O	0	0
			9	5	2	2		
6	C	1	Total	C	N	O	0	0
			9	5	2	2		
6	D	1	Total	C	N	O	0	0
			9	5	2	2		

- Molecule 7 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
7	A	248	Total	O	0	0
			248	248		

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
7	B	229	Total 229	O 229	0	0
7	C	266	Total 266	O 266	0	0
7	D	234	Total 234	O 234	0	0


3 Residue-property plots [i](#)


These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Dihydropyrimidine dehydrogenase [NADP(+)]





- Molecule 1: Dihydropyrimidine dehydrogenase [NADP(+)]







• Molecule 1: Dihydropyrimidine dehydrogenase [NADP(+)]



• Molecule 1: Dihydropyrimidine dehydrogenase [NADP(+)]



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	81.73Å 158.00Å 162.40Å 90.00° 96.06° 90.00°	Depositor
Resolution (Å)	47.23 – 1.97 47.23 – 1.97	Depositor EDS
% Data completeness (in resolution range)	98.5 (47.23-1.97) 98.5 (47.23-1.97)	Depositor EDS
R_{merge}	0.13	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.44 (at 1.97Å)	Xtriage
Refinement program	PHENIX 1.20.1_4487	Depositor
R, R_{free}	0.179 , 0.217 0.179 , 0.217	Depositor DCC
R_{free} test set	14080 reflections (4.97%)	wwPDB-VP
Wilson B-factor (Å ²)	26.4	Xtriage
Anisotropy	0.378	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.38 , 35.8	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	32519	wwPDB-VP
Average B, all atoms (Å ²)	32.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.75% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: FNR, SF4, FAD, TDR, NAP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.35	0/7862	0.57	0/10658
1	B	0.34	0/7874	0.57	0/10676
1	C	0.35	0/7896	0.60	2/10705 (0.0%)
1	D	0.36	2/7860 (0.0%)	0.63	5/10656 (0.0%)
All	All	0.35	2/31492 (0.0%)	0.59	7/42695 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1
1	C	0	1
All	All	0	2

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	D	445	PRO	CB-CG	-8.50	1.07	1.49
1	D	445	PRO	CG-CD	-8.18	1.23	1.50

The worst 5 of 7 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	D	445	PRO	N-CD-CG	-18.70	75.14	103.20
1	D	445	PRO	CA-CB-CG	-17.81	70.67	104.50
1	D	445	PRO	CA-N-CD	-7.53	101.46	112.00
1	C	457	ASN	CA-C-N	6.98	129.94	120.38
1	C	457	ASN	C-N-CA	6.98	129.94	120.38

There are no chirality outliers.

All (2) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	325	HIS	Peptide
1	C	1003	ARG	Sidechain

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	7702	0	7728	74	0
1	B	7713	0	7738	73	0
1	C	7735	0	7754	81	0
1	D	7700	0	7726	77	0
2	A	32	0	0	0	0
2	B	32	0	0	0	0
2	C	32	0	0	0	0
2	D	32	0	0	0	0
3	A	53	0	31	4	0
3	B	53	0	31	3	0
3	C	53	0	31	2	0
3	D	53	0	31	2	0
4	A	48	0	17	8	0
4	B	48	0	17	9	0
4	C	48	0	17	11	0
4	D	48	0	17	7	0
5	A	31	0	22	6	0
5	B	31	0	22	5	0
5	C	31	0	22	2	0
5	D	31	0	22	3	0
6	A	9	0	6	0	0
6	B	9	0	6	1	0
6	C	9	0	6	0	0
6	D	9	0	6	0	0
7	A	248	0	0	2	0
7	B	229	0	0	2	0
7	C	266	0	0	5	0
7	D	234	0	0	1	0
All	All	32519	0	31250	294	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

The worst 5 of 294 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:342:ASP:HB2	4:C:1106:NAP:C5N	1.97	0.94
1:A:179:GLN:NE2	7:A:1201:HOH:O	2.04	0.91
1:B:875:LYS:HE3	1:B:875:LYS:HA	1.58	0.83
1:B:342:ASP:HB2	4:B:1106:NAP:C4N	2.12	0.80
1:B:342:ASP:HB2	4:B:1106:NAP:C5N	2.13	0.79

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	1006/1025 (98%)	971 (96%)	33 (3%)	2 (0%)	43	35
1	B	1008/1025 (98%)	965 (96%)	39 (4%)	4 (0%)	30	20
1	C	1016/1025 (99%)	975 (96%)	37 (4%)	4 (0%)	30	20
1	D	1006/1025 (98%)	965 (96%)	38 (4%)	3 (0%)	36	27
All	All	4036/4100 (98%)	3876 (96%)	147 (4%)	13 (0%)	36	27

5 of 13 Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	C	677	GLU
1	D	902	ALA
1	B	417	GLY
1	C	414	ASP
1	A	414	ASP

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	841/854 (98%)	840 (100%)	1 (0%)	88	89
1	B	842/854 (99%)	839 (100%)	3 (0%)	84	82
1	C	840/854 (98%)	836 (100%)	4 (0%)	81	79
1	D	841/854 (98%)	837 (100%)	4 (0%)	81	79
All	All	3364/3416 (98%)	3352 (100%)	12 (0%)	84	82

5 of 12 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	C	793	THR
1	D	178	SER
1	D	1007	ARG
1	D	793	THR
1	B	1021	VAL

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 19 such sidechains are listed below:

Mol	Chain	Res	Type
1	D	179	GLN
1	D	828	GLN
1	D	859	HIS
1	D	693	ASN
1	C	23	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

32 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	SF4	B	1101	1	0,12,12	-	-	-		
2	SF4	D	1102	1	0,12,12	-	-	-		
2	SF4	A	1104	1	0,12,12	-	-	-		
3	FAD	D	1105	-	58,58,58	0.39	0	85,89,89	0.43	0
2	SF4	D	1103	1	0,12,12	-	-	-		
5	FNR	A	1107	-	32,33,33	5.84	17 (53%)	41,50,50	7.92	28 (68%)
4	NAP	A	1106	1	50,52,52	3.07	20 (40%)	71,80,80	2.99	27 (38%)
4	NAP	C	1106	-	50,52,52	3.00	18 (36%)	71,80,80	3.01	25 (35%)
6	TDR	C	1108	-	9,9,9	0.49	0	12,12,12	0.65	0
2	SF4	D	1101	1	0,12,12	-	-	-		
2	SF4	C	1102	1	0,12,12	-	-	-		
2	SF4	C	1104	1	0,12,12	-	-	-		
6	TDR	A	1108	-	9,9,9	0.43	0	12,12,12	0.61	0
4	NAP	B	1106	-	50,52,52	3.42	18 (36%)	71,80,80	3.09	29 (40%)
3	FAD	A	1105	-	58,58,58	0.38	0	85,89,89	0.39	0
5	FNR	C	1107	-	32,33,33	5.75	15 (46%)	41,50,50	8.08	22 (53%)
6	TDR	B	1107	-	9,9,9	0.61	0	12,12,12	0.73	0
2	SF4	D	1104	1	0,12,12	-	-	-		
2	SF4	B	1102	1	0,12,12	-	-	-		
6	TDR	D	1108	-	9,9,9	0.61	0	12,12,12	0.90	0
3	FAD	B	1105	-	58,58,58	0.33	0	85,89,89	0.43	0
2	SF4	B	1104	1	0,12,12	-	-	-		
4	NAP	D	1106	-	50,52,52	3.28	18 (36%)	71,80,80	3.11	28 (39%)
2	SF4	A	1101	1	0,12,12	-	-	-		
2	SF4	C	1101	1	0,12,12	-	-	-		
2	SF4	A	1103	1	0,12,12	-	-	-		

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	SF4	C	1103	1	0,12,12	-	-	-		
2	SF4	A	1102	1	0,12,12	-	-	-		
5	FNR	D	1107	-	32,33,33	5.74	16 (50%)	41,50,50	8.01	27 (65%)
2	SF4	B	1103	1	0,12,12	-	-	-		
5	FNR	B	1108	-	32,33,33	5.80	17 (53%)	41,50,50	8.09	27 (65%)
3	FAD	C	1105	-	58,58,58	0.37	0	85,89,89	0.43	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	SF4	B	1101	1	-	-	0/6/5/5
2	SF4	D	1102	1	-	-	0/6/5/5
2	SF4	A	1104	1	-	-	0/6/5/5
3	FAD	D	1105	-	-	3/34/50/50	0/6/6/6
2	SF4	D	1103	1	-	-	0/6/5/5
5	FNR	A	1107	-	-	10/18/18/18	0/3/3/3
4	NAP	C	1106	-	8/8/12/12	10/35/67/67	0/5/5/5
4	NAP	A	1106	1	8/8/12/12	12/35/67/67	0/5/5/5
6	TDR	C	1108	-	-	-	0/1/1/1
2	SF4	D	1101	1	-	-	0/6/5/5
2	SF4	C	1102	1	-	-	0/6/5/5
2	SF4	C	1104	1	-	-	0/6/5/5
6	TDR	A	1108	-	-	-	0/1/1/1
4	NAP	B	1106	-	8/8/12/12	13/35/67/67	0/5/5/5
3	FAD	A	1105	-	-	3/34/50/50	0/6/6/6
5	FNR	C	1107	-	-	8/18/18/18	0/3/3/3
6	TDR	B	1107	-	-	-	0/1/1/1
2	SF4	D	1104	1	-	-	0/6/5/5
2	SF4	B	1102	1	-	-	0/6/5/5
6	TDR	D	1108	-	-	-	0/1/1/1
3	FAD	B	1105	-	-	2/34/50/50	0/6/6/6
2	SF4	B	1104	1	-	-	0/6/5/5
4	NAP	D	1106	-	8/8/12/12	13/35/67/67	0/5/5/5
2	SF4	A	1101	1	-	-	0/6/5/5
2	SF4	C	1101	1	-	-	0/6/5/5
2	SF4	A	1103	1	-	-	0/6/5/5
2	SF4	C	1103	1	-	-	0/6/5/5

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	SF4	A	1102	1	-	-	0/6/5/5
5	FNR	D	1107	-	-	4/18/18/18	0/3/3/3
2	SF4	B	1103	1	-	-	0/6/5/5
5	FNR	B	1108	-	-	9/18/18/18	0/3/3/3
3	FAD	C	1105	-	-	2/34/50/50	0/6/6/6

The worst 5 of 139 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	B	1108	FNR	C5A-C9A	-13.20	1.26	1.40
5	D	1107	FNR	C5A-C9A	-12.52	1.26	1.40
5	A	1107	FNR	C5A-C9A	-12.27	1.27	1.40
5	C	1107	FNR	C5A-C9A	-12.10	1.27	1.40
5	B	1108	FNR	C9-C9A	-11.98	1.20	1.39

The worst 5 of 213 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	A	1107	FNR	C9-C9A-N10	-25.87	87.06	121.85
5	C	1107	FNR	C9-C9A-N10	-25.36	87.75	121.85
5	B	1108	FNR	C9-C9A-N10	-25.06	88.16	121.85
5	D	1107	FNR	C9-C9A-N10	-24.76	88.56	121.85
5	D	1107	FNR	C6-C5A-N5	-20.07	84.92	119.76

5 of 32 chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
4	A	1106	NAP	C2B
4	A	1106	NAP	C4B
4	A	1106	NAP	C4D
4	A	1106	NAP	C3D
4	A	1106	NAP	C1D

5 of 89 torsion outliers are listed below:



Mol	Chain	Res	Type	Atoms
3	A	1105	FAD	PA-O3P-P-O5'
3	C	1105	FAD	PA-O3P-P-O5'
4	A	1106	NAP	C5B-O5B-PA-O2A
4	A	1106	NAP	O4B-C4B-C5B-O5B
4	A	1106	NAP	PA-O3-PN-O5D


There are no ring outliers.



13 monomers are involved in 55 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	D	1105	FAD	2	0
5	A	1107	FNR	6	0
4	A	1106	NAP	8	0
4	C	1106	NAP	11	0
4	B	1106	NAP	9	0
3	A	1105	FAD	4	0
5	C	1107	FNR	2	0
6	B	1107	TDR	1	0
3	B	1105	FAD	3	0
4	D	1106	NAP	7	0
5	D	1107	FNR	3	0
5	B	1108	FNR	5	0
3	C	1105	FAD	2	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.










Ligand FNR A 1107









Ligand TDR C 1108




Bond lengths



Bond angles




Torsions




Rings


Ligand SF4 D 1101




Bond lengths





Bond angles





Torsions




Rings












Ligand FNR C 1107




Ligand TDR B 1107




Bond lengths



Bond angles




Torsions




Rings


Ligand SF4 D 1104




Bond lengths




Bond angles






Torsions





Rings














Ligand SF4 A 1103




Ligand SF4 C 1103







Ligand FNR D 1107




Bond lengths




Bond angles




Torsions




Rings



Ligand FNR B 1108





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2			OWAB(Å ²)	Q<0.9
1	A	1010/1025 (98%)	0.20	59 (5%)	29	37	19, 28, 53, 83	0
1	B	1008/1025 (98%)	0.18	44 (4%)	39	49	20, 29, 52, 88	0
1	C	1018/1025 (99%)	0.24	71 (6%)	22	30	20, 28, 59, 101	0
1	D	1006/1025 (98%)	0.23	63 (6%)	26	34	19, 30, 55, 99	0
All	All	4042/4100 (98%)	0.21	237 (5%)	28	37	19, 29, 55, 101	0

The worst 5 of 237 RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	324	CYS	8.2
1	A	319	ALA	8.1
1	C	323	ALA	7.9
1	D	902	ALA	7.9
1	C	907	LEU	7.5

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
4	NAP	C	1106	48/48	0.76	0.16	44,55,63,66	0
4	NAP	A	1106	48/48	0.81	0.14	41,55,60,67	0
4	NAP	D	1106	48/48	0.82	0.15	38,49,56,58	0
4	NAP	B	1106	48/48	0.84	0.14	39,48,54,55	0
5	FNR	B	1108	31/31	0.93	0.10	19,23,26,29	0
5	FNR	A	1107	31/31	0.94	0.09	19,22,26,30	0
5	FNR	C	1107	31/31	0.94	0.08	18,22,26,32	0
5	FNR	D	1107	31/31	0.94	0.09	21,23,28,30	0
6	TDR	B	1107	9/9	0.95	0.07	22,24,27,29	0
6	TDR	C	1108	9/9	0.95	0.07	20,22,25,25	0
6	TDR	D	1108	9/9	0.95	0.06	25,26,28,31	0
6	TDR	A	1108	9/9	0.96	0.06	21,22,24,25	0
3	FAD	A	1105	53/53	0.97	0.06	21,25,34,36	0
3	FAD	B	1105	53/53	0.97	0.06	22,27,32,32	0
3	FAD	C	1105	53/53	0.97	0.06	21,26,33,35	0
3	FAD	D	1105	53/53	0.97	0.06	24,29,33,34	0
2	SF4	A	1102	8/8	0.99	0.03	20,22,23,23	0
2	SF4	A	1103	8/8	0.99	0.03	19,20,22,22	0
2	SF4	A	1104	8/8	0.99	0.02	22,23,24,24	0
2	SF4	B	1101	8/8	0.99	0.02	20,23,24,25	0
2	SF4	B	1102	8/8	0.99	0.02	21,22,23,24	0
2	SF4	B	1103	8/8	0.99	0.02	18,21,21,21	0
2	SF4	B	1104	8/8	0.99	0.03	22,22,23,24	0
2	SF4	C	1101	8/8	0.99	0.03	19,22,24,24	0
2	SF4	C	1102	8/8	0.99	0.03	23,23,25,26	0
2	SF4	C	1103	8/8	0.99	0.03	20,21,22,24	0
2	SF4	C	1104	8/8	0.99	0.02	21,22,23,23	0
2	SF4	D	1101	8/8	0.99	0.03	22,23,24,25	0
2	SF4	D	1102	8/8	0.99	0.02	19,22,23,23	0
2	SF4	D	1104	8/8	0.99	0.03	22,22,24,25	0
2	SF4	A	1101	8/8	0.99	0.02	20,21,22,23	0
2	SF4	D	1103	8/8	1.00	0.02	19,21,22,24	0




The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around NAP C 1106:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around NAP A 1106:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around NAP D 1106:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around NAP B 1106:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around FNR B 1108:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around FNR A 1107:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around FNR C 1107:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around FNR D 1107:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around TDR B 1107:

$2mF_o - DF_c$ (at 0.7 rmsd) in gray
 $mF_o - DF_c$ (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around TDR C 1108:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around TDR D 1108:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around TDR A 1108:

$2mF_o - DF_c$ (at 0.7 rmsd) in gray
 $mF_o - DF_c$ (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around FAD A 1105:**

$2mF_o - DF_c$ (at 0.7 rmsd) in gray
 $mF_o - DF_c$ (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around FAD B 1105:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around FAD C 1105:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around FAD D 1105:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around SF4 A 1102:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around SF4 A 1103:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around SF4 A 1104:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around SF4 B 1101:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around SF4 B 1102:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around SF4 B 1103:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around SF4 B 1104:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around SF4 C 1101:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around SF4 C 1102:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around SF4 C 1103:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around SF4 C 1104:

$2mF_o - DF_c$ (at 0.7 rmsd) in gray
 $mF_o - DF_c$ (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around SF4 D 1101:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around SF4 D 1102:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around SF4 D 1104:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around SF4 A 1101:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around SF4 D 1103:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers ⓘ

There are no such residues in this entry.