



wwPDB X-ray Structure Validation Summary Report ⓘ

Aug 6, 2026 – 01:58 PM EDT

PDB ID : 8FC4 / pdb_00008fc4
Title : Crystal structure of the A2058-N6-dimethylated *Thermus thermophilus* 70S ribosome in complex with protein Y, hygromycin A, and erythromycin at 2.45Å resolution
Authors : Chen, C.-W.; Syroegin, E.A.; Svetlov, M.S.; Polikanov, Y.S.
Deposited on : 2022-12-01
Resolution : 2.45 Å(reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.015 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.50


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.45 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.















Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	1190 (2.46-2.46)
Clashscore	190562	1229 (2.46-2.46)
Ramachandran outliers	187476	1218 (2.46-2.46)
Sidechain outliers	187428	1218 (2.46-2.46)
RSRZ outliers	180081	1190 (2.46-2.46)
RNA backbone	3983	1023 (2.72-2.20)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	1A	2915	5% 63% 29% 6%
1	2A	2915	6% 56% 34% 8%
2	1B	121	% 66% 31% ..

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
2	2B	121	
3	1D	276	
3	2D	276	
4	1E	206	
4	2E	206	
5	1F	210	
5	2F	210	
6	1G	182	
6	2G	182	
7	1H	180	
7	2H	180	
8	1I	148	
8	2I	148	
9	1N	140	
9	2N	140	
10	1O	122	
10	2O	122	
11	1P	150	
11	2P	150	
12	1Q	141	
12	2Q	141	
13	1R	118	
13	2R	118	
14	1S	112	
14	2S	112	



Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
15	1T	146	
15	2T	146	
16	1U	118	
16	2U	118	
17	1V	101	
17	2V	101	
18	1W	113	
18	2W	113	
19	1X	96	
19	2X	96	
20	1Y	110	
20	2Y	110	
21	1Z	206	
21	2Z	206	
22	10	85	
22	20	85	
23	11	98	
23	21	98	
24	12	72	
24	22	72	
25	13	60	
25	23	60	
26	14	71	
26	24	71	
27	15	60	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
27	25	60	
28	16	54	
28	26	54	
29	17	49	
29	27	49	
30	18	65	
30	28	65	
31	19	37	
31	29	37	
32	1a	1521	
32	2a	1521	
33	1b	256	
33	2b	256	
34	1c	239	
34	2c	239	
35	1d	209	
35	2d	209	
36	1e	162	
36	2e	162	
37	1f	101	
37	2f	101	
38	1g	156	
38	2g	156	
39	1h	138	
39	2h	138	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
40	1i	128	
40	2i	128	
41	1j	105	
41	2j	105	
42	1k	129	
42	2k	129	
43	1l	132	
43	2l	132	
44	1m	126	
44	2m	126	
45	1n	61	
45	2n	61	
46	1o	89	
46	2o	89	
47	1p	88	
47	2p	88	
48	1q	105	
48	2q	105	
49	1r	88	
49	2r	88	
50	1s	93	
50	2s	93	
51	1t	106	
51	2t	106	
52	1u	27	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
52	2u	27	
53	1y	113	
53	2y	113	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
54	MG	2a	3027	-	-	-	X
57	MPD	1a	1882	-	-	X	-

2 Entry composition

There are 61 unique types of molecules in this entry. The entry contains 297328 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a RNA chain called 23S Ribosomal RNA.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	1A	2872	Total	C	N	O	P	0	0	0
			61871	27542	11574	19884	2871			
1	2A	2867	Total	C	N	O	P	0	0	0
			61760	27493	11552	19850	2865			

- Molecule 2 is a RNA chain called 5S Ribosomal RNA.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	1B	120	Total	C	N	O	P	0	0	0
			2572	1145	476	832	119			
2	2B	120	Total	C	N	O	P	0	0	0
			2573	1146	476	832	119			

- Molecule 3 is a protein called 50S ribosomal protein L2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	1D	275	Total	C	N	O	S	0	0	0
			2131	1346	422	360	3			
3	2D	275	Total	C	N	O	S	0	0	0
			2136	1349	423	361	3			

- Molecule 4 is a protein called 50S ribosomal protein L3.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
4	1E	204	Total	C	N	O	S	0	0	0
			1559	985	298	270	6			
4	2E	204	Total	C	N	O	S	0	0	0
			1559	985	298	270	6			

- Molecule 5 is a protein called 50S ribosomal protein L4.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
5	1F	203	Total	C	N	O	S	0	0	1
			1584	1009	298	275	2			
5	2F	203	Total	C	N	O	S	0	0	1
			1580	1007	297	274	2			

- Molecule 6 is a protein called 50S ribosomal protein L5.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
6	1G	181	Total	C	N	O	S	0	0	0
			1426	916	253	253	4			
6	2G	181	Total	C	N	O	S	0	0	0
			1424	912	259	249	4			

- Molecule 7 is a protein called 50S ribosomal protein L6.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
7	1H	174	Total	C	N	O	S	0	0	0
			1330	845	248	236	1			
7	2H	173	Total	C	N	O	S	0	0	0
			1324	842	247	234	1			

- Molecule 8 is a protein called 50S ribosomal protein L9.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
8	1I	147	Total	C	N	O	S	0	0	0
			1094	699	191	203	1			
8	2I	146	Total	C	N	O	S	0	0	0
			1076	687	186	202	1			

- Molecule 9 is a protein called 50S ribosomal protein L13.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
9	1N	140	Total	C	N	O	S	0	0	0
			1121	722	208	187	4			
9	2N	140	Total	C	N	O	S	0	0	0
			1117	719	207	187	4			

- Molecule 10 is a protein called 50S ribosomal protein L14.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
10	1O	122	Total	C	N	O	S	0	0	0
			933	588	171	170	4			

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
10	2O	122	Total	C	N	O	S	0	0	0
			933	588	171	170	4			

- Molecule 11 is a protein called 50S ribosomal protein L15.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
11	1P	149	Total	C	N	O	S	0	0	0
			1135	706	230	196	3			
11	2P	149	Total	C	N	O	S	0	0	0
			1135	706	230	196	3			

- Molecule 12 is a protein called 50S ribosomal protein L16.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
12	1Q	141	Total	C	N	O	S	0	0	0
			1122	715	212	188	7			
12	2Q	141	Total	C	N	O	S	0	0	0
			1122	715	212	188	7			

- Molecule 13 is a protein called 50S ribosomal protein L17.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
13	1R	118	Total	C	N	O	S	0	0	0
			968	604	203	160	1			
13	2R	118	Total	C	N	O	S	0	0	0
			968	604	203	160	1			

- Molecule 14 is a protein called 50S ribosomal protein L18.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
14	1S	110	Total	C	N	O	0	0	0
			877	553	175	149			
14	2S	110	Total	C	N	O	0	0	0
			870	549	173	148			

- Molecule 15 is a protein called 50S ribosomal protein L19.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
15	1T	131	Total	C	N	O	S	0	0	0
			1091	680	225	185	1			
15	2T	131	Total	C	N	O	S	0	0	0
			1083	675	224	183	1			

- Molecule 16 is a protein called 50S ribosomal protein L20.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
16	1U	116	Total	C	N	O	S	0	0	0
			959	608	201	149	1			
16	2U	116	Total	C	N	O	S	0	0	0
			959	608	201	149	1			

- Molecule 17 is a protein called 50S ribosomal protein L21.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
17	1V	101	Total	C	N	O	S	0	0	0
			775	498	141	135	1			
17	2V	101	Total	C	N	O	S	0	0	0
			771	495	140	135	1			

- Molecule 18 is a protein called 50S ribosomal protein L22.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
18	1W	112	Total	C	N	O	S	0	0	0
			886	557	174	153	2			
18	2W	112	Total	C	N	O	S	0	0	0
			886	557	174	153	2			

- Molecule 19 is a protein called 50S ribosomal protein L23.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
19	1X	95	Total	C	N	O	S	0	0	0
			750	488	135	126	1			
19	2X	95	Total	C	N	O	S	0	0	0
			750	488	135	126	1			

- Molecule 20 is a protein called 50S ribosomal protein L24.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
20	1Y	107	Total	C	N	O	S	0	0	0
			810	520	153	131	6			
20	2Y	107	Total	C	N	O	S	0	0	0
			810	519	153	132	6			

- Molecule 21 is a protein called 50S ribosomal protein L25.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
21	1Z	203	Total	C	N	O	S	0	0	0
			1587	1011	282	292	2			
21	2Z	201	Total	C	N	O	S	0	0	0
			1557	995	274	286	2			

- Molecule 22 is a protein called 50S ribosomal protein L27.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
22	10	77	Total	C	N	O	S	0	0	0
			608	375	129	103	1			
22	20	77	Total	C	N	O	S	0	0	0
			608	375	129	103	1			

- Molecule 23 is a protein called 50S ribosomal protein L28.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
23	11	97	Total	C	N	O	S	0	0	0
			754	475	148	130	1			
23	21	97	Total	C	N	O	S	0	0	0
			759	478	149	131	1			

- Molecule 24 is a protein called 50S ribosomal protein L29.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
24	12	70	Total	C	N	O	S	0	0	0
			588	365	118	103	2			
24	22	70	Total	C	N	O	S	0	0	0
			592	368	119	103	2			

- Molecule 25 is a protein called 50S ribosomal protein L30.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
25	13	59	Total	C	N	O	0	0	0
			469	298	90	81			
25	23	59	Total	C	N	O	0	0	0
			464	296	90	78			

- Molecule 26 is a protein called 50S ribosomal protein L31.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
26	14	69	Total	C	N	O	S	0	0	0
			546	346	96	99	5			

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
26	24	69	Total	C	N	O	S	0	0	0
			536	342	98	91	5			

- Molecule 27 is a protein called 50S ribosomal protein L32.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
27	15	59	Total	C	N	O	S	0	0	0
			459	288	90	76	5			
27	25	59	Total	C	N	O	S	0	0	0
			455	285	89	76	5			

- Molecule 28 is a protein called 50S ribosomal protein L33.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
28	16	53	Total	C	N	O	S	0	0	0
			453	281	91	77	4			
28	26	53	Total	C	N	O	S	0	0	0
			449	279	91	75	4			

- Molecule 29 is a protein called 50S ribosomal protein L34.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
29	17	48	Total	C	N	O	S	0	0	0
			418	257	104	55	2			
29	27	48	Total	C	N	O	S	0	0	0
			418	257	104	55	2			

- Molecule 30 is a protein called 50S ribosomal protein L35.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
30	18	64	Total	C	N	O	S	0	0	0
			517	331	102	82	2			
30	28	64	Total	C	N	O	S	0	0	0
			517	331	102	82	2			

- Molecule 31 is a protein called 50S ribosomal protein L36.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
31	19	37	Total	C	N	O	S	0	0	0
			307	188	68	47	4			
31	29	37	Total	C	N	O	S	0	0	0
			307	188	68	47	4			

- Molecule 32 is a RNA chain called 16S Ribosomal RNA.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
32	1a	1500	Total	C	N	O	P	0	0	0
			32246	14358	5975	10413	1500			
32	2a	1504	Total	C	N	O	P	0	0	0
			32331	14396	5990	10441	1504			

- Molecule 33 is a protein called 30S ribosomal protein S2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
33	1b	231	Total	C	N	O	S	0	0	0
			1842	1175	330	332	5			
33	2b	231	Total	C	N	O	S	0	0	0
			1825	1167	326	327	5			

- Molecule 34 is a protein called 30S ribosomal protein S3.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
34	1c	206	Total	C	N	O	S	0	0	0
			1558	979	305	273	1			
34	2c	206	Total	C	N	O	S	0	0	0
			1542	968	300	273	1			

- Molecule 35 is a protein called 30S ribosomal protein S4.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
35	1d	208	Total	C	N	O	S	0	0	0
			1665	1043	329	286	7			
35	2d	208	Total	C	N	O	S	0	0	0
			1668	1047	330	284	7			

- Molecule 36 is a protein called 30S ribosomal protein S5.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
36	1e	148	Total	C	N	O	S	0	0	0
			1133	716	214	199	4			
36	2e	148	Total	C	N	O	S	0	0	0
			1133	716	214	199	4			

- Molecule 37 is a protein called 30S ribosomal protein S6.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
37	1f	100	Total	C	N	O	S	0	0	0
			814	516	144	151	3			
37	2f	100	Total	C	N	O	S	0	0	0
			816	516	146	151	3			

- Molecule 38 is a protein called 30S ribosomal protein S7.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
38	1g	155	Total	C	N	O	S	0	0	0
			1235	769	244	216	6			
38	2g	155	Total	C	N	O	S	0	0	0
			1229	766	241	216	6			

- Molecule 39 is a protein called 30S ribosomal protein S8.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
39	1h	137	Total	C	N	O	S	0	0	0
			1098	694	210	192	2			
39	2h	137	Total	C	N	O	S	0	0	0
			1088	689	206	191	2			

- Molecule 40 is a protein called 30S ribosomal protein S9.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
40	1i	127	Total	C	N	O	0	0	0
			986	625	193	168			
40	2i	126	Total	C	N	O	0	0	0
			966	613	186	167			

- Molecule 41 is a protein called 30S ribosomal protein S10.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
41	1j	97	Total	C	N	O	0	0	0
			719	446	142	131			
41	2j	96	Total	C	N	O	0	0	0
			710	442	137	131			

- Molecule 42 is a protein called 30S ribosomal protein S11.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
42	1k	114	Total	C	N	O	S	0	0	0
			834	520	156	155	3			

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
42	2k	114	Total	C	N	O	S	0	0	0
			833	519	156	155	3			

- Molecule 43 is a protein called 30S ribosomal protein S12.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
43	1l	122	Total	C	N	O	S	0	0	0
			932	586	185	159	2			
43	2l	122	Total	C	N	O	S	0	0	0
			932	586	185	159	2			

- Molecule 44 is a protein called 30S ribosomal protein S13.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
44	1m	116	Total	C	N	O	S	0	0	0
			914	564	189	159	2			
44	2m	114	Total	C	N	O	S	0	0	0
			895	550	186	157	2			

- Molecule 45 is a protein called 30S ribosomal protein S14 type Z.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
45	1n	60	Total	C	N	O	S	0	0	0
			492	312	104	72	4			
45	2n	60	Total	C	N	O	S	0	0	0
			492	312	104	72	4			

- Molecule 46 is a protein called 30S ribosomal protein S15.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
46	1o	88	Total	C	N	O	S	0	0	0
			728	456	144	126	2			
46	2o	88	Total	C	N	O	S	0	0	0
			728	456	144	126	2			

- Molecule 47 is a protein called 30S ribosomal protein S16.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
47	1p	82	Total	C	N	O	S	0	0	0
			681	433	134	113	1			
47	2p	82	Total	C	N	O	S	0	0	0
			677	430	133	113	1			

- Molecule 48 is a protein called 30S ribosomal protein S17.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
48	1q	99	Total	C	N	O	S	0	0	0
			823	528	151	142	2			
48	2q	99	Total	C	N	O	S	0	0	0
			823	528	151	142	2			

- Molecule 49 is a protein called 30S ribosomal protein S18.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
49	1r	68	Total	C	N	O		0	0	0
			555	355	108	92				
49	2r	68	Total	C	N	O		0	0	0
			555	355	108	92				

- Molecule 50 is a protein called 30S ribosomal protein S19.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
50	1s	83	Total	C	N	O	S	0	0	0
			648	415	120	111	2			
50	2s	83	Total	C	N	O	S	0	0	0
			645	410	118	115	2			

- Molecule 51 is a protein called 30S ribosomal protein S20.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
51	1t	96	Total	C	N	O	S	0	0	0
			732	449	157	124	2			
51	2t	98	Total	C	N	O	S	0	0	0
			733	451	154	126	2			

- Molecule 52 is a protein called 30S ribosomal protein Thx.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
52	1u	23	Total	C	N	O		0	0	0
			199	122	48	29				
52	2u	23	Total	C	N	O		0	0	0
			199	122	48	29				

- Molecule 53 is a protein called Ribosome-associated inhibitor A.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
53	1y	97	Total	C	N	O	S	0	0	0
			764	478	144	139	3			
53	2y	96	Total	C	N	O	S	0	0	0
			749	468	141	137	3			

- Molecule 54 is MAGNESIUM ION (CCD ID: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
54	1A	1025	Total	Mg	0	0
			1025	1025		
54	1B	29	Total	Mg	0	0
			29	29		
54	1D	16	Total	Mg	0	0
			16	16		
54	1E	9	Total	Mg	0	0
			9	9		
54	1F	17	Total	Mg	0	0
			17	17		
54	1G	4	Total	Mg	0	0
			4	4		
54	1H	2	Total	Mg	0	0
			2	2		
54	1N	4	Total	Mg	0	0
			4	4		
54	1O	1	Total	Mg	0	0
			1	1		
54	1P	6	Total	Mg	0	0
			6	6		
54	1Q	5	Total	Mg	0	0
			5	5		
54	1R	4	Total	Mg	0	0
			4	4		
54	1T	4	Total	Mg	0	0
			4	4		
54	1U	9	Total	Mg	0	0
			9	9		
54	1V	6	Total	Mg	0	0
			6	6		
54	1W	2	Total	Mg	0	0
			2	2		
54	1Y	2	Total	Mg	0	0
			2	2		
54	1Z	1	Total	Mg	0	0
			1	1		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
54	10	8	Total 8	Mg 8	0	0
54	11	6	Total 6	Mg 6	0	0
54	13	4	Total 4	Mg 4	0	0
54	15	8	Total 8	Mg 8	0	0
54	17	5	Total 5	Mg 5	0	0
54	18	2	Total 2	Mg 2	0	0
54	19	2	Total 2	Mg 2	0	0
54	1a	281	Total 281	Mg 281	0	0
54	1b	1	Total 1	Mg 1	0	0
54	1d	3	Total 3	Mg 3	0	0
54	1e	3	Total 3	Mg 3	0	0
54	1f	2	Total 2	Mg 2	0	0
54	1g	3	Total 3	Mg 3	0	0
54	1h	2	Total 2	Mg 2	0	0
54	1i	1	Total 1	Mg 1	0	0
54	1k	1	Total 1	Mg 1	0	0
54	1l	2	Total 2	Mg 2	0	0
54	1m	1	Total 1	Mg 1	0	0
54	1n	1	Total 1	Mg 1	0	0
54	1o	2	Total 2	Mg 2	0	0
54	1t	1	Total 1	Mg 1	0	0

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
54	1y	2	Total 2	Mg 2	0	0
54	2A	670	Total 670	Mg 670	0	0
54	2B	14	Total 14	Mg 14	0	0
54	2D	7	Total 7	Mg 7	0	0
54	2E	5	Total 5	Mg 5	0	0
54	2F	4	Total 4	Mg 4	0	0
54	2G	1	Total 1	Mg 1	0	0
54	2O	1	Total 1	Mg 1	0	0
54	2P	1	Total 1	Mg 1	0	0
54	2Q	4	Total 4	Mg 4	0	0
54	2R	2	Total 2	Mg 2	0	0
54	2T	4	Total 4	Mg 4	0	0
54	2U	1	Total 1	Mg 1	0	0
54	2V	1	Total 1	Mg 1	0	0
54	2W	3	Total 3	Mg 3	0	0
54	2Y	1	Total 1	Mg 1	0	0
54	20	2	Total 2	Mg 2	0	0
54	21	1	Total 1	Mg 1	0	0
54	23	1	Total 1	Mg 1	0	0
54	25	3	Total 3	Mg 3	0	0
54	27	1	Total 1	Mg 1	0	0

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
54	28	2	Total	Mg	0	0
			2	2		
54	2a	190	Total	Mg	0	0
			190	190		
54	2e	1	Total	Mg	0	0
			1	1		
54	2f	1	Total	Mg	0	0
			1	1		
54	2h	1	Total	Mg	0	0
			1	1		
54	2j	1	Total	Mg	0	0
			1	1		
54	2k	1	Total	Mg	0	0
			1	1		
54	2l	1	Total	Mg	0	0
			1	1		
54	2n	1	Total	Mg	0	0
			1	1		
54	2r	1	Total	Mg	0	0
			1	1		
54	2t	1	Total	Mg	0	0
			1	1		

- Molecule 55 is Hygromycin A (CCD ID: HGR) (formula: $C_{23}H_{29}NO_{12}$) (labeled as "Ligand of Interest" by depositor).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
55	1A	1	Total	C	N	O	0	0
			36	23	1	12		
55	2A	1	Total	C	N	O	0	0
			36	23	1	12		

- Molecule 56 is ERYTHROMYCIN A (CCD ID: ERY) (formula: $C_{37}H_{67}NO_{13}$) (labeled as "Ligand of Interest" by depositor).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
56	1A	1	Total	C	N	O	0	0
			51	37	1	13		
56	2A	1	Total	C	N	O	0	0
			51	37	1	13		

- Molecule 57 is (4S)-2-METHYL-2,4-PENTANEDIOL (CCD ID: MPD) (formula: $C_6H_{14}O_2$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
57	1A	1	Total	C	O	0	0
			8	6	2		
57	1T	1	Total	C	O	0	0
			8	6	2		
57	18	1	Total	C	O	0	0
			8	6	2		
57	1a	1	Total	C	O	0	0
			8	6	2		
57	2A	1	Total	C	O	0	0
			8	6	2		
57	2A	1	Total	C	O	0	0
			8	6	2		
57	2A	1	Total	C	O	0	0
			8	6	2		

- Molecule 58 is ARGinine (CCD ID: ARG) (formula: C₆H₁₅N₄O₂).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
58	1B	1	Total	C	N	O	0	0
			12	6	4	2		
58	1F	1	Total	C	N	O	0	0
			12	6	4	2		

- Molecule 59 is ZINC ION (CCD ID: ZN) (formula: Zn).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
59	1Y	1	Total	Zn	0	0
			1	1		
59	14	1	Total	Zn	0	0
			1	1		
59	15	1	Total	Zn	0	0
			1	1		
59	16	1	Total	Zn	0	0
			1	1		
59	19	1	Total	Zn	0	0
			1	1		
59	1n	1	Total	Zn	0	0
			1	1		
59	2Y	1	Total	Zn	0	0
			1	1		
59	24	1	Total	Zn	0	0
			1	1		
59	25	1	Total	Zn	0	0
			1	1		
59	26	1	Total	Zn	0	0
			1	1		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
59	29	1	Total	Zn	0	0
			1	1		
59	2n	1	Total	Zn	0	0
			1	1		

- Molecule 60 is IRON/SULFUR CLUSTER (CCD ID: SF4) (formula: Fe_4S_4).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
60	1d	1	Total	Fe	S	0	0
			8	4	4		
60	2d	1	Total	Fe	S	0	0
			8	4	4		

- Molecule 61 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
61	1A	3899	Total	O	0	0
			3899	3899		
61	1B	94	Total	O	0	0
			94	94		
61	1D	118	Total	O	0	0
			118	118		
61	1E	83	Total	O	0	0
			83	83		
61	1F	63	Total	O	0	0
			63	63		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
61	1G	15	Total 15	O 15	0	0
61	1H	12	Total 12	O 12	0	0
61	1I	7	Total 7	O 7	0	0
61	1N	51	Total 51	O 51	0	0
61	1O	27	Total 27	O 27	0	0
61	1P	64	Total 64	O 64	0	0
61	1Q	43	Total 43	O 43	0	0
61	1R	34	Total 34	O 34	0	0
61	1S	10	Total 10	O 10	0	0
61	1T	38	Total 38	O 38	0	0
61	1U	42	Total 42	O 42	0	0
61	1V	36	Total 36	O 36	0	0
61	1W	28	Total 28	O 28	0	0
61	1X	27	Total 27	O 27	0	0
61	1Y	17	Total 17	O 17	0	0
61	1Z	10	Total 10	O 10	0	0
61	10	22	Total 22	O 22	0	0
61	11	26	Total 26	O 26	0	0
61	12	14	Total 14	O 14	0	0
61	13	23	Total 23	O 23	0	0
61	14	2	Total 2	O 2	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
61	15	25	Total 25	O 25	0	0
61	16	20	Total 20	O 20	0	0
61	17	14	Total 14	O 14	0	0
61	18	24	Total 24	O 24	0	0
61	19	4	Total 4	O 4	0	0
61	1a	454	Total 454	O 454	0	0
61	1c	2	Total 2	O 2	0	0
61	1d	7	Total 7	O 7	0	0
61	1e	4	Total 4	O 4	0	0
61	1f	2	Total 2	O 2	0	0
61	1h	1	Total 1	O 1	0	0
61	1l	2	Total 2	O 2	0	0
61	1m	1	Total 1	O 1	0	0
61	1o	5	Total 5	O 5	0	0
61	1p	4	Total 4	O 4	0	0
61	1y	4	Total 4	O 4	0	0
61	2A	2164	Total 2164	O 2164	0	0
61	2B	45	Total 45	O 45	0	0
61	2D	52	Total 52	O 52	0	0
61	2E	31	Total 31	O 31	0	0
61	2F	23	Total 23	O 23	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
61	2G	7	Total	O	0	0
			7	7		
61	2H	1	Total	O	0	0
			1	1		
61	2I	4	Total	O	0	0
			4	4		
61	2N	5	Total	O	0	0
			5	5		
61	2O	19	Total	O	0	0
			19	19		
61	2P	26	Total	O	0	0
			26	26		
61	2Q	15	Total	O	0	0
			15	15		
61	2R	18	Total	O	0	0
			18	18		
61	2S	5	Total	O	0	0
			5	5		
61	2T	11	Total	O	0	0
			11	11		
61	2U	15	Total	O	0	0
			15	15		
61	2V	6	Total	O	0	0
			6	6		
61	2W	18	Total	O	0	0
			18	18		
61	2X	8	Total	O	0	0
			8	8		
61	2Y	2	Total	O	0	0
			2	2		
61	2Z	9	Total	O	0	0
			9	9		
61	20	9	Total	O	0	0
			9	9		
61	21	17	Total	O	0	0
			17	17		
61	22	1	Total	O	0	0
			1	1		
61	23	3	Total	O	0	0
			3	3		
61	24	1	Total	O	0	0
			1	1		

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
61	25	7	Total 7	O 7	0	0
61	26	4	Total 4	O 4	0	0
61	27	6	Total 6	O 6	0	0
61	28	8	Total 8	O 8	0	0
61	29	1	Total 1	O 1	0	0
61	2a	322	Total 322	O 322	0	0
61	2d	3	Total 3	O 3	0	0
61	2e	1	Total 1	O 1	0	0
61	2f	3	Total 3	O 3	0	0
61	2j	2	Total 2	O 2	0	0
61	2l	2	Total 2	O 2	0	0
61	2n	1	Total 1	O 1	0	0
61	2o	2	Total 2	O 2	0	0
61	2p	1	Total 1	O 1	0	0
61	2q	2	Total 2	O 2	0	0
61	2r	3	Total 3	O 3	0	0
61	2t	2	Total 2	O 2	0	0
61	2u	1	Total 1	O 1	0	0
61	2y	2	Total 2	O 2	0	0


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: 23S Ribosomal RNA





G2405	U2406	G2407	A2411	G2417	A2418	U2419	A2422	G2423	A2424	A2425	A2426	G2427	G2428	G2429	A2430	U2431	A2435	A2439	C2440	C2441	C2442	C2443	G2447	A2448	G2458	G2468	A2469	G2470	A2476	G2482	U2491	G2502	A2503	U2504	G2505	U2506	A2518	G2529	G2535	G2536	U2537	C2538	C2539															
A2305	G2308	G2308	U2312	G2313	G2314	G2315	G2316	G2317	G2318	G2319	A2320	G2325	G2326	A2327	G2328	G2329	G2330	G2331	G2334	A2335	A2336	G2341	G2342	G2345	G2346	C2347	U2348	G2349	C2350	C2355	G2358	C2364	G2365	G2372	G2373	A2377	A2378	G2379	C2380	C2381	G2382	G2383	G2384	C2385	U2390	A2393												
G2190	G2191	G2192	A2198	U2203	G2205	G2206	G2207	A2208	G2223	G2224	A2225	G2226	A2227	G2228	U2233	G2238	G2239	U2243	U2244	G2248	G2251	G2258	A2273	A2274	G2277	G2280	G2283	G2284	G2285	A2286	A2287	A2288	G2289	G2290	U2291	G2292	G2293	A2298	G2299	G2303	G2304																	
U2130	G2131	U2132	G2133	A2134	A2135	G2136	G2137	G2138	G2139	G2140	G2141	G2142	G2143	U2144	G2145	G2146	G2147	G2148	G2149	G2150	G2151	G2153	G2154	G2155	G2156	G2157	A2158	G2159	G2160	G2161	G2162	G2163	G2164	G2165	G2166	U2167	G2168	A2169	A2170	G2171	U2172	A2173	G2174	G2175	A2176	G2177	G2178	G2179	U2180	G2181	G2182	G2183	G2184	G2185	G2186	G2187	G2188	U2189
C2050	A2051	G2052	G2053	A2054	G2055	G2056	A2057	A2058	A2059	A2060	G2061	C2064	C2065	G2069	A2071	U2079	U2086	G2087	G2093	U2096	C2097	U2098	U2099	G2100	G2101	U2102	C2103	G2106	C2107	C2108	U2109	G2110	G2111	G2112	U2113	A2114	G2115	G2116	A2117	U2118	A2119	G2120	G2121	U2122	G2123	G2124	G2125	A2126	G2127	C2128	C2129							
U1931	A1932	G1933	G1934	A1935	A1936	A1937	A1938	U1939	U1940	C1941	C1942	A1952	U1955	A1960	C1961	U1962	U1963	G1964	C1965	A1966	C1967	A1970	A1971	A1972	U1993	C1996	G1997	G2000	C2006	A2014	A2020	G2023	G2024	C2025	C2026	G2027	A2031	G2032	A2033	G2038	C2039	A2042	C2043	G2049														
U1688	G1696	G1697	A1698	G1699	A1701	U1712	U1713	G1721	A1722	U1739	A1740	A1741	G1742	G1743	G1744	C1745	G1746	U1750	G1753	G1756	U1757	A1762	G1763	G1764	A1773	U1778	U1779	A1780	G1781	G1782	A1783	A1784	A1785	A1786	G1790	A1791	U1796	C1797	U1798	G1799	A1800	G1801	A1802	A1803	A1809													
A1810	G1811	G1814	A1815	G1816	G1817	U1820	A1821	U1822	G1826	C1827	G1828	A1829	G1839	G1840	C1843	G1847	U1851	C1852	G1856	A1859	G1860	G1865	A1866	A1876	A1877	G1878	A1889	A1890	G1899	A1900	G1906	U1911	A1912	A1913	A1914	U1915	A1916	U1917	A1918	A1919	C1920	G1921	G1929	G1930														
A1571	U1578	A1579	A1580	G1581	C1582	A1583	A1586	G1594	G1595	A1596	A1597	A1598	C1599	G1607	A1608	A1609	A1610	C1611	G1612	G1613	A1614	G1622	A1631A	A1634	A1641	G1642	G1643	G1644	G1645	C1646	G1647	C1648	A1652	G1653	A1654	C1663	A1664	A1668	A1669	C1670	U1671	G1674	C1675	A1676	A1677	G1678												
A1471	G1478	G1482	A1486	G1487	A1495	A1496	U1503	C1504	C1505	G1506	A1507	A1508	C1509	A1509A	A1509B	A1510	C1511	U1512	C1513	U1518	G1519	G1520	U1523	G1524	G1525	G1529	C1530	C1531	C1532	G	U	A	C	U1540	G1541	A1542	C1543	G1546	C1547	A1554	A1558	A1566	A1567	G1568	A1569	A1570												
U1352	A1359	A1365	C1370	U1371	U1372	A1378	A1379	G1380	G1381	G1382	C1383	A1384	G1385	A1392	U1396	U1405	U1406	C1407	C1408	A1412	G1413	G1416	C1417	U1426	A1427	C1428	G1429	U1430	U1431	A1439	G1442	A1445	G1450	A1452	G1459	G1466	C1467	G1470																				
G1227	G1228	C1229	G1230	G1231	G1232	G1239	U1240	A1241	G1244	G1250	C1251	G1252	A1253	G1256	G1260	G1264	A1265	G1266	U1267	A1268	A1269	C1270	G1271	A1272	U1273	C1289	C1290	C1291	U1292	C1293	U1300	A1301	A1302	G1303	G1311	C1314	C1315	A1321	G1332	G1337	G1338	G1339	U1340	C1345														
A1098	G1099	C1100	U1101	C1102	A1103	C1104	U1105	C1109	A1110	A1111	G1112	U1113	G1114	C1116	A1128	A1129	U1130	G1131	C1135	G1136	U1141	U1142	A1143	A1155	G1170	G1171	G1173	A1174	U1175	G1176	A1177	C1178	C1179	C1180	G1187	U1188	G1191	U1199	A1210	U1211	G1212	A1220																
U1033	G1039	C1040	C1041	G1042	C1043	G1044	A1045	A1046	G1047	A1050	G1051	C1052	C1053	A1054	G1055	G1056	A1057	G1058	U1059	U1060	G1061	G1062	G1063	U1064	U1065	U1066	A1067	G1068	A1069	A1070	G1071	C1072	A1073	G1074	C1075	C1076	A1077	U1078	G1079	C1080	U1081	U1082	U1083	A1084	A1085	A1086	G1087	A1088	G1089	U1090	G1091	C1092	G1093	U1094	A1095	A1096	U1097	




• Molecule 1: 23S Ribosomal RNA









- Molecule 2: 5S Ribosomal RNA




- Molecule 2: 5S Ribosomal RNA




- Molecule 3: 50S ribosomal protein L2




- Molecule 3: 50S ribosomal protein L2




- Molecule 4: 50S ribosomal protein L3




- Molecule 4: 50S ribosomal protein L3




- Molecule 5: 50S ribosomal protein L4




• Molecule 5: 50S ribosomal protein L4




• Molecule 6: 50S ribosomal protein L5




• Molecule 6: 50S ribosomal protein L5




• Molecule 7: 50S ribosomal protein L6




• Molecule 7: 50S ribosomal protein L6




• Molecule 8: 50S ribosomal protein L9




• Molecule 8: 50S ribosomal protein L9





• Molecule 9: 50S ribosomal protein L13








- Molecule 9: 50S ribosomal protein L13




- Molecule 10: 50S ribosomal protein L14



- Molecule 10: 50S ribosomal protein L14




- Molecule 11: 50S ribosomal protein L15




- Molecule 11: 50S ribosomal protein L15




- Molecule 12: 50S ribosomal protein L16





- Molecule 12: 50S ribosomal protein L16



- Molecule 13: 50S ribosomal protein L17




- Molecule 13: 50S ribosomal protein L17




- Molecule 14: 50S ribosomal protein L18




- Molecule 14: 50S ribosomal protein L18




- Molecule 15: 50S ribosomal protein L19




- Molecule 15: 50S ribosomal protein L19




- Molecule 16: 50S ribosomal protein L20




- Molecule 16: 50S ribosomal protein L20




- Molecule 17: 50S ribosomal protein L21




- Molecule 17: 50S ribosomal protein L21








- Molecule 18: 50S ribosomal protein L22




- Molecule 18: 50S ribosomal protein L22



- Molecule 19: 50S ribosomal protein L23




- Molecule 19: 50S ribosomal protein L23




- Molecule 20: 50S ribosomal protein L24




- Molecule 20: 50S ribosomal protein L24




- Molecule 21: 50S ribosomal protein L25




- Molecule 21: 50S ribosomal protein L25




- Molecule 22: 50S ribosomal protein L27




- Molecule 22: 50S ribosomal protein L27





- Molecule 23: 50S ribosomal protein L28




- Molecule 23: 50S ribosomal protein L28




- Molecule 24: 50S ribosomal protein L29





- Molecule 24: 50S ribosomal protein L29



- Molecule 25: 50S ribosomal protein L30




- Molecule 25: 50S ribosomal protein L30




- Molecule 26: 50S ribosomal protein L31




- Molecule 26: 50S ribosomal protein L31





- Molecule 27: 50S ribosomal protein L32



- Molecule 27: 50S ribosomal protein L32




- Molecule 28: 50S ribosomal protein L33




- Molecule 28: 50S ribosomal protein L33



- Molecule 29: 50S ribosomal protein L34



- Molecule 29: 50S ribosomal protein L34





- Molecule 30: 50S ribosomal protein L35








- Molecule 30: 50S ribosomal protein L35





- Molecule 31: 50S ribosomal protein L36




- Molecule 31: 50S ribosomal protein L36





- Molecule 32: 16S Ribosomal RNA







● Molecule 32: 16S Ribosomal RNA









• Molecule 33: 30S ribosomal protein S2




• Molecule 33: 30S ribosomal protein S2




• Molecule 34: 30S ribosomal protein S3







• Molecule 34: 30S ribosomal protein S3



• Molecule 35: 30S ribosomal protein S4




• Molecule 35: 30S ribosomal protein S4







- Molecule 36: 30S ribosomal protein S5




- Molecule 36: 30S ribosomal protein S5





- Molecule 37: 30S ribosomal protein S6



- Molecule 37: 30S ribosomal protein S6




- Molecule 38: 30S ribosomal protein S7






• Molecule 38: 30S ribosomal protein S7

Chain 2g: 17% 61% 32% 6% ..




• Molecule 39: 30S ribosomal protein S8

Chain 1h: 7% 64% 29% 6% ..




• Molecule 39: 30S ribosomal protein S8

Chain 2h: 13% 65% 30% 5% ..




• Molecule 40: 30S ribosomal protein S9


Chain 1i: 26% 62% 32% 5% ..




- Molecule 40: 30S ribosomal protein S9




- Molecule 41: 30S ribosomal protein S10




- Molecule 41: 30S ribosomal protein S10



- Molecule 42: 30S ribosomal protein S11





- Molecule 42: 30S ribosomal protein S11







- Molecule 43: 30S ribosomal protein S12






- Molecule 43: 30S ribosomal protein S12




- Molecule 44: 30S ribosomal protein S13




- Molecule 44: 30S ribosomal protein S13




- Molecule 45: 30S ribosomal protein S14 type Z




- Molecule 45: 30S ribosomal protein S14 type Z




- Molecule 46: 30S ribosomal protein S15




- Molecule 46: 30S ribosomal protein S15




- Molecule 47: 30S ribosomal protein S16



- Molecule 47: 30S ribosomal protein S16




- Molecule 48: 30S ribosomal protein S17





- Molecule 48: 30S ribosomal protein S17




- Molecule 49: 30S ribosomal protein S18




- Molecule 49: 30S ribosomal protein S18




- Molecule 50: 30S ribosomal protein S19




- Molecule 50: 30S ribosomal protein S19






• Molecule 51: 30S ribosomal protein S20




• Molecule 51: 30S ribosomal protein S20




• Molecule 52: 30S ribosomal protein Thx




• Molecule 52: 30S ribosomal protein Thx





• Molecule 53: Ribosome-associated inhibitor A





● Molecule 53: Ribosome-associated inhibitor A



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	209.46Å 449.56Å 619.15Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	103.72 – 2.45 103.72 – 2.45	Depositor EDS
% Data completeness (in resolution range)	98.7 (103.72-2.45) 98.7 (103.72-2.45)	Depositor EDS
R_{merge}	0.15	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.19 (at 2.45Å)	Xtriage
Refinement program	PHENIX 1.8.2	Depositor
R, R_{free}	0.218 , 0.264 0.221 , 0.266	Depositor DCC
R_{free} test set	104449 reflections (4.95%)	wwPDB-VP
Wilson B-factor (Å ²)	52.3	Xtriage
Anisotropy	0.049	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.32 , 50.2	EDS
L-test for twinning ²	$\langle L \rangle = 0.39$, $\langle L^2 \rangle = 0.21$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.92	EDS
Total number of atoms	297328	wwPDB-VP
Average B, all atoms (Å ²)	61.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 1.71% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality ⓘ

5.1 Standard geometry ⓘ

Bond lengths and bond angles in the following residue types are not validated in this section: PSU, 2MG, OMC, 2MA, OMG, 5MC, MPD, SF4, UR3, MA6, OMU, 0TD, G7M, ERY, 5MU, HGR, M2G, MG, 4OC, ZN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	1A	0.30	1/69005 (0.0%)	0.50	6/107711 (0.0%)
1	2A	0.24	0/68877	0.43	1/107509 (0.0%)
2	1B	0.23	0/2876	0.42	0/4486
2	2B	0.19	0/2878	0.37	0/4490
3	1D	0.30	0/2181	0.58	0/2940
3	2D	0.24	0/2186	0.49	0/2944
4	1E	0.27	0/1592	0.52	0/2149
4	2E	0.23	0/1592	0.48	0/2149
5	1F	0.27	0/1619	0.49	0/2193
5	2F	0.23	0/1615	0.50	2/2188 (0.1%)
6	1G	0.21	0/1451	0.44	0/1961
6	2G	0.21	0/1449	0.43	0/1957
7	1H	0.23	0/1356	0.43	0/1834
7	2H	0.20	0/1350	0.42	0/1826
8	1I	0.20	0/1109	0.43	0/1512
8	2I	0.19	0/1091	0.41	0/1490
9	1N	0.26	0/1148	0.45	0/1547
9	2N	0.20	0/1144	0.42	0/1543
10	1O	0.28	0/943	0.48	0/1269
10	2O	0.24	0/943	0.44	0/1269
11	1P	0.27	0/1152	0.49	0/1533
11	2P	0.21	0/1152	0.51	0/1533
12	1Q	0.28	0/1143	0.48	0/1527
12	2Q	0.21	0/1143	0.45	0/1527
13	1R	0.30	0/982	0.51	0/1312
13	2R	0.23	0/982	0.44	0/1312
14	1S	0.21	0/887	0.47	0/1180
14	2S	0.21	0/880	0.49	0/1172
15	1T	0.25	0/1105	0.49	0/1477
15	2T	0.22	0/1097	0.44	0/1468
16	1U	0.28	0/977	0.53	0/1301

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
16	2U	0.19	0/977	0.40	0/1301
17	1V	0.26	0/786	0.49	0/1053
17	2V	0.21	0/782	0.43	0/1049
18	1W	0.30	0/897	0.50	0/1205
18	2W	0.22	0/897	0.42	0/1205
19	1X	0.26	0/764	0.49	0/1025
19	2X	0.20	0/764	0.42	0/1025
20	1Y	0.24	0/823	0.54	0/1099
20	2Y	0.19	0/823	0.46	0/1100
21	1Z	0.23	0/1620	0.45	0/2200
21	2Z	0.21	0/1590	0.44	0/2162
22	10	0.27	0/616	0.50	0/821
22	20	0.21	0/616	0.47	0/821
23	11	0.25	0/761	0.47	0/1013
23	21	0.24	0/766	0.44	0/1018
24	12	0.24	0/590	0.48	0/781
24	22	0.18	0/594	0.38	0/785
25	13	0.28	0/474	0.50	0/635
25	23	0.22	0/469	0.42	0/630
26	14	0.23	0/559	0.59	0/754
26	24	0.26	0/549	0.60	2/741 (0.3%)
27	15	0.33	0/473	0.62	1/639 (0.2%)
27	25	0.24	0/469	0.46	0/635
28	16	0.26	0/460	0.46	0/613
28	26	0.21	0/456	0.45	0/608
29	17	0.32	0/426	0.55	0/561
29	27	0.26	0/426	0.49	0/561
30	18	0.27	0/525	0.50	0/691
30	28	0.22	0/525	0.40	0/691
31	19	0.30	0/310	0.51	0/407
31	29	0.22	0/310	0.44	0/407
32	1a	0.21	0/35795	0.40	0/55864
32	2a	0.20	0/35890	0.39	1/56012 (0.0%)
33	1b	0.22	0/1876	0.50	0/2533
33	2b	0.23	0/1860	0.50	0/2518
34	1c	0.20	0/1582	0.43	0/2137
34	2c	0.22	0/1566	0.42	0/2119
35	1d	0.20	0/1695	0.46	0/2274
35	2d	0.21	0/1698	0.48	0/2277
36	1e	0.20	0/1149	0.45	0/1548
36	2e	0.21	0/1149	0.45	0/1548
37	1f	0.19	0/827	0.42	0/1120
37	2f	0.21	0/829	0.43	0/1123

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
38	1g	0.18	0/1254	0.39	0/1683
38	2g	0.19	0/1248	0.38	0/1676
39	1h	0.20	0/1118	0.43	0/1506
39	2h	0.19	0/1108	0.45	1/1494 (0.1%)
40	1i	0.20	0/1005	0.45	0/1351
40	2i	0.22	0/985	0.47	0/1329
41	1j	0.20	0/732	0.39	0/993
41	2j	0.21	0/723	0.45	0/984
42	1k	0.20	0/849	0.40	0/1150
42	2k	0.19	0/848	0.41	0/1149
43	1l	0.21	0/937	0.49	0/1260
43	2l	0.20	0/937	0.43	0/1260
44	1m	0.18	0/924	0.42	0/1242
44	2m	0.24	0/905	0.48	0/1217
45	1n	0.20	0/501	0.48	0/664
45	2n	0.20	0/501	0.42	0/664
46	1o	0.21	0/739	0.41	0/985
46	2o	0.19	0/739	0.39	0/985
47	1p	0.21	0/697	0.53	0/939
47	2p	0.20	0/693	0.46	0/935
48	1q	0.20	0/836	0.43	0/1117
48	2q	0.19	0/836	0.42	0/1117
49	1r	0.20	0/560	0.42	0/746
49	2r	0.19	0/560	0.40	0/746
50	1s	0.19	0/663	0.49	0/895
50	2s	0.21	0/660	0.39	0/893
51	1t	0.20	0/734	0.46	0/969
51	2t	0.20	0/736	0.43	0/976
52	1u	0.23	0/203	0.43	0/266
52	2u	0.21	0/203	0.48	0/266
53	1y	0.17	0/776	0.38	0/1048
53	2y	0.20	0/761	0.37	0/1030
All	All	0.24	1/309889 (0.0%)	0.45	14/463153 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
26	24	0	1

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	1A	2552	OMU	O3'-P	5.24	1.61	1.56

The worst 5 of 14 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	1A	1042	G	OP1-P-O3'	-8.82	81.55	108.00
1	1A	1042	G	OP2-P-O3'	-6.89	87.32	108.00
1	2A	1992	G	C2'-C3'-O3'	6.03	118.54	109.50
1	1A	2689	U	C4'-C3'-O3'	5.69	117.93	109.40
39	2h	79	VAL	N-CA-C	-5.69	107.27	112.96

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
26	24	18	CYS	Peptide

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	1A	61871	0	31210	660	0
1	2A	61760	0	31157	825	0
2	1B	2572	0	1305	28	0
2	2B	2573	0	1306	31	0
3	1D	2131	0	2207	53	0
3	2D	2136	0	2218	46	0
4	1E	1559	0	1618	30	0
4	2E	1559	0	1618	40	0
5	1F	1584	0	1625	45	0
5	2F	1580	0	1619	49	0
6	1G	1426	0	1445	46	0
6	2G	1424	0	1441	64	0
7	1H	1330	0	1407	32	0
7	2H	1324	0	1402	47	0
8	1I	1094	0	1127	24	0
8	2I	1076	0	1094	31	0
9	1N	1121	0	1195	17	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
9	2N	1117	0	1184	24	0
10	1O	933	0	996	18	0
10	2O	933	0	996	17	0
11	1P	1135	0	1212	31	0
11	2P	1135	0	1212	32	0
12	1Q	1122	0	1179	20	0
12	2Q	1122	0	1179	28	0
13	1R	968	0	1033	18	0
13	2R	968	0	1033	22	0
14	1S	877	0	938	20	0
14	2S	870	0	923	17	0
15	1T	1091	0	1151	28	0
15	2T	1083	0	1136	24	0
16	1U	959	0	1019	17	0
16	2U	959	0	1019	21	0
17	1V	775	0	841	13	0
17	2V	771	0	830	13	0
18	1W	886	0	940	14	0
18	2W	886	0	940	16	0
19	1X	750	0	814	15	0
19	2X	750	0	814	13	0
20	1Y	810	0	892	19	0
20	2Y	810	0	887	23	0
21	1Z	1587	0	1598	30	0
21	2Z	1557	0	1564	59	0
22	10	608	0	622	9	0
22	20	608	0	622	14	0
23	11	754	0	823	13	0
23	21	759	0	837	23	0
24	12	588	0	643	12	0
24	22	592	0	654	12	0
25	13	469	0	518	10	0
25	23	464	0	514	10	0
26	14	546	0	522	20	0
26	24	536	0	514	36	0
27	15	459	0	476	9	0
27	25	455	0	465	11	0
28	16	453	0	473	11	0
28	26	449	0	469	10	0
29	17	418	0	467	7	0
29	27	418	0	467	8	0
30	18	517	0	582	18	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
30	28	517	0	582	13	0
31	19	307	0	335	3	0
31	29	307	0	335	12	0
32	1a	32246	0	16293	478	0
32	2a	32331	0	16338	524	0
33	1b	1842	0	1862	66	0
33	2b	1825	0	1828	71	0
34	1c	1558	0	1557	34	0
34	2c	1542	0	1517	49	0
35	1d	1665	0	1687	61	0
35	2d	1668	0	1703	60	0
36	1e	1133	0	1191	35	0
36	2e	1133	0	1191	39	0
37	1f	814	0	808	24	0
37	2f	816	0	808	19	0
38	1g	1235	0	1249	28	0
38	2g	1229	0	1238	38	0
39	1h	1098	0	1143	32	0
39	2h	1088	0	1126	32	0
40	1i	986	0	990	35	0
40	2i	966	0	953	53	0
41	1j	719	0	672	23	0
41	2j	710	0	661	27	0
42	1k	834	0	838	19	0
42	2k	833	0	836	24	0
43	1l	932	0	981	25	0
43	2l	932	0	981	20	0
44	1m	914	0	954	33	0
44	2m	895	0	920	35	0
45	1n	492	0	529	16	0
45	2n	492	0	529	15	0
46	1o	728	0	760	17	0
46	2o	728	0	760	16	0
47	1p	681	0	697	22	0
47	2p	677	0	686	19	0
48	1q	823	0	891	19	0
48	2q	823	0	891	17	0
49	1r	555	0	618	14	0
49	2r	555	0	618	23	0
50	1s	648	0	658	24	0
50	2s	645	0	635	33	0
51	1t	732	0	809	22	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
51	2t	733	0	795	25	0
52	1u	199	0	208	6	0
52	2u	199	0	208	7	0
53	1y	764	0	786	21	0
53	2y	749	0	757	18	0
54	10	8	0	0	0	0
54	11	6	0	0	0	0
54	13	4	0	0	0	0
54	15	8	0	0	0	0
54	17	5	0	0	0	0
54	18	2	0	0	0	0
54	19	2	0	0	0	0
54	1A	1025	0	0	0	0
54	1B	29	0	0	0	0
54	1D	16	0	0	0	0
54	1E	9	0	0	0	0
54	1F	17	0	0	0	0
54	1G	4	0	0	0	0
54	1H	2	0	0	0	0
54	1N	4	0	0	0	0
54	1O	1	0	0	0	0
54	1P	6	0	0	0	0
54	1Q	5	0	0	0	0
54	1R	4	0	0	0	0
54	1T	4	0	0	0	0
54	1U	9	0	0	0	0
54	1V	6	0	0	0	0
54	1W	2	0	0	0	0
54	1Y	2	0	0	0	0
54	1Z	1	0	0	0	0
54	1a	281	0	0	0	0
54	1b	1	0	0	0	0
54	1d	3	0	0	0	0
54	1e	3	0	0	0	0
54	1f	2	0	0	0	0
54	1g	3	0	0	0	0
54	1h	2	0	0	0	0
54	1i	1	0	0	0	0
54	1k	1	0	0	0	0
54	1l	2	0	0	0	0
54	1m	1	0	0	0	0
54	1n	1	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
54	1o	2	0	0	0	0
54	1t	1	0	0	0	0
54	1y	2	0	0	0	0
54	20	2	0	0	0	0
54	21	1	0	0	0	0
54	23	1	0	0	0	0
54	25	3	0	0	0	0
54	27	1	0	0	0	0
54	28	2	0	0	0	0
54	2A	670	0	0	0	0
54	2B	14	0	0	0	0
54	2D	7	0	0	0	0
54	2E	5	0	0	0	0
54	2F	4	0	0	0	0
54	2G	1	0	0	0	0
54	2O	1	0	0	0	0
54	2P	1	0	0	0	0
54	2Q	4	0	0	0	0
54	2R	2	0	0	0	0
54	2T	4	0	0	0	0
54	2U	1	0	0	0	0
54	2V	1	0	0	0	0
54	2W	3	0	0	0	0
54	2Y	1	0	0	0	0
54	2a	190	0	0	0	0
54	2e	1	0	0	0	0
54	2f	1	0	0	0	0
54	2h	1	0	0	0	0
54	2j	1	0	0	0	0
54	2k	1	0	0	0	0
54	2l	1	0	0	0	0
54	2n	1	0	0	0	0
54	2r	1	0	0	0	0
54	2t	1	0	0	0	0
55	1A	36	0	29	2	0
55	2A	36	0	29	1	0
56	1A	51	0	67	5	0
56	2A	51	0	66	6	0
57	18	8	0	14	1	0
57	1A	8	0	14	1	0
57	1T	8	0	14	1	0
57	1a	8	0	13	7	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
57	2A	24	0	42	2	0
58	1B	12	0	12	1	0
58	1F	12	0	12	2	0
59	14	1	0	0	0	0
59	15	1	0	0	0	0
59	16	1	0	0	0	0
59	19	1	0	0	0	0
59	1Y	1	0	0	0	0
59	1n	1	0	0	0	0
59	24	1	0	0	0	0
59	25	1	0	0	0	0
59	26	1	0	0	0	0
59	29	1	0	0	0	0
59	2Y	1	0	0	0	0
59	2n	1	0	0	0	0
60	1d	8	0	0	0	0
60	2d	8	0	0	1	0
61	10	22	0	0	1	0
61	11	26	0	0	0	0
61	12	14	0	0	1	0
61	13	23	0	0	0	0
61	14	2	0	0	0	0
61	15	25	0	0	1	0
61	16	20	0	0	1	0
61	17	14	0	0	0	0
61	18	24	0	0	2	0
61	19	4	0	0	0	0
61	1A	3899	0	0	111	0
61	1B	94	0	0	2	0
61	1D	118	0	0	6	0
61	1E	83	0	0	2	0
61	1F	63	0	0	4	0
61	1G	15	0	0	0	0
61	1H	12	0	0	1	0
61	1I	7	0	0	0	0
61	1N	51	0	0	1	0
61	1O	27	0	0	0	0
61	1P	64	0	0	6	0
61	1Q	43	0	0	3	0
61	1R	34	0	0	1	0
61	1S	10	0	0	0	0
61	1T	38	0	0	2	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
61	1U	42	0	0	6	0
61	1V	36	0	0	1	0
61	1W	28	0	0	1	0
61	1X	27	0	0	2	0
61	1Y	17	0	0	3	0
61	1Z	10	0	0	0	0
61	1a	454	0	0	26	0
61	1c	2	0	0	0	0
61	1d	7	0	0	0	0
61	1e	4	0	0	0	0
61	1f	2	0	0	0	0
61	1h	1	0	0	0	0
61	1l	2	0	0	0	0
61	1m	1	0	0	0	0
61	1o	5	0	0	1	0
61	1p	4	0	0	0	0
61	1y	4	0	0	0	0
61	20	9	0	0	0	0
61	21	17	0	0	2	0
61	22	1	0	0	0	0
61	23	3	0	0	1	0
61	24	1	0	0	0	0
61	25	7	0	0	0	0
61	26	4	0	0	1	0
61	27	6	0	0	0	0
61	28	8	0	0	0	0
61	29	1	0	0	0	0
61	2A	2164	0	0	119	0
61	2B	45	0	0	5	0
61	2D	52	0	0	1	0
61	2E	31	0	0	0	0
61	2F	23	0	0	1	0
61	2G	7	0	0	0	0
61	2H	1	0	0	0	0
61	2I	4	0	0	2	0
61	2N	5	0	0	0	0
61	2O	19	0	0	0	0
61	2P	26	0	0	3	0
61	2Q	15	0	0	0	0
61	2R	18	0	0	3	0
61	2S	5	0	0	0	0
61	2T	11	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
6l	2U	15	0	0	3	0
6l	2V	6	0	0	1	0
6l	2W	18	0	0	0	0
6l	2X	8	0	0	0	0
6l	2Y	2	0	0	0	0
6l	2Z	9	0	0	2	0
6l	2a	322	0	0	33	0
6l	2d	3	0	0	0	0
6l	2e	1	0	0	0	0
6l	2f	3	0	0	0	0
6l	2j	2	0	0	0	0
6l	2l	2	0	0	0	0
6l	2n	1	0	0	0	0
6l	2o	2	0	0	0	0
6l	2p	1	0	0	0	0
6l	2q	2	0	0	0	0
6l	2r	3	0	0	1	0
6l	2t	2	0	0	0	0
6l	2u	1	0	0	0	0
6l	2y	2	0	0	0	0
All	All	297328	0	194716	4465	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 10.

The worst 5 of 4465 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:1A:1082:U:H3	1:1A:1086:A:N6	1.49	1.08
26:24:59:PHE:HA	26:24:61:ARG:H	1.15	1.06
1:2A:788:A:N6	61:2A:3705:HOH:O	1.92	1.02
32:1a:1003:G:H2'	32:1a:1004:A:H4'	1.43	1.00
1:2A:2602:A:H1'	1:2A:2603:G:H5''	1.47	0.97

There are no symmetry-related clashes.

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
3	1D	273/276 (99%)	258 (94%)	15 (6%)	0	100	100
3	2D	273/276 (99%)	254 (93%)	19 (7%)	0	100	100
4	1E	202/206 (98%)	191 (95%)	9 (4%)	2 (1%)	12	14
4	2E	202/206 (98%)	191 (95%)	10 (5%)	1 (0%)	24	32
5	1F	201/210 (96%)	195 (97%)	5 (2%)	1 (0%)	24	32
5	2F	201/210 (96%)	192 (96%)	8 (4%)	1 (0%)	24	32
6	1G	179/182 (98%)	160 (89%)	13 (7%)	6 (3%)	3	1
6	2G	179/182 (98%)	157 (88%)	18 (10%)	4 (2%)	5	3
7	1H	172/180 (96%)	160 (93%)	9 (5%)	3 (2%)	7	6
7	2H	171/180 (95%)	150 (88%)	19 (11%)	2 (1%)	10	11
8	1I	145/148 (98%)	131 (90%)	13 (9%)	1 (1%)	18	24
8	2I	144/148 (97%)	133 (92%)	9 (6%)	2 (1%)	9	8
9	1N	138/140 (99%)	136 (99%)	2 (1%)	0	100	100
9	2N	138/140 (99%)	127 (92%)	11 (8%)	0	100	100
10	1O	120/122 (98%)	113 (94%)	7 (6%)	0	100	100
10	2O	120/122 (98%)	113 (94%)	6 (5%)	1 (1%)	16	20
11	1P	147/150 (98%)	139 (95%)	7 (5%)	1 (1%)	18	24
11	2P	147/150 (98%)	137 (93%)	8 (5%)	2 (1%)	9	8
12	1Q	139/141 (99%)	133 (96%)	5 (4%)	1 (1%)	18	24
12	2Q	139/141 (99%)	129 (93%)	10 (7%)	0	100	100
13	1R	116/118 (98%)	114 (98%)	2 (2%)	0	100	100
13	2R	116/118 (98%)	113 (97%)	3 (3%)	0	100	100
14	1S	108/112 (96%)	102 (94%)	5 (5%)	1 (1%)	14	17
14	2S	108/112 (96%)	95 (88%)	12 (11%)	1 (1%)	14	17
15	1T	129/146 (88%)	123 (95%)	5 (4%)	1 (1%)	16	20

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
15	2T	129/146 (88%)	122 (95%)	5 (4%)	2 (2%)	7	7
16	1U	114/118 (97%)	114 (100%)	0	0	100	100
16	2U	114/118 (97%)	110 (96%)	4 (4%)	0	100	100
17	1V	99/101 (98%)	95 (96%)	2 (2%)	2 (2%)	6	4
17	2V	99/101 (98%)	95 (96%)	3 (3%)	1 (1%)	12	14
18	1W	110/113 (97%)	109 (99%)	1 (1%)	0	100	100
18	2W	110/113 (97%)	109 (99%)	1 (1%)	0	100	100
19	1X	93/96 (97%)	92 (99%)	0	1 (1%)	11	12
19	2X	93/96 (97%)	90 (97%)	2 (2%)	1 (1%)	11	12
20	1Y	105/110 (96%)	98 (93%)	7 (7%)	0	100	100
20	2Y	105/110 (96%)	97 (92%)	8 (8%)	0	100	100
21	1Z	201/206 (98%)	189 (94%)	10 (5%)	2 (1%)	12	14
21	2Z	199/206 (97%)	176 (88%)	22 (11%)	1 (0%)	24	32
22	10	75/85 (88%)	72 (96%)	3 (4%)	0	100	100
22	20	75/85 (88%)	69 (92%)	6 (8%)	0	100	100
23	11	95/98 (97%)	93 (98%)	1 (1%)	1 (1%)	11	12
23	21	95/98 (97%)	93 (98%)	1 (1%)	1 (1%)	11	12
24	12	68/72 (94%)	67 (98%)	1 (2%)	0	100	100
24	22	68/72 (94%)	64 (94%)	4 (6%)	0	100	100
25	13	57/60 (95%)	56 (98%)	1 (2%)	0	100	100
25	23	57/60 (95%)	54 (95%)	2 (4%)	1 (2%)	6	5
26	14	67/71 (94%)	53 (79%)	11 (16%)	3 (4%)	2	0
26	24	67/71 (94%)	47 (70%)	18 (27%)	2 (3%)	3	2
27	15	57/60 (95%)	55 (96%)	2 (4%)	0	100	100
27	25	57/60 (95%)	53 (93%)	3 (5%)	1 (2%)	6	5
28	16	51/54 (94%)	50 (98%)	1 (2%)	0	100	100
28	26	51/54 (94%)	47 (92%)	4 (8%)	0	100	100
29	17	46/49 (94%)	46 (100%)	0	0	100	100
29	27	46/49 (94%)	46 (100%)	0	0	100	100
30	18	62/65 (95%)	62 (100%)	0	0	100	100
30	28	62/65 (95%)	62 (100%)	0	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
31	19	35/37 (95%)	35 (100%)	0	0	100	100
31	29	35/37 (95%)	34 (97%)	1 (3%)	0	100	100
33	1b	229/256 (90%)	191 (83%)	31 (14%)	7 (3%)	3	1
33	2b	229/256 (90%)	194 (85%)	27 (12%)	8 (4%)	3	1
34	1c	204/239 (85%)	184 (90%)	19 (9%)	1 (0%)	24	32
34	2c	204/239 (85%)	174 (85%)	26 (13%)	4 (2%)	6	4
35	1d	206/209 (99%)	193 (94%)	13 (6%)	0	100	100
35	2d	206/209 (99%)	186 (90%)	15 (7%)	5 (2%)	4	3
36	1e	146/162 (90%)	136 (93%)	9 (6%)	1 (1%)	18	24
36	2e	146/162 (90%)	138 (94%)	8 (6%)	0	100	100
37	1f	98/101 (97%)	94 (96%)	4 (4%)	0	100	100
37	2f	98/101 (97%)	94 (96%)	4 (4%)	0	100	100
38	1g	153/156 (98%)	150 (98%)	2 (1%)	1 (1%)	18	24
38	2g	153/156 (98%)	140 (92%)	10 (6%)	3 (2%)	6	4
39	1h	135/138 (98%)	128 (95%)	6 (4%)	1 (1%)	18	24
39	2h	135/138 (98%)	126 (93%)	9 (7%)	0	100	100
40	1i	125/128 (98%)	109 (87%)	16 (13%)	0	100	100
40	2i	124/128 (97%)	105 (85%)	15 (12%)	4 (3%)	3	1
41	1j	95/105 (90%)	79 (83%)	13 (14%)	3 (3%)	3	1
41	2j	94/105 (90%)	79 (84%)	12 (13%)	3 (3%)	3	1
42	1k	112/129 (87%)	101 (90%)	10 (9%)	1 (1%)	14	17
42	2k	112/129 (87%)	102 (91%)	7 (6%)	3 (3%)	4	2
43	1l	119/132 (90%)	115 (97%)	4 (3%)	0	100	100
43	2l	119/132 (90%)	111 (93%)	8 (7%)	0	100	100
44	1m	114/126 (90%)	103 (90%)	9 (8%)	2 (2%)	6	5
44	2m	112/126 (89%)	97 (87%)	13 (12%)	2 (2%)	6	5
45	1n	58/61 (95%)	53 (91%)	5 (9%)	0	100	100
45	2n	58/61 (95%)	55 (95%)	3 (5%)	0	100	100
46	1o	86/89 (97%)	77 (90%)	6 (7%)	3 (4%)	3	1
46	2o	86/89 (97%)	79 (92%)	5 (6%)	2 (2%)	5	3
47	1p	80/88 (91%)	68 (85%)	11 (14%)	1 (1%)	9	9

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
47	2p	80/88 (91%)	70 (88%)	10 (12%)	0	100	100
48	1q	97/105 (92%)	85 (88%)	11 (11%)	1 (1%)	12	14
48	2q	97/105 (92%)	90 (93%)	7 (7%)	0	100	100
49	1r	66/88 (75%)	64 (97%)	2 (3%)	0	100	100
49	2r	66/88 (75%)	62 (94%)	3 (4%)	1 (2%)	8	7
50	1s	81/93 (87%)	73 (90%)	6 (7%)	2 (2%)	4	3
50	2s	81/93 (87%)	67 (83%)	13 (16%)	1 (1%)	10	11
51	1t	94/106 (89%)	83 (88%)	8 (8%)	3 (3%)	3	1
51	2t	96/106 (91%)	87 (91%)	6 (6%)	3 (3%)	3	1
52	1u	21/27 (78%)	19 (90%)	2 (10%)	0	100	100
52	2u	21/27 (78%)	18 (86%)	2 (10%)	1 (5%)	2	0
53	1y	95/113 (84%)	95 (100%)	0	0	100	100
53	2y	94/113 (83%)	89 (95%)	5 (5%)	0	100	100
All	All	11629/12354 (94%)	10763 (93%)	749 (6%)	117 (1%)	12	14

5 of 117 Ramachandran outliers are listed below:

Mol	Chain	Res	Type
6	1G	50	ALA
33	1b	17	PHE
33	1b	124	SER
34	1c	107	GLN
41	1j	55	LYS

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
3	1D	214/218 (98%)	197 (92%)	17 (8%)	11	14
3	2D	215/218 (99%)	193 (90%)	22 (10%)	7	6
4	1E	164/166 (99%)	148 (90%)	16 (10%)	7	7

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
4	2E	164/166 (99%)	149 (91%)	15 (9%)	9	10
5	1F	160/166 (96%)	144 (90%)	16 (10%)	7	7
5	2F	159/166 (96%)	138 (87%)	21 (13%)	4	3
6	1G	144/156 (92%)	134 (93%)	10 (7%)	14	19
6	2G	142/156 (91%)	121 (85%)	21 (15%)	3	2
7	1H	144/148 (97%)	134 (93%)	10 (7%)	14	19
7	2H	143/148 (97%)	129 (90%)	14 (10%)	7	7
8	1I	111/124 (90%)	95 (86%)	16 (14%)	3	2
8	2I	108/124 (87%)	98 (91%)	10 (9%)	8	9
9	1N	119/119 (100%)	106 (89%)	13 (11%)	6	5
9	2N	118/119 (99%)	109 (92%)	9 (8%)	12	15
10	1O	100/100 (100%)	99 (99%)	1 (1%)	68	77
10	2O	100/100 (100%)	96 (96%)	4 (4%)	28	41
11	1P	115/116 (99%)	106 (92%)	9 (8%)	11	14
11	2P	115/116 (99%)	110 (96%)	5 (4%)	26	38
12	1Q	111/111 (100%)	103 (93%)	8 (7%)	13	17
12	2Q	111/111 (100%)	101 (91%)	10 (9%)	9	10
13	1R	101/101 (100%)	94 (93%)	7 (7%)	14	19
13	2R	101/101 (100%)	94 (93%)	7 (7%)	14	19
14	1S	87/88 (99%)	79 (91%)	8 (9%)	8	9
14	2S	85/88 (97%)	75 (88%)	10 (12%)	5	4
15	1T	115/127 (91%)	105 (91%)	10 (9%)	9	11
15	2T	113/127 (89%)	105 (93%)	8 (7%)	13	18
16	1U	93/94 (99%)	90 (97%)	3 (3%)	34	49
16	2U	93/94 (99%)	85 (91%)	8 (9%)	10	11
17	1V	81/82 (99%)	75 (93%)	6 (7%)	13	16
17	2V	80/82 (98%)	71 (89%)	9 (11%)	5	5
18	1W	90/92 (98%)	87 (97%)	3 (3%)	33	48
18	2W	90/92 (98%)	84 (93%)	6 (7%)	15	20
19	1X	77/78 (99%)	73 (95%)	4 (5%)	21	30
19	2X	77/78 (99%)	76 (99%)	1 (1%)	61	73

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
20	1Y	86/91 (94%)	79 (92%)	7 (8%)	11	13
20	2Y	86/91 (94%)	78 (91%)	8 (9%)	8	9
21	1Z	169/179 (94%)	149 (88%)	20 (12%)	5	4
21	2Z	165/179 (92%)	147 (89%)	18 (11%)	6	5
22	10	61/67 (91%)	58 (95%)	3 (5%)	22	33
22	20	61/67 (91%)	57 (93%)	4 (7%)	15	20
23	11	79/83 (95%)	72 (91%)	7 (9%)	9	10
23	21	81/83 (98%)	73 (90%)	8 (10%)	7	7
24	12	65/67 (97%)	61 (94%)	4 (6%)	16	23
24	22	66/67 (98%)	64 (97%)	2 (3%)	36	51
25	13	51/52 (98%)	46 (90%)	5 (10%)	7	7
25	23	50/52 (96%)	48 (96%)	2 (4%)	28	41
26	14	58/63 (92%)	48 (83%)	10 (17%)	2	1
26	24	54/63 (86%)	45 (83%)	9 (17%)	2	1
27	15	51/52 (98%)	47 (92%)	4 (8%)	11	14
27	25	50/52 (96%)	47 (94%)	3 (6%)	17	26
28	16	51/52 (98%)	46 (90%)	5 (10%)	7	7
28	26	50/52 (96%)	46 (92%)	4 (8%)	11	13
29	17	41/42 (98%)	38 (93%)	3 (7%)	13	17
29	27	41/42 (98%)	37 (90%)	4 (10%)	7	7
30	18	54/55 (98%)	50 (93%)	4 (7%)	13	16
30	28	54/55 (98%)	51 (94%)	3 (6%)	19	27
31	19	34/34 (100%)	34 (100%)	0	100	100
31	29	34/34 (100%)	33 (97%)	1 (3%)	37	52
33	1b	191/220 (87%)	165 (86%)	26 (14%)	3	3
33	2b	187/220 (85%)	158 (84%)	29 (16%)	2	2
34	1c	144/188 (77%)	138 (96%)	6 (4%)	26	39
34	2c	140/188 (74%)	123 (88%)	17 (12%)	5	4
35	1d	171/181 (94%)	151 (88%)	20 (12%)	5	4
35	2d	172/181 (95%)	153 (89%)	19 (11%)	6	5
36	1e	114/123 (93%)	104 (91%)	10 (9%)	9	10

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
36	2e	114/123 (93%)	102 (90%)	12 (10%)	6	6
37	1f	85/90 (94%)	73 (86%)	12 (14%)	3	2
37	2f	85/90 (94%)	74 (87%)	11 (13%)	4	3
38	1g	120/127 (94%)	110 (92%)	10 (8%)	10	12
38	2g	119/127 (94%)	102 (86%)	17 (14%)	3	2
39	1h	116/119 (98%)	104 (90%)	12 (10%)	7	6
39	2h	114/119 (96%)	104 (91%)	10 (9%)	9	10
40	1i	91/99 (92%)	79 (87%)	12 (13%)	4	3
40	2i	88/99 (89%)	78 (89%)	10 (11%)	5	5
41	1j	68/92 (74%)	63 (93%)	5 (7%)	13	16
41	2j	68/92 (74%)	61 (90%)	7 (10%)	7	6
42	1k	83/99 (84%)	75 (90%)	8 (10%)	8	8
42	2k	83/99 (84%)	70 (84%)	13 (16%)	2	1
43	1l	96/108 (89%)	88 (92%)	8 (8%)	10	12
43	2l	96/108 (89%)	88 (92%)	8 (8%)	10	12
44	1m	90/101 (89%)	82 (91%)	8 (9%)	9	10
44	2m	87/101 (86%)	77 (88%)	10 (12%)	5	5
45	1n	49/50 (98%)	44 (90%)	5 (10%)	7	6
45	2n	49/50 (98%)	44 (90%)	5 (10%)	7	6
46	1o	78/80 (98%)	76 (97%)	2 (3%)	40	55
46	2o	78/80 (98%)	72 (92%)	6 (8%)	12	15
47	1p	69/74 (93%)	61 (88%)	8 (12%)	5	4
47	2p	68/74 (92%)	61 (90%)	7 (10%)	7	6
48	1q	94/97 (97%)	87 (93%)	7 (7%)	13	16
48	2q	94/97 (97%)	88 (94%)	6 (6%)	16	22
49	1r	59/77 (77%)	54 (92%)	5 (8%)	10	11
49	2r	59/77 (77%)	54 (92%)	5 (8%)	10	11
50	1s	68/80 (85%)	62 (91%)	6 (9%)	9	10
50	2s	67/80 (84%)	63 (94%)	4 (6%)	17	26
51	1t	71/82 (87%)	64 (90%)	7 (10%)	7	7
51	2t	70/82 (85%)	66 (94%)	4 (6%)	18	27

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
52	1u	18/22 (82%)	18 (100%)	0	100	100
52	2u	18/22 (82%)	18 (100%)	0	100	100
53	1y	82/98 (84%)	76 (93%)	6 (7%)	13	17
53	2y	79/98 (81%)	70 (89%)	9 (11%)	5	5
All	All	9524/10260 (93%)	8657 (91%)	867 (9%)	9	10

5 of 867 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
5	2F	170	LEU
16	2U	101	ARG
42	2k	105	VAL
6	2G	49	ASP
5	2F	168	ARG

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 140 such sidechains are listed below:

Mol	Chain	Res	Type
36	2e	130	ASN
38	2g	106	GLN
46	2o	9	GLN
37	1f	7	ASN
36	1e	72	GLN

5.3.3 RNA ⓘ

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
1	1A	2865/2915 (98%)	418 (14%)	32 (1%)
1	2A	2858/2915 (98%)	483 (16%)	36 (1%)
2	1B	119/121 (98%)	12 (10%)	0
2	2B	119/121 (98%)	16 (13%)	0
32	1a	1497/1521 (98%)	250 (16%)	0
32	2a	1501/1521 (98%)	264 (17%)	0
All	All	8959/9114 (98%)	1443 (16%)	68 (0%)

5 of 1443 RNA backbone outliers are listed below:

Mol	Chain	Res	Type
1	1A	12	U
1	1A	13	A
1	1A	14	A
1	1A	15	G
1	1A	34	C

5 of 68 RNA pucker outliers are listed below:

Mol	Chain	Res	Type
1	2A	1992	G
1	2A	2171	A
1	2A	2602	A
1	1A	2406	U
1	1A	2288	A

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

50 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
43	0TD	2l	92	43	8,9,10	4.52	1 (12%)	6,11,13	5.95	3 (50%)
32	5MC	2a	1407	32	19,22,23	1.69	2 (10%)	26,32,35	1.18	3 (11%)
32	5MC	1a	1407	32	19,22,23	1.59	3 (15%)	26,32,35	1.11	3 (11%)
43	0TD	1l	92	43	8,9,10	4.50	1 (12%)	6,11,13	8.31	3 (50%)
1	PSU	1A	1911	1	18,21,22	1.35	2 (11%)	21,30,33	2.11	5 (23%)
32	4OC	1a	1402	32	20,23,24	0.74	0	25,32,35	0.92	1 (4%)
1	5MU	1A	1915	54,1	19,22,23	1.42	5 (26%)	27,32,35	2.35	9 (33%)
32	M2G	1a	966	32	24,27,28	1.31	4 (16%)	33,40,43	1.86	5 (15%)
32	2MG	1a	1207	32	23,26,27	1.25	3 (13%)	33,38,41	2.30	9 (27%)
1	OMG	1A	2251	54,1	23,26,27	1.27	3 (13%)	32,38,41	1.99	6 (18%)
1	MA6	2A	2058	56,1	23,26,27	0.46	0	33,38,41	2.11	9 (27%)
32	G7M	1a	527	54,32	23,26,27	1.47	3 (13%)	34,39,42	1.66	5 (14%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
32	MA6	1a	1519	32	23,26,27	0.41	0	33,38,41	2.01	9 (27%)
32	4OC	2a	1402	32	20,23,24	0.77	0	25,32,35	1.09	2 (8%)
32	MA6	2a	1518	32	23,26,27	0.40	0	33,38,41	2.00	9 (27%)
32	2MG	2a	1207	32	23,26,27	1.24	4 (17%)	33,38,41	2.19	9 (27%)
32	PSU	2a	516	54,32	18,21,22	1.35	2 (11%)	21,30,33	2.10	5 (23%)
32	MA6	1a	1518	32	23,26,27	0.39	0	33,38,41	1.93	10 (30%)
1	OMC	1A	1920	1	19,22,23	0.81	0	25,31,34	0.92	1 (4%)
32	PSU	1a	516	54,32	18,21,22	1.41	2 (11%)	21,30,33	1.90	3 (14%)
32	UR3	2a	1498	54,32	19,22,23	1.02	2 (10%)	26,32,35	1.67	3 (11%)
1	MA6	1A	2058	54,1	23,26,27	0.39	0	33,38,41	2.13	9 (27%)
1	PSU	1A	1917	1	18,21,22	1.35	2 (11%)	21,30,33	2.02	5 (23%)
1	PSU	2A	1917	1	18,21,22	1.34	2 (11%)	21,30,33	2.11	4 (19%)
32	5MC	1a	1400	32	19,22,23	1.91	3 (15%)	26,32,35	1.22	3 (11%)
32	5MC	1a	1404	32	19,22,23	1.67	3 (15%)	26,32,35	1.14	2 (7%)
1	5MU	2A	1915	1	19,22,23	1.45	4 (21%)	27,32,35	2.20	9 (33%)
1	5MC	1A	1962	54,1	19,22,23	1.60	3 (15%)	26,32,35	1.09	2 (7%)
1	PSU	2A	2605	1	18,21,22	1.31	3 (16%)	21,30,33	2.11	4 (19%)
1	2MA	2A	2503	54,1	22,25,26	1.44	4 (18%)	32,37,40	2.39	9 (28%)
32	5MC	2a	1400	32	19,22,23	1.72	3 (15%)	26,32,35	1.21	2 (7%)
32	5MC	2a	1404	32	19,22,23	1.63	3 (15%)	26,32,35	1.14	2 (7%)
1	OMC	2A	1920	1	19,22,23	0.81	0	25,31,34	1.04	1 (4%)
32	5MC	2a	967	32	19,22,23	1.87	3 (15%)	26,32,35	1.08	2 (7%)
1	5MC	2A	1942	1	19,22,23	1.78	3 (15%)	26,32,35	1.20	2 (7%)
32	5MC	1a	967	32	19,22,23	1.61	3 (15%)	26,32,35	1.06	2 (7%)
1	2MA	1A	2503	54,1	22,25,26	1.56	5 (22%)	32,37,40	2.22	7 (21%)
1	PSU	1A	2605	54,1	18,21,22	1.34	3 (16%)	21,30,33	2.03	4 (19%)
32	UR3	1a	1498	32	19,22,23	0.99	0	26,32,35	1.92	5 (19%)
32	MA6	2a	1519	32	23,26,27	0.46	0	33,38,41	2.15	10 (30%)
1	5MC	2A	1962	54,1	19,22,23	1.74	3 (15%)	26,32,35	1.16	2 (7%)
1	5MC	1A	1942	54,1	19,22,23	1.54	3 (15%)	26,32,35	1.07	1 (3%)
1	PSU	2A	1911	1	18,21,22	1.37	2 (11%)	21,30,33	2.10	5 (23%)
1	OMG	2A	2251	54,1	23,26,27	1.21	3 (13%)	32,38,41	1.93	5 (15%)
1	OMU	2A	2552	54,1	19,22,23	1.27	2 (10%)	25,31,34	1.95	6 (24%)
1	5MU	2A	1939	1	19,22,23	1.40	4 (21%)	27,32,35	2.43	8 (29%)
32	M2G	2a	966	54,32	24,27,28	1.31	3 (12%)	33,40,43	1.87	5 (15%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
32	G7M	2a	527	54,32	23,26,27	1.52	3 (13%)	34,39,42	1.71	5 (14%)
1	5MU	1A	1939	54,1	19,22,23	1.52	6 (31%)	27,32,35	2.02	6 (22%)
1	OMU	1A	2552	54,1	19,22,23	1.28	4 (21%)	25,31,34	1.93	6 (24%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
43	0TD	2l	92	43	-	1/7/12/14	-
32	5MC	2a	1407	32	-	0/7/25/26	0/2/2/2
32	5MC	1a	1407	32	-	0/7/25/26	0/2/2/2
43	0TD	1l	92	43	-	2/7/12/14	-
1	PSU	1A	1911	1	-	0/7/25/26	0/2/2/2
32	4OC	1a	1402	32	-	0/9/29/30	0/2/2/2
1	5MU	1A	1915	54,1	-	2/7/25/26	0/2/2/2
32	M2G	1a	966	32	-	0/11/29/30	0/3/3/3
32	2MG	1a	1207	32	-	1/9/27/28	0/3/3/3
1	OMG	1A	2251	54,1	-	1/9/27/28	0/3/3/3
1	MA6	2A	2058	56,1	-	0/11/29/30	0/3/3/3
32	G7M	1a	527	54,32	-	1/7/25/26	0/3/3/3
32	MA6	1a	1519	32	-	2/11/29/30	0/3/3/3
32	4OC	2a	1402	32	-	1/9/29/30	0/2/2/2
32	MA6	2a	1518	32	-	0/11/29/30	0/3/3/3
32	2MG	2a	1207	32	-	0/9/27/28	0/3/3/3
32	PSU	2a	516	54,32	-	0/7/25/26	0/2/2/2
32	MA6	1a	1518	32	-	0/11/29/30	0/3/3/3
1	OMC	1A	1920	1	-	1/9/27/28	0/2/2/2
32	PSU	1a	516	54,32	-	0/7/25/26	0/2/2/2
32	UR3	2a	1498	54,32	-	0/7/25/26	0/2/2/2
1	MA6	1A	2058	54,1	-	0/11/29/30	0/3/3/3
1	PSU	1A	1917	1	-	0/7/25/26	0/2/2/2
1	PSU	2A	1917	1	-	0/7/25/26	0/2/2/2
32	5MC	1a	1400	32	-	1/7/25/26	0/2/2/2
32	5MC	1a	1404	32	-	0/7/25/26	0/2/2/2
1	5MU	2A	1915	1	-	2/7/25/26	0/2/2/2
1	5MC	1A	1962	54,1	-	0/7/25/26	0/2/2/2
1	PSU	2A	2605	1	-	0/7/25/26	0/2/2/2
1	2MA	2A	2503	54,1	-	0/7/25/26	0/3/3/3
32	5MC	2a	1400	32	-	4/7/25/26	0/2/2/2

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
32	5MC	2a	1404	32	-	0/7/25/26	0/2/2/2
1	OMC	2A	1920	1	-	1/9/27/28	0/2/2/2
32	5MC	2a	967	32	-	0/7/25/26	0/2/2/2
1	5MC	2A	1942	1	-	0/7/25/26	0/2/2/2
32	5MC	1a	967	32	-	0/7/25/26	0/2/2/2
1	2MA	1A	2503	54,1	-	1/7/25/26	0/3/3/3
1	PSU	1A	2605	54,1	-	0/7/25/26	0/2/2/2
32	UR3	1a	1498	32	-	0/7/25/26	0/2/2/2
32	MA6	2a	1519	32	-	1/11/29/30	0/3/3/3
1	5MC	2A	1962	54,1	-	0/7/25/26	0/2/2/2
1	5MC	1A	1942	54,1	-	0/7/25/26	0/2/2/2
1	PSU	2A	1911	1	-	0/7/25/26	0/2/2/2
1	OMG	2A	2251	54,1	-	0/9/27/28	0/3/3/3
1	OMU	2A	2552	54,1	-	0/9/27/28	0/2/2/2
1	5MU	2A	1939	1	-	0/7/25/26	0/2/2/2
32	M2G	2a	966	54,32	-	0/11/29/30	0/3/3/3
32	G7M	2a	527	54,32	-	2/7/25/26	0/3/3/3
1	5MU	1A	1939	54,1	-	0/7/25/26	0/2/2/2
1	OMU	1A	2552	54,1	-	0/9/27/28	0/2/2/2

The worst 5 of 117 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
43	2l	92	0TD	CB-SB	-12.40	1.69	1.82
43	1l	92	0TD	CB-SB	-12.30	1.69	1.82
32	1a	1400	5MC	C5-C4	7.09	1.49	1.44
32	2a	967	5MC	C5-C4	7.01	1.49	1.44
1	2A	1942	5MC	C5-C4	6.63	1.49	1.44

The worst 5 of 245 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
43	1l	92	0TD	CSB-SB-CB	-19.88	66.63	102.36
43	2l	92	0TD	CSB-SB-CB	-13.96	77.28	102.36
1	2A	2503	2MA	C5-C4-N3	-8.17	118.58	127.18
1	1A	2503	2MA	C5-C4-N3	-7.86	118.90	127.18
32	1a	1207	2MG	C2-N3-C4	7.50	121.38	112.00

There are no chirality outliers.

5 of 24 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
1	1A	1915	5MU	O4'-C1'-N1-C2
1	1A	1915	5MU	O4'-C1'-N1-C6
1	1A	2251	OMG	C1'-C2'-O2'-CM2
43	1l	92	0TD	CA-CB-SB-CSB
43	1l	92	0TD	CG-CB-SB-CSB

There are no ring outliers.

26 monomers are involved in 38 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
43	2l	92	0TD	1	0
32	1a	1402	4OC	1	0
32	1a	1207	2MG	1	0
1	1A	2251	OMG	1	0
1	2A	2058	MA6	5	0
32	1a	1519	MA6	2	0
32	2a	1402	4OC	3	0
32	2a	1518	MA6	2	0
32	2a	1207	2MG	3	0
32	2a	516	PSU	1	0
32	1a	1518	MA6	1	0
1	1A	1920	OMC	1	0
32	1a	516	PSU	1	0
1	1A	2058	MA6	3	0
1	2A	1917	PSU	1	0
32	1a	1400	5MC	1	0
32	1a	1404	5MC	1	0
1	2A	1915	5MU	1	0
32	2a	1404	5MC	1	0
1	2A	1920	OMC	1	0
32	2a	1519	MA6	2	0
1	2A	2251	OMG	2	0
1	2A	1939	5MU	1	0
32	2a	966	M2G	1	0
1	1A	1939	5MU	2	0
1	1A	2552	OMU	1	0

5.5 Carbohydrates

There are no oligosaccharides in this entry.

5.6 Ligand geometry

Of 2442 ligands modelled in this entry, 2427 are monoatomic - leaving 15 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
57	MPD	1T	205	-	7,7,7	0.34	0	9,10,10	0.37	0
57	MPD	1a	1882	32	7,7,7	0.52	0	9,10,10	0.68	0
58	ARG	1B	230	54	10,11,11	0.77	1 (10%)	9,13,13	0.95	1 (11%)
57	MPD	1A	4028	-	7,7,7	0.34	0	9,10,10	0.21	0
55	HGR	1A	4026	-	39,39,39	2.39	9 (23%)	48,58,58	1.80	15 (31%)
60	SF4	1d	304	35	0,12,12	-	-	-	-	-
56	ERY	1A	4027	-	53,53,53	0.92	2 (3%)	82,82,82	1.52	12 (14%)
57	MPD	2A	3674	-	7,7,7	0.34	0	9,10,10	0.21	0
57	MPD	18	103	-	7,7,7	0.29	0	9,10,10	0.51	0
57	MPD	2A	3673	-	7,7,7	0.32	0	9,10,10	0.24	0
57	MPD	2A	3675	-	7,7,7	0.35	0	9,10,10	0.27	0
56	ERY	2A	3672	1	53,53,53	0.94	1 (1%)	82,82,82	1.60	15 (18%)
60	SF4	2d	501	35	0,12,12	-	-	-	-	-
58	ARG	1F	318	-	10,11,11	0.75	1 (10%)	9,13,13	0.90	1 (11%)
55	HGR	2A	3671	-	39,39,39	2.42	9 (23%)	48,58,58	1.61	11 (22%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
57	MPD	1T	205	-	-	0/5/5/5	-
57	MPD	1a	1882	32	-	4/5/5/5	-
58	ARG	1B	230	54	-	1/11/11/11	-
57	MPD	1A	4028	-	-	2/5/5/5	-
55	HGR	1A	4026	-	-	5/20/79/79	0/4/4/4
60	SF4	1d	304	35	-	-	0/6/5/5
56	ERY	1A	4027	-	-	5/72/107/107	0/3/3/3

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
57	MPD	2A	3674	-	-	5/5/5/5	-
57	MPD	18	103	-	-	2/5/5/5	-
57	MPD	2A	3673	-	-	0/5/5/5	-
57	MPD	2A	3675	-	-	3/5/5/5	-
56	ERY	2A	3672	1	-	14/72/107/107	0/3/3/3
60	SF4	2d	501	35	-	-	0/6/5/5
58	ARG	1F	318	-	-	4/11/11/11	-
55	HGR	2A	3671	-	-	6/20/79/79	0/4/4/4

The worst 5 of 23 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
55	2A	3671	HGR	C12-C14	9.16	1.55	1.33
55	1A	4026	HGR	C12-C14	8.89	1.54	1.33
55	1A	4026	HGR	C5-C4	-5.51	1.39	1.49
55	2A	3671	HGR	C5-C4	-5.45	1.39	1.49
56	2A	3672	ERY	O2-C1	5.31	1.46	1.34

The worst 5 of 55 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
56	1A	4027	ERY	O7-C5-C6	5.21	112.61	106.40
56	2A	3672	ERY	O5-C16-C15	-4.96	105.32	112.95
55	1A	4026	HGR	C4-C5-C6	4.41	121.76	112.35
55	2A	3671	HGR	C4-C5-C6	4.30	121.53	112.35
56	2A	3672	ERY	O5-C16-C17	4.20	109.95	103.86

There are no chirality outliers.

5 of 51 torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
56	1A	4027	ERY	C15-C16-O5-C20
56	1A	4027	ERY	C17-C16-O5-C20
56	2A	3672	ERY	C15-C16-O5-C20
56	2A	3672	ERY	C17-C16-O5-C20
56	2A	3672	ERY	C19-C16-O5-C20

There are no ring outliers.


12 monomers are involved in 30 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
57	1T	205	MPD	1	0
57	1a	1882	MPD	7	0
58	1B	230	ARG	1	0
57	1A	4028	MPD	1	0
55	1A	4026	HGR	2	0
56	1A	4027	ERY	5	0
57	18	103	MPD	1	0
57	2A	3673	MPD	2	0
56	2A	3672	ERY	6	0
60	2d	501	SF4	1	0
58	1F	318	ARG	2	0
55	2A	3671	HGR	1	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.




Ligand ERY 1A 4027




Bond lengths



Bond angles




Torsions




Rings

Ligand ERY 2A 3672



Ligand HGR 2A 3671



5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	1A	2860/2915 (98%)	-0.38	156 (5%) 30 28	24, 41, 92, 103	0
1	2A	2855/2915 (97%)	0.09	178 (6%) 26 24	36, 58, 94, 103	0
2	1B	120/121 (99%)	-0.15	1 (0%) 82 83	38, 58, 68, 81	0
2	2B	120/121 (99%)	0.63	1 (0%) 82 83	62, 77, 84, 89	0
3	1D	275/276 (99%)	0.00	3 (1%) 78 79	26, 41, 54, 73	0
3	2D	275/276 (99%)	0.36	6 (2%) 62 64	35, 52, 63, 79	0
4	1E	204/206 (99%)	0.07	0 100 100	24, 44, 66, 73	0
4	2E	204/206 (99%)	0.47	2 (0%) 79 80	37, 59, 73, 78	0
5	1F	203/210 (96%)	0.22	3 (1%) 72 74	23, 48, 71, 81	0
5	2F	203/210 (96%)	0.62	2 (0%) 79 80	36, 66, 77, 84	0
6	1G	181/182 (99%)	0.90	11 (6%) 27 24	52, 68, 79, 89	0
6	2G	181/182 (99%)	1.70	57 (31%) 1 1	75, 81, 87, 92	0
7	1H	174/180 (96%)	0.39	1 (0%) 85 87	42, 56, 66, 72	0
7	2H	173/180 (96%)	1.29	31 (17%) 3 3	66, 79, 85, 87	0
8	1I	147/148 (99%)	1.08	16 (10%) 10 8	47, 72, 81, 86	0
8	2I	146/148 (98%)	1.21	17 (11%) 9 8	59, 74, 83, 86	0
9	1N	140/140 (100%)	-0.00	0 100 100	30, 43, 61, 76	0
9	2N	140/140 (100%)	0.72	0 100 100	49, 65, 75, 78	0
10	1O	122/122 (100%)	-0.03	1 (0%) 82 83	30, 43, 61, 67	0
10	2O	122/122 (100%)	0.55	2 (1%) 70 73	46, 56, 67, 73	0
11	1P	149/150 (99%)	0.15	0 100 100	25, 50, 68, 79	0
11	2P	149/150 (99%)	0.77	6 (4%) 42 41	42, 67, 79, 85	0
12	1Q	141/141 (100%)	0.08	3 (2%) 63 65	31, 46, 59, 67	0
12	2Q	141/141 (100%)	1.04	11 (7%) 19 16	49, 65, 73, 83	0

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
13	1R	118/118 (100%)	-0.10	0 100 100	29, 41, 54, 59	0
13	2R	118/118 (100%)	0.34	1 (0%) 82 83	42, 53, 63, 69	0
14	1S	110/112 (98%)	0.45	1 (0%) 81 82	45, 58, 69, 74	0
14	2S	110/112 (98%)	1.33	20 (18%) 3 3	65, 72, 77, 81	0
15	1T	131/146 (89%)	0.30	3 (2%) 61 63	36, 50, 70, 80	0
15	2T	131/146 (89%)	0.56	3 (2%) 61 63	50, 60, 77, 81	0
16	1U	116/118 (98%)	-0.16	1 (0%) 81 82	26, 36, 50, 67	0
16	2U	116/118 (98%)	0.53	1 (0%) 81 82	45, 62, 73, 80	0
17	1V	101/101 (100%)	0.03	1 (0%) 79 80	27, 47, 62, 67	0
17	2V	101/101 (100%)	0.80	2 (1%) 65 66	44, 71, 76, 78	0
18	1W	112/113 (99%)	-0.08	1 (0%) 81 82	29, 35, 54, 79	0
18	2W	112/113 (99%)	0.36	3 (2%) 56 57	42, 52, 68, 83	0
19	1X	95/96 (98%)	0.12	2 (2%) 63 65	33, 45, 64, 73	0
19	2X	95/96 (98%)	0.72	5 (5%) 32 30	51, 63, 75, 82	0
20	1Y	107/110 (97%)	0.38	0 100 100	40, 52, 66, 77	0
20	2Y	107/110 (97%)	1.09	10 (9%) 14 12	59, 68, 78, 84	0
21	1Z	203/206 (98%)	0.72	7 (3%) 48 48	47, 62, 73, 81	0
21	2Z	201/206 (97%)	1.21	22 (10%) 10 8	65, 75, 81, 88	0
22	10	77/85 (90%)	0.15	2 (2%) 57 58	35, 44, 58, 62	0
22	20	77/85 (90%)	1.10	9 (11%) 9 8	53, 65, 75, 79	0
23	11	97/98 (98%)	0.30	1 (1%) 79 80	34, 49, 69, 76	0
23	21	97/98 (98%)	0.50	5 (5%) 33 30	43, 57, 74, 78	0
24	12	70/72 (97%)	0.33	2 (2%) 53 55	42, 54, 65, 74	0
24	22	70/72 (97%)	0.77	2 (2%) 53 55	61, 69, 76, 77	0
25	13	59/60 (98%)	0.15	1 (1%) 69 71	34, 42, 66, 71	0
25	23	59/60 (98%)	0.92	4 (6%) 23 21	53, 63, 75, 81	0
26	14	69/71 (97%)	1.26	13 (18%) 3 2	64, 79, 86, 92	0
26	24	69/71 (97%)	2.13	37 (53%) 0 0	80, 86, 92, 95	0
27	15	59/60 (98%)	-0.08	1 (1%) 69 71	25, 39, 60, 70	0
27	25	59/60 (98%)	0.25	0 100 100	39, 53, 72, 77	0
28	16	53/54 (98%)	-0.01	0 100 100	40, 48, 60, 67	0

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2			OWAB(Å ²)	Q<0.9
28	26	53/54 (98%)	0.55	2 (3%)	44	44	55, 61, 69, 73	0
29	17	48/49 (97%)	0.06	3 (6%)	26	23	26, 34, 60, 66	0
29	27	48/49 (97%)	0.45	4 (8%)	17	15	35, 44, 64, 71	0
30	18	64/65 (98%)	-0.09	0	100	100	33, 40, 46, 64	0
30	28	64/65 (98%)	0.90	5 (7%)	19	16	47, 56, 63, 67	0
31	19	37/37 (100%)	0.24	0	100	100	37, 45, 60, 61	0
31	29	37/37 (100%)	1.21	1 (2%)	56	57	59, 67, 75, 81	0
32	1a	1488/1521 (97%)	0.45	51 (3%)	48	48	41, 72, 91, 100	0
32	2a	1492/1521 (98%)	0.62	78 (5%)	33	30	50, 76, 92, 101	0
33	1b	231/256 (90%)	1.36	46 (19%)	3	2	66, 77, 85, 91	0
33	2b	231/256 (90%)	1.77	77 (33%)	1	1	72, 82, 88, 91	0
34	1c	206/239 (86%)	1.09	20 (9%)	13	11	63, 75, 83, 88	0
34	2c	206/239 (86%)	1.62	59 (28%)	1	1	73, 81, 86, 92	0
35	1d	208/209 (99%)	1.10	23 (11%)	10	8	58, 72, 79, 84	0
35	2d	208/209 (99%)	1.14	20 (9%)	13	11	62, 71, 79, 82	0
36	1e	148/162 (91%)	0.83	4 (2%)	56	57	56, 67, 74, 86	0
36	2e	148/162 (91%)	1.15	19 (12%)	7	6	61, 73, 80, 87	0
37	1f	100/101 (99%)	0.89	5 (5%)	34	32	59, 71, 77, 78	0
37	2f	100/101 (99%)	0.70	2 (2%)	65	66	60, 69, 75, 77	0
38	1g	155/156 (99%)	1.09	15 (9%)	13	11	67, 74, 79, 85	0
38	2g	155/156 (99%)	1.26	26 (16%)	4	3	73, 79, 84, 86	0
39	1h	137/138 (99%)	0.93	10 (7%)	21	18	58, 70, 76, 78	0
39	2h	137/138 (99%)	1.29	18 (13%)	7	6	63, 73, 78, 84	0
40	1i	127/128 (99%)	1.58	33 (25%)	1	1	66, 79, 83, 86	0
40	2i	126/128 (98%)	2.09	65 (51%)	0	0	73, 83, 87, 89	0
41	1j	97/105 (92%)	1.68	30 (30%)	1	1	67, 79, 84, 85	0
41	2j	96/105 (91%)	2.42	62 (64%)	0	0	74, 83, 87, 89	0
42	1k	114/129 (88%)	0.68	6 (5%)	32	30	48, 65, 75, 75	0
42	2k	114/129 (88%)	0.96	9 (7%)	18	16	58, 72, 80, 84	0
43	1l	121/132 (91%)	0.70	7 (5%)	29	26	52, 62, 71, 77	0
43	2l	121/132 (91%)	0.93	10 (8%)	17	15	52, 69, 76, 78	0

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
44	1m	116/126 (92%)	1.18	17 (14%) 6 4	65, 77, 82, 83	0
44	2m	114/126 (90%)	2.00	50 (43%) 0 0	77, 83, 86, 88	0
45	1n	60/61 (98%)	1.35	9 (15%) 5 4	70, 75, 81, 85	0
45	2n	60/61 (98%)	2.41	33 (55%) 0 0	75, 82, 87, 92	0
46	1o	88/89 (98%)	0.78	3 (3%) 48 48	51, 67, 75, 80	0
46	2o	88/89 (98%)	0.97	6 (6%) 23 21	60, 71, 78, 83	0
47	1p	82/88 (93%)	1.56	21 (25%) 1 1	64, 73, 80, 86	0
47	2p	82/88 (93%)	1.33	11 (13%) 7 6	62, 70, 77, 80	0
48	1q	99/105 (94%)	1.23	11 (11%) 10 8	59, 70, 76, 83	0
48	2q	99/105 (94%)	1.16	8 (8%) 18 16	59, 72, 78, 81	0
49	1r	68/88 (77%)	0.91	3 (4%) 39 38	61, 67, 77, 84	0
49	2r	68/88 (77%)	0.83	3 (4%) 39 38	62, 71, 79, 83	0
50	1s	83/93 (89%)	1.41	12 (14%) 6 4	73, 79, 84, 88	0
50	2s	83/93 (89%)	2.02	41 (49%) 0 0	77, 85, 89, 91	0
51	1t	96/106 (90%)	1.39	18 (18%) 3 2	66, 73, 81, 83	0
51	2t	98/106 (92%)	0.99	6 (6%) 27 24	59, 71, 82, 83	0
52	1u	23/27 (85%)	1.64	7 (30%) 1 1	73, 76, 78, 79	0
52	2u	23/27 (85%)	2.76	19 (82%) 0 0	78, 81, 82, 84	0
53	1y	97/113 (85%)	1.00	8 (8%) 17 15	58, 67, 75, 77	0
53	2y	96/113 (84%)	1.73	32 (33%) 1 1	69, 78, 84, 86	0
All	All	20764/21468 (96%)	0.53	1696 (8%) 17 15	23, 65, 87, 103	0

The worst 5 of 1696 RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
45	2n	2	ALA	10.7
1	1A	652(V)	C	9.1
1	2A	652(C)	G	9.0
1	1A	653	A	8.5
1	1A	654	A	7.4

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum,

median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
1	5MU	1A	1915	21/22	0.84	0.14	71,78,84,93	0
1	5MU	2A	1915	21/22	0.87	0.12	75,84,90,98	0
32	M2G	2a	966	25/26	0.87	0.17	61,71,84,86	0
32	2MG	2a	1207	24/25	0.87	0.13	84,88,92,94	0
1	PSU	2A	1917	20/21	0.88	0.10	79,83,89,94	0
43	0TD	2l	92	10/11	0.88	0.13	65,71,73,88	0
1	PSU	2A	1911	20/21	0.89	0.09	69,75,90,93	0
32	5MC	2a	967	21/22	0.90	0.15	70,75,82,86	0
1	OMC	2A	1920	21/22	0.91	0.09	68,72,75,80	0
32	4OC	2a	1402	22/23	0.91	0.13	58,67,73,75	0
32	PSU	2a	516	20/21	0.91	0.09	77,81,87,92	0
1	PSU	1A	1911	20/21	0.92	0.10	51,71,76,78	0
1	PSU	1A	1917	20/21	0.93	0.11	61,71,79,79	0
32	G7M	1a	527	24/25	0.93	0.12	50,60,64,65	0
32	5MC	1a	967	21/22	0.93	0.12	67,74,81,82	0
32	2MG	1a	1207	24/25	0.93	0.09	73,79,81,86	0
43	0TD	1l	92	10/11	0.93	0.12	51,62,67,73	0
32	5MC	2a	1400	21/22	0.94	0.13	70,74,78,80	0
32	G7M	2a	527	24/25	0.94	0.10	64,71,76,79	0
32	5MC	2a	1404	21/22	0.94	0.11	58,63,65,66	0
32	5MC	2a	1407	21/22	0.94	0.11	62,67,70,77	0
32	UR3	1a	1498	21/22	0.94	0.12	49,56,60,66	0
32	MA6	1a	1519	24/25	0.95	0.11	48,54,60,65	0
1	5MC	2A	1942	21/22	0.95	0.09	47,57,61,64	0
32	PSU	1a	516	20/21	0.95	0.08	63,66,72,76	0
1	OMC	1A	1920	21/22	0.95	0.12	52,60,67,69	0
32	5MC	1a	1407	21/22	0.95	0.11	49,58,61,69	0
32	UR3	2a	1498	21/22	0.95	0.11	64,67,71,74	0
32	MA6	2a	1518	24/25	0.95	0.11	60,69,73,74	0
32	M2G	1a	966	25/26	0.95	0.12	64,68,75,82	0
32	5MC	1a	1404	21/22	0.96	0.09	51,56,60,62	0
32	MA6	2a	1519	24/25	0.96	0.12	57,67,71,74	0
1	OMU	2A	2552	21/22	0.96	0.10	39,44,49,53	0
1	5MC	1A	1942	21/22	0.97	0.07	34,40,42,51	0
1	5MC	1A	1962	21/22	0.97	0.07	29,38,44,49	0
32	MA6	1a	1518	24/25	0.97	0.10	49,53,57,59	0
1	5MU	2A	1939	21/22	0.97	0.08	36,40,46,48	0
32	5MC	1a	1400	21/22	0.97	0.10	55,60,66,69	0
1	5MC	2A	1962	21/22	0.97	0.08	43,50,58,64	0
1	MA6	2A	2058	24/25	0.97	0.10	34,41,49,52	0
1	OMG	2A	2251	24/25	0.97	0.09	40,44,47,47	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
1	2MA	2A	2503	23/24	0.97	0.09	34,38,43,46	0
32	4OC	1a	1402	22/23	0.97	0.08	51,58,66,79	0
1	PSU	2A	2605	20/21	0.97	0.08	35,44,50,51	0
1	PSU	1A	2605	20/21	0.97	0.08	27,33,38,41	0
1	OMU	1A	2552	21/22	0.98	0.07	31,35,38,43	0
1	5MU	1A	1939	21/22	0.98	0.06	27,32,36,38	0
1	MA6	1A	2058	24/25	0.98	0.07	20,28,38,43	0
1	OMG	1A	2251	24/25	0.98	0.06	22,29,32,34	0
1	2MA	1A	2503	23/24	0.99	0.06	21,29,32,33	0

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
54	MG	2a	3039	1/1	0.55	0.14	94,94,94,94	0
54	MG	1a	1683	1/1	0.56	0.37	83,83,83,83	0
54	MG	2A	3443	1/1	0.60	0.20	79,79,79,79	0
54	MG	2A	3566	1/1	0.61	0.25	86,86,86,86	0
54	MG	2A	3276	1/1	0.63	0.23	70,70,70,70	0
54	MG	1A	3355	1/1	0.64	0.22	70,70,70,70	0
54	MG	2A	3569	1/1	0.65	0.14	78,78,78,78	0
54	MG	1a	1802	1/1	0.65	0.17	84,84,84,84	0
54	MG	1a	1785	1/1	0.67	0.32	79,79,79,79	0
54	MG	1A	3429	1/1	0.68	0.18	75,75,75,75	0
54	MG	2A	3400	1/1	0.68	0.24	72,72,72,72	0
54	MG	2A	3215	1/1	0.68	0.24	77,77,77,77	0
54	MG	1A	3190	1/1	0.70	0.24	84,84,84,84	0
54	MG	2A	3399	1/1	0.71	0.18	69,69,69,69	0
54	MG	1A	3712	1/1	0.71	0.22	60,60,60,60	0
54	MG	2a	3022	1/1	0.71	0.31	73,73,73,73	0
54	MG	2a	3027	1/1	0.71	0.50	76,76,76,76	0
54	MG	1A	3653	1/1	0.71	0.21	77,77,77,77	0
54	MG	1A	3895	1/1	0.72	0.22	58,58,58,58	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
54	MG	1a	1820	1/1	0.72	0.18	72,72,72,72	0
54	MG	2A	3475	1/1	0.73	0.14	83,83,83,83	0
54	MG	1A	3080	1/1	0.73	0.30	70,70,70,70	0
54	MG	2A	3375	1/1	0.73	0.20	68,68,68,68	0
54	MG	1a	1696	1/1	0.73	0.31	80,80,80,80	0
54	MG	2A	3078	1/1	0.73	0.16	69,69,69,69	0
54	MG	1A	3701	1/1	0.73	0.16	68,68,68,68	0
54	MG	2a	3064	1/1	0.73	0.29	83,83,83,83	0
54	MG	1A	3680	1/1	0.74	0.16	63,63,63,63	0
54	MG	1a	1684	1/1	0.74	0.14	81,81,81,81	0
54	MG	1A	3397	1/1	0.74	0.14	57,57,57,57	0
54	MG	1A	4007	1/1	0.74	0.16	63,63,63,63	0
58	ARG	1F	318	12/12	0.74	0.20	60,69,76,80	0
54	MG	2A	3413	1/1	0.75	0.22	72,72,72,72	0
54	MG	2A	3659	1/1	0.75	0.17	84,84,84,84	0
54	MG	2A	3052	1/1	0.75	0.25	60,60,60,60	0
54	MG	2A	3461	1/1	0.75	0.18	76,76,76,76	0
54	MG	2A	3243	1/1	0.75	0.21	73,73,73,73	0
54	MG	2A	3523	1/1	0.75	0.19	60,60,60,60	0
54	MG	2a	3118	1/1	0.75	0.17	77,77,77,77	0
54	MG	1a	1880	1/1	0.75	0.15	74,74,74,74	0
54	MG	1A	3463	1/1	0.76	0.18	83,83,83,83	0
54	MG	1a	1789	1/1	0.76	0.21	84,84,84,84	0
54	MG	2A	3666	1/1	0.76	0.27	87,87,87,87	0
54	MG	2A	3422	1/1	0.76	0.15	79,79,79,79	0
54	MG	1A	3927	1/1	0.76	0.16	34,34,34,34	0
54	MG	1A	3544	1/1	0.76	0.17	50,50,50,50	0
54	MG	1a	1863	1/1	0.76	0.26	74,74,74,74	0
54	MG	1a	1720	1/1	0.76	0.24	82,82,82,82	0
54	MG	2A	3049	1/1	0.76	0.27	74,74,74,74	0
54	MG	1a	1771	1/1	0.77	0.15	74,74,74,74	0
54	MG	1A	3896	1/1	0.77	0.21	62,62,62,62	0
54	MG	2Q	203	1/1	0.77	0.28	64,64,64,64	0
54	MG	2A	3233	1/1	0.77	0.15	62,62,62,62	0
54	MG	1a	1874	1/1	0.77	0.26	76,76,76,76	0
54	MG	1a	1707	1/1	0.77	0.30	75,75,75,75	0
54	MG	1f	201	1/1	0.77	0.20	80,80,80,80	0
54	MG	1D	313	1/1	0.77	0.23	74,74,74,74	0
54	MG	2a	3187	1/1	0.77	0.16	73,73,73,73	0
54	MG	1a	1818	1/1	0.77	0.25	80,80,80,80	0
54	MG	1A	3450	1/1	0.78	0.15	56,56,56,56	0
54	MG	1a	1637	1/1	0.78	0.19	71,71,71,71	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
54	MG	2B	205	1/1	0.78	0.20	77,77,77,77	0
54	MG	2B	208	1/1	0.78	0.14	88,88,88,88	0
54	MG	1a	1638	1/1	0.78	0.32	71,71,71,71	0
54	MG	1h	201	1/1	0.78	0.29	66,66,66,66	0
54	MG	2A	3320	1/1	0.78	0.25	76,76,76,76	0
54	MG	2A	3501	1/1	0.78	0.18	61,61,61,61	0
54	MG	1a	1821	1/1	0.78	0.24	72,72,72,72	0
54	MG	2a	3072	1/1	0.78	0.21	77,77,77,77	0
54	MG	1a	1854	1/1	0.78	0.14	67,67,67,67	0
54	MG	1a	1668	1/1	0.78	0.18	79,79,79,79	0
54	MG	2A	3570	1/1	0.78	0.25	76,76,76,76	0
54	MG	1a	1823	1/1	0.79	0.19	86,86,86,86	0
54	MG	2a	3002	1/1	0.79	0.17	69,69,69,69	0
54	MG	1A	3422	1/1	0.79	0.17	55,55,55,55	0
54	MG	2A	3203	1/1	0.79	0.21	67,67,67,67	0
54	MG	2A	3648	1/1	0.79	0.17	70,70,70,70	0
54	MG	2a	3040	1/1	0.79	0.21	71,71,71,71	0
54	MG	2a	3046	1/1	0.79	0.20	81,81,81,81	0
54	MG	2A	3466	1/1	0.79	0.18	61,61,61,61	0
54	MG	1g	202	1/1	0.79	0.18	69,69,69,69	0
54	MG	1a	1767	1/1	0.79	0.22	80,80,80,80	0
54	MG	2a	3169	1/1	0.79	0.19	86,86,86,86	0
54	MG	1A	3872	1/1	0.79	0.14	67,67,67,67	0
54	MG	2G	201	1/1	0.79	0.16	81,81,81,81	0
54	MG	1A	3998	1/1	0.80	0.25	52,52,52,52	0
54	MG	1A	3495	1/1	0.80	0.12	34,34,34,34	0
54	MG	2A	3481	1/1	0.80	0.19	74,74,74,74	0
54	MG	1A	3454	1/1	0.80	0.26	78,78,78,78	0
54	MG	2a	3025	1/1	0.80	0.25	83,83,83,83	0
54	MG	2A	3299	1/1	0.80	0.15	80,80,80,80	0
54	MG	1A	3763	1/1	0.80	0.30	67,67,67,67	0
54	MG	1A	3596	1/1	0.80	0.17	66,66,66,66	0
54	MG	1A	3628	1/1	0.80	0.25	68,68,68,68	0
54	MG	2a	3062	1/1	0.80	0.34	84,84,84,84	0
54	MG	1A	3211	1/1	0.80	0.12	57,57,57,57	0
54	MG	1A	3897	1/1	0.80	0.17	58,58,58,58	0
54	MG	2a	3078	1/1	0.80	0.33	68,68,68,68	0
54	MG	1A	3465	1/1	0.80	0.10	43,43,43,43	0
54	MG	1a	1700	1/1	0.80	0.31	78,78,78,78	0
54	MG	1A	3979	1/1	0.80	0.28	57,57,57,57	0
54	MG	2E	305	1/1	0.80	0.28	76,76,76,76	0
54	MG	15	106	1/1	0.81	0.15	48,48,48,48	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
54	MG	1A	3788	1/1	0.81	0.13	34,34,34,34	0
54	MG	2A	3349	1/1	0.81	0.20	80,80,80,80	0
54	MG	1A	3985	1/1	0.81	0.17	65,65,65,65	0
54	MG	1a	1663	1/1	0.81	0.19	66,66,66,66	0
54	MG	1A	3993	1/1	0.81	0.14	71,71,71,71	0
54	MG	2A	3409	1/1	0.81	0.16	79,79,79,79	0
54	MG	1l	202	1/1	0.81	0.20	78,78,78,78	0
54	MG	1a	1815	1/1	0.81	0.18	79,79,79,79	0
54	MG	1a	1817	1/1	0.81	0.21	84,84,84,84	0
54	MG	1A	3590	1/1	0.81	0.16	51,51,51,51	0
54	MG	2A	3080	1/1	0.81	0.28	79,79,79,79	0
54	MG	2A	3136	1/1	0.81	0.27	72,72,72,72	0
54	MG	1A	4000	1/1	0.81	0.11	82,82,82,82	0
54	MG	1A	3570	1/1	0.81	0.16	59,59,59,59	0
54	MG	2A	3506	1/1	0.81	0.17	64,64,64,64	0
54	MG	2a	3068	1/1	0.81	0.25	81,81,81,81	0
54	MG	2A	3216	1/1	0.81	0.29	61,61,61,61	0
54	MG	2A	3218	1/1	0.81	0.20	63,63,63,63	0
54	MG	1B	227	1/1	0.81	0.14	76,76,76,76	0
54	MG	2a	3162	1/1	0.81	0.24	69,69,69,69	0
54	MG	1A	3933	1/1	0.81	0.17	60,60,60,60	0
54	MG	2A	3594	1/1	0.81	0.15	85,85,85,85	0
54	MG	1l	102	1/1	0.81	0.27	56,56,56,56	0
54	MG	1A	3850	1/1	0.82	0.15	64,64,64,64	0
54	MG	1A	3742	1/1	0.82	0.18	60,60,60,60	0
54	MG	1A	3892	1/1	0.82	0.10	41,41,41,41	0
54	MG	1a	1735	1/1	0.82	0.20	68,68,68,68	0
54	MG	1A	3968	1/1	0.82	0.18	71,71,71,71	0
54	MG	1a	1833	1/1	0.82	0.22	63,63,63,63	0
54	MG	2A	3148	1/1	0.82	0.25	73,73,73,73	0
54	MG	2A	3612	1/1	0.82	0.15	80,80,80,80	0
54	MG	1B	209	1/1	0.82	0.34	71,71,71,71	0
54	MG	1a	1778	1/1	0.82	0.19	86,86,86,86	0
54	MG	1B	225	1/1	0.82	0.14	74,74,74,74	0
54	MG	2A	3459	1/1	0.82	0.26	72,72,72,72	0
54	MG	1A	3584	1/1	0.82	0.18	45,45,45,45	0
54	MG	2a	3133	1/1	0.82	0.18	79,79,79,79	0
54	MG	1A	3481	1/1	0.82	0.14	68,68,68,68	0
54	MG	1a	1809	1/1	0.82	0.18	70,70,70,70	0
54	MG	2a	3180	1/1	0.82	0.17	92,92,92,92	0
54	MG	1P	204	1/1	0.82	0.20	52,52,52,52	0
54	MG	2j	201	1/1	0.82	0.10	86,86,86,86	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
54	MG	2T	203	1/1	0.82	0.20	77,77,77,77	0
54	MG	1A	3612	1/1	0.83	0.15	48,48,48,48	0
54	MG	1A	3620	1/1	0.83	0.12	71,71,71,71	0
54	MG	1a	1743	1/1	0.83	0.18	80,80,80,80	0
54	MG	1A	3531	1/1	0.83	0.13	58,58,58,58	0
54	MG	1A	3894	1/1	0.83	0.09	60,60,60,60	0
54	MG	1A	3338	1/1	0.83	0.30	70,70,70,70	0
54	MG	2A	3518	1/1	0.83	0.14	83,83,83,83	0
54	MG	1a	1640	1/1	0.83	0.22	72,72,72,72	0
54	MG	2A	3554	1/1	0.83	0.15	81,81,81,81	0
54	MG	2A	3558	1/1	0.83	0.14	80,80,80,80	0
54	MG	2A	3562	1/1	0.83	0.17	88,88,88,88	0
54	MG	1A	3781	1/1	0.83	0.10	46,46,46,46	0
54	MG	2A	3333	1/1	0.83	0.30	75,75,75,75	0
54	MG	1A	3435	1/1	0.83	0.20	79,79,79,79	0
54	MG	2A	3585	1/1	0.83	0.14	60,60,60,60	0
54	MG	2a	3107	1/1	0.83	0.22	71,71,71,71	0
54	MG	2A	3048	1/1	0.83	0.25	60,60,60,60	0
54	MG	2a	3129	1/1	0.83	0.23	72,72,72,72	0
54	MG	1a	1672	1/1	0.83	0.21	73,73,73,73	0
54	MG	1B	204	1/1	0.83	0.14	63,63,63,63	0
54	MG	2a	3166	1/1	0.83	0.14	90,90,90,90	0
54	MG	1A	3816	1/1	0.83	0.15	29,29,29,29	0
54	MG	1A	3842	1/1	0.83	0.16	70,70,70,70	0
54	MG	1A	3944	1/1	0.83	0.12	50,50,50,50	0
54	MG	2a	3189	1/1	0.83	0.39	78,78,78,78	0
54	MG	1A	3961	1/1	0.83	0.23	64,64,64,64	0
57	MPD	2A	3674	8/8	0.83	0.24	64,71,73,74	0
54	MG	1a	1714	1/1	0.83	0.18	76,76,76,76	0
54	MG	2A	3318	1/1	0.84	0.13	44,44,44,44	0
54	MG	2A	3634	1/1	0.84	0.14	57,57,57,57	0
54	MG	1a	1836	1/1	0.84	0.12	80,80,80,80	0
54	MG	1a	1844	1/1	0.84	0.20	61,61,61,61	0
54	MG	1B	229	1/1	0.84	0.10	60,60,60,60	0
54	MG	2A	3670	1/1	0.84	0.17	73,73,73,73	0
54	MG	1A	3274	1/1	0.84	0.21	62,62,62,62	0
54	MG	1a	1716	1/1	0.84	0.11	54,54,54,54	0
54	MG	1A	3293	1/1	0.84	0.15	71,71,71,71	0
54	MG	1A	3725	1/1	0.84	0.21	56,56,56,56	0
54	MG	1A	3893	1/1	0.84	0.19	58,58,58,58	0
54	MG	2A	3416	1/1	0.84	0.14	73,73,73,73	0
54	MG	1a	1759	1/1	0.84	0.16	66,66,66,66	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
54	MG	2A	3425	1/1	0.84	0.14	70,70,70,70	0
54	MG	1a	1612	1/1	0.84	0.29	65,65,65,65	0
54	MG	1a	1631	1/1	0.84	0.14	62,62,62,62	0
54	MG	1a	1773	1/1	0.84	0.18	74,74,74,74	0
54	MG	2A	3462	1/1	0.84	0.12	86,86,86,86	0
54	MG	1A	3141	1/1	0.84	0.14	55,55,55,55	0
54	MG	2A	3063	1/1	0.84	0.12	52,52,52,52	0
54	MG	2A	3477	1/1	0.84	0.13	86,86,86,86	0
54	MG	1A	3448	1/1	0.84	0.13	36,36,36,36	0
54	MG	1A	3205	1/1	0.84	0.19	65,65,65,65	0
54	MG	2a	3074	1/1	0.84	0.24	70,70,70,70	0
54	MG	1a	1790	1/1	0.84	0.18	75,75,75,75	0
54	MG	1A	3166	1/1	0.84	0.14	66,66,66,66	0
54	MG	1A	4024	1/1	0.84	0.15	69,69,69,69	0
54	MG	2A	3543	1/1	0.84	0.12	70,70,70,70	0
54	MG	2A	3210	1/1	0.84	0.24	71,71,71,71	0
54	MG	1A	3403	1/1	0.84	0.10	33,33,33,33	0
54	MG	1a	1673	1/1	0.84	0.16	63,63,63,63	0
54	MG	1a	1675	1/1	0.84	0.26	66,66,66,66	0
54	MG	1B	205	1/1	0.84	0.10	64,64,64,64	0
54	MG	2a	3182	1/1	0.84	0.27	81,81,81,81	0
54	MG	1A	3691	1/1	0.84	0.12	65,65,65,65	0
54	MG	1A	3935	1/1	0.84	0.16	64,64,64,64	0
54	MG	2A	3589	1/1	0.84	0.17	73,73,73,73	0
54	MG	1A	3844	1/1	0.84	0.10	54,54,54,54	0
54	MG	2A	3607	1/1	0.84	0.12	65,65,65,65	0
54	MG	13	103	1/1	0.85	0.14	73,73,73,73	0
54	MG	2A	3665	1/1	0.85	0.24	72,72,72,72	0
54	MG	2A	3402	1/1	0.85	0.13	62,62,62,62	0
54	MG	1a	1813	1/1	0.85	0.24	70,70,70,70	0
54	MG	1A	4001	1/1	0.85	0.21	80,80,80,80	0
54	MG	1A	3401	1/1	0.85	0.14	48,48,48,48	0
54	MG	2B	209	1/1	0.85	0.16	85,85,85,85	0
54	MG	2B	214	1/1	0.85	0.21	71,71,71,71	0
54	MG	2A	3102	1/1	0.85	0.17	59,59,59,59	0
54	MG	2A	3106	1/1	0.85	0.23	70,70,70,70	0
54	MG	2A	3126	1/1	0.85	0.22	66,66,66,66	0
54	MG	2A	3447	1/1	0.85	0.16	43,43,43,43	0
54	MG	1a	1613	1/1	0.85	0.24	68,68,68,68	0
54	MG	1a	1619	1/1	0.85	0.12	71,71,71,71	0
54	MG	2A	3184	1/1	0.85	0.14	61,61,61,61	0
54	MG	2A	3199	1/1	0.85	0.18	70,70,70,70	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
54	MG	2a	3034	1/1	0.85	0.31	72,72,72,72	0
54	MG	2a	3038	1/1	0.85	0.17	82,82,82,82	0
54	MG	1A	3693	1/1	0.85	0.09	69,69,69,69	0
54	MG	1a	1725	1/1	0.85	0.17	61,61,61,61	0
54	MG	1A	3388	1/1	0.85	0.15	65,65,65,65	0
54	MG	2a	3051	1/1	0.85	0.40	81,81,81,81	0
54	MG	2a	3054	1/1	0.85	0.28	68,68,68,68	0
54	MG	2a	3059	1/1	0.85	0.22	74,74,74,74	0
54	MG	1A	3547	1/1	0.85	0.17	55,55,55,55	0
54	MG	2A	3505	1/1	0.85	0.15	68,68,68,68	0
54	MG	2a	3067	1/1	0.85	0.14	78,78,78,78	0
54	MG	1A	3473	1/1	0.85	0.12	58,58,58,58	0
54	MG	1A	3390	1/1	0.85	0.11	50,50,50,50	0
54	MG	1A	3762	1/1	0.85	0.11	52,52,52,52	0
54	MG	1A	3654	1/1	0.85	0.25	72,72,72,72	0
54	MG	2A	3282	1/1	0.85	0.13	48,48,48,48	0
54	MG	1A	3772	1/1	0.85	0.17	53,53,53,53	0
54	MG	2a	3119	1/1	0.85	0.16	68,68,68,68	0
54	MG	1H	201	1/1	0.85	0.16	67,67,67,67	0
54	MG	1A	3661	1/1	0.85	0.16	64,64,64,64	0
54	MG	2a	3159	1/1	0.85	0.18	74,74,74,74	0
54	MG	2A	3329	1/1	0.85	0.12	76,76,76,76	0
54	MG	2A	3330	1/1	0.85	0.21	77,77,77,77	0
54	MG	1A	3170	1/1	0.85	0.18	62,62,62,62	0
54	MG	1a	1795	1/1	0.85	0.12	72,72,72,72	0
54	MG	2A	3358	1/1	0.85	0.20	67,67,67,67	0
54	MG	1a	1798	1/1	0.85	0.11	78,78,78,78	0
54	MG	2A	3391	1/1	0.85	0.14	60,60,60,60	0
54	MG	2e	201	1/1	0.85	0.22	76,76,76,76	0
54	MG	2h	201	1/1	0.85	0.14	74,74,74,74	0
54	MG	2A	3633	1/1	0.85	0.18	70,70,70,70	0
57	MPD	2A	3673	8/8	0.85	0.26	45,57,63,63	0
54	MG	2A	3393	1/1	0.85	0.13	72,72,72,72	0
54	MG	1a	1694	1/1	0.85	0.46	84,84,84,84	0
54	MG	2A	3660	1/1	0.86	0.21	75,75,75,75	0
54	MG	1a	1604	1/1	0.86	0.16	81,81,81,81	0
54	MG	1A	3452	1/1	0.86	0.21	63,63,63,63	0
54	MG	2A	3669	1/1	0.86	0.12	60,60,60,60	0
54	MG	1a	1865	1/1	0.86	0.28	69,69,69,69	0
54	MG	2A	3359	1/1	0.86	0.10	80,80,80,80	0
54	MG	2B	206	1/1	0.86	0.25	73,73,73,73	0
54	MG	2A	3363	1/1	0.86	0.17	75,75,75,75	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
54	MG	1a	1873	1/1	0.86	0.10	83,83,83,83	0
54	MG	1A	3804	1/1	0.86	0.09	78,78,78,78	0
54	MG	1A	3269	1/1	0.86	0.26	72,72,72,72	0
54	MG	1b	301	1/1	0.86	0.12	82,82,82,82	0
54	MG	1a	1758	1/1	0.86	0.12	70,70,70,70	0
54	MG	1a	1622	1/1	0.86	0.23	62,62,62,62	0
54	MG	1a	1761	1/1	0.86	0.15	77,77,77,77	0
54	MG	2a	3014	1/1	0.86	0.15	75,75,75,75	0
54	MG	1a	1766	1/1	0.86	0.15	75,75,75,75	0
54	MG	1o	101	1/1	0.86	0.24	74,74,74,74	0
54	MG	1A	3837	1/1	0.86	0.16	57,57,57,57	0
54	MG	1a	1632	1/1	0.86	0.17	60,60,60,60	0
54	MG	2A	3428	1/1	0.86	0.17	68,68,68,68	0
54	MG	2A	3441	1/1	0.86	0.13	65,65,65,65	0
54	MG	1B	202	1/1	0.86	0.21	67,67,67,67	0
54	MG	1A	3194	1/1	0.86	0.15	65,65,65,65	0
54	MG	2a	3047	1/1	0.86	0.22	74,74,74,74	0
54	MG	2A	3455	1/1	0.86	0.18	69,69,69,69	0
54	MG	1A	3553	1/1	0.86	0.17	49,49,49,49	0
54	MG	1a	1788	1/1	0.86	0.11	88,88,88,88	0
54	MG	1a	1644	1/1	0.86	0.15	70,70,70,70	0
54	MG	1a	1645	1/1	0.86	0.21	64,64,64,64	0
54	MG	2A	3111	1/1	0.86	0.24	60,60,60,60	0
54	MG	1A	3204	1/1	0.86	0.26	60,60,60,60	0
54	MG	1A	3861	1/1	0.86	0.11	63,63,63,63	0
54	MG	1A	3656	1/1	0.86	0.21	49,49,49,49	0
54	MG	1a	1806	1/1	0.86	0.13	72,72,72,72	0
54	MG	2a	3081	1/1	0.86	0.32	72,72,72,72	0
54	MG	2a	3092	1/1	0.86	0.15	67,67,67,67	0
54	MG	1A	3969	1/1	0.86	0.16	66,66,66,66	0
54	MG	1A	3973	1/1	0.86	0.14	71,71,71,71	0
54	MG	1a	1814	1/1	0.86	0.15	65,65,65,65	0
54	MG	1F	314	1/1	0.86	0.26	75,75,75,75	0
54	MG	2a	3131	1/1	0.86	0.28	66,66,66,66	0
54	MG	1A	3978	1/1	0.86	0.24	60,60,60,60	0
54	MG	2a	3138	1/1	0.86	0.16	80,80,80,80	0
54	MG	2a	3149	1/1	0.86	0.13	80,80,80,80	0
54	MG	1A	3890	1/1	0.86	0.11	30,30,30,30	0
54	MG	1T	204	1/1	0.86	0.13	70,70,70,70	0
54	MG	1A	3395	1/1	0.86	0.12	45,45,45,45	0
54	MG	2A	3271	1/1	0.86	0.12	54,54,54,54	0
54	MG	1a	1702	1/1	0.86	0.25	78,78,78,78	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
54	MG	1a	1827	1/1	0.86	0.23	66,66,66,66	0
54	MG	2a	3185	1/1	0.86	0.17	69,69,69,69	0
54	MG	2A	3286	1/1	0.86	0.12	79,79,79,79	0
54	MG	1a	1830	1/1	0.86	0.24	74,74,74,74	0
54	MG	2A	3308	1/1	0.86	0.11	44,44,44,44	0
54	MG	1l	105	1/1	0.86	0.17	66,66,66,66	0
54	MG	1A	3322	1/1	0.86	0.25	69,69,69,69	0
54	MG	2n	101	1/1	0.86	0.15	78,78,78,78	0
54	MG	2A	3322	1/1	0.86	0.10	49,49,49,49	0
54	MG	1a	1837	1/1	0.86	0.17	83,83,83,83	0
54	MG	1A	3217	1/1	0.86	0.13	62,62,62,62	0
54	MG	1A	3607	1/1	0.87	0.17	68,68,68,68	0
54	MG	1A	3959	1/1	0.87	0.10	30,30,30,30	0
54	MG	2A	3662	1/1	0.87	0.17	62,62,62,62	0
54	MG	1a	1727	1/1	0.87	0.14	56,56,56,56	0
54	MG	1A	3609	1/1	0.87	0.12	37,37,37,37	0
54	MG	1a	1876	1/1	0.87	0.12	71,71,71,71	0
54	MG	1a	1737	1/1	0.87	0.16	91,91,91,91	0
54	MG	2A	3354	1/1	0.87	0.19	68,68,68,68	0
54	MG	1A	3610	1/1	0.87	0.11	65,65,65,65	0
54	MG	1e	203	1/1	0.87	0.16	73,73,73,73	0
54	MG	1a	1744	1/1	0.87	0.24	70,70,70,70	0
54	MG	2B	212	1/1	0.87	0.10	69,69,69,69	0
54	MG	2A	3371	1/1	0.87	0.25	71,71,71,71	0
54	MG	2D	305	1/1	0.87	0.14	72,72,72,72	0
54	MG	2E	302	1/1	0.87	0.12	42,42,42,42	0
54	MG	1A	3477	1/1	0.87	0.18	66,66,66,66	0
54	MG	1A	3803	1/1	0.87	0.14	69,69,69,69	0
54	MG	1A	3243	1/1	0.87	0.08	74,74,74,74	0
54	MG	1A	3359	1/1	0.87	0.10	41,41,41,41	0
54	MG	2A	3006	1/1	0.87	0.12	57,57,57,57	0
54	MG	2a	3005	1/1	0.87	0.15	65,65,65,65	0
54	MG	2A	3037	1/1	0.87	0.29	83,83,83,83	0
54	MG	2A	3043	1/1	0.87	0.35	84,84,84,84	0
54	MG	2A	3410	1/1	0.87	0.10	67,67,67,67	0
54	MG	2A	3047	1/1	0.87	0.09	63,63,63,63	0
54	MG	1A	3982	1/1	0.87	0.15	66,66,66,66	0
54	MG	1A	3516	1/1	0.87	0.12	64,64,64,64	0
54	MG	1A	3990	1/1	0.87	0.10	50,50,50,50	0
54	MG	1A	3377	1/1	0.87	0.15	59,59,59,59	0
54	MG	2A	3436	1/1	0.87	0.14	67,67,67,67	0
54	MG	2A	3440	1/1	0.87	0.14	76,76,76,76	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
54	MG	1A	3533	1/1	0.87	0.20	64,64,64,64	0
54	MG	1A	3658	1/1	0.87	0.20	58,58,58,58	0
54	MG	2A	3098	1/1	0.87	0.12	76,76,76,76	0
54	MG	2a	3061	1/1	0.87	0.34	78,78,78,78	0
54	MG	1A	3541	1/1	0.87	0.20	62,62,62,62	0
54	MG	1A	3864	1/1	0.87	0.13	63,63,63,63	0
54	MG	1A	3672	1/1	0.87	0.12	37,37,37,37	0
54	MG	1a	1648	1/1	0.87	0.14	71,71,71,71	0
54	MG	1a	1659	1/1	0.87	0.16	72,72,72,72	0
54	MG	1A	3874	1/1	0.87	0.11	47,47,47,47	0
54	MG	2A	3165	1/1	0.87	0.27	66,66,66,66	0
54	MG	1a	1665	1/1	0.87	0.19	76,76,76,76	0
54	MG	2a	3082	1/1	0.87	0.27	63,63,63,63	0
54	MG	2a	3087	1/1	0.87	0.23	80,80,80,80	0
54	MG	2A	3486	1/1	0.87	0.13	69,69,69,69	0
54	MG	2a	3101	1/1	0.87	0.11	78,78,78,78	0
54	MG	2a	3102	1/1	0.87	0.14	63,63,63,63	0
54	MG	1A	3678	1/1	0.87	0.14	69,69,69,69	0
54	MG	2a	3116	1/1	0.87	0.13	70,70,70,70	0
54	MG	2a	3117	1/1	0.87	0.24	78,78,78,78	0
54	MG	1A	3378	1/1	0.87	0.10	43,43,43,43	0
54	MG	1A	3061	1/1	0.87	0.18	67,67,67,67	0
54	MG	2a	3124	1/1	0.87	0.16	80,80,80,80	0
54	MG	1B	216	1/1	0.87	0.13	63,63,63,63	0
54	MG	1A	3151	1/1	0.87	0.12	52,52,52,52	0
54	MG	2A	3535	1/1	0.87	0.17	63,63,63,63	0
54	MG	1A	3291	1/1	0.87	0.11	82,82,82,82	0
54	MG	2A	3550	1/1	0.87	0.16	56,56,56,56	0
54	MG	2a	3151	1/1	0.87	0.21	74,74,74,74	0
54	MG	2A	3220	1/1	0.87	0.14	41,41,41,41	0
54	MG	2A	3557	1/1	0.87	0.14	67,67,67,67	0
54	MG	1A	3099	1/1	0.87	0.14	49,49,49,49	0
54	MG	2A	3559	1/1	0.87	0.12	63,63,63,63	0
54	MG	2a	3171	1/1	0.87	0.17	78,78,78,78	0
54	MG	2A	3240	1/1	0.87	0.11	50,50,50,50	0
54	MG	2A	3241	1/1	0.87	0.17	60,60,60,60	0
54	MG	1A	3201	1/1	0.87	0.13	56,56,56,56	0
54	MG	2A	3247	1/1	0.87	0.11	63,63,63,63	0
54	MG	1F	310	1/1	0.87	0.16	40,40,40,40	0
54	MG	2A	3275	1/1	0.87	0.21	73,73,73,73	0
54	MG	1a	1701	1/1	0.87	0.20	72,72,72,72	0
54	MG	1A	3729	1/1	0.87	0.09	42,42,42,42	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
54	MG	1A	3222	1/1	0.87	0.11	71,71,71,71	0
54	MG	1A	3603	1/1	0.87	0.24	74,74,74,74	0
54	MG	1R	203	1/1	0.87	0.10	48,48,48,48	0
54	MG	1a	1718	1/1	0.87	0.21	65,65,65,65	0
54	MG	1V	205	1/1	0.88	0.15	67,67,67,67	0
54	MG	1A	3479	1/1	0.88	0.11	45,45,45,45	0
54	MG	1a	1871	1/1	0.88	0.16	81,81,81,81	0
54	MG	1A	3836	1/1	0.88	0.10	60,60,60,60	0
54	MG	2A	3327	1/1	0.88	0.14	56,56,56,56	0
54	MG	1A	3392	1/1	0.88	0.15	50,50,50,50	0
54	MG	2A	3668	1/1	0.88	0.20	77,77,77,77	0
54	MG	1a	1722	1/1	0.88	0.19	64,64,64,64	0
54	MG	15	105	1/1	0.88	0.21	51,51,51,51	0
54	MG	2A	3336	1/1	0.88	0.23	65,65,65,65	0
54	MG	1A	3483	1/1	0.88	0.12	58,58,58,58	0
54	MG	1A	3598	1/1	0.88	0.22	70,70,70,70	0
54	MG	1A	3600	1/1	0.88	0.10	45,45,45,45	0
54	MG	1A	3853	1/1	0.88	0.10	65,65,65,65	0
54	MG	1A	3996	1/1	0.88	0.31	56,56,56,56	0
54	MG	1i	201	1/1	0.88	0.15	70,70,70,70	0
54	MG	1a	1747	1/1	0.88	0.16	71,71,71,71	0
54	MG	2A	3383	1/1	0.88	0.13	62,62,62,62	0
54	MG	2A	3384	1/1	0.88	0.13	69,69,69,69	0
54	MG	1A	3488	1/1	0.88	0.14	51,51,51,51	0
54	MG	1t	201	1/1	0.88	0.10	62,62,62,62	0
54	MG	1A	3280	1/1	0.88	0.13	51,51,51,51	0
54	MG	2A	3012	1/1	0.88	0.16	64,64,64,64	0
54	MG	2a	3010	1/1	0.88	0.33	70,70,70,70	0
54	MG	2A	3016	1/1	0.88	0.24	73,73,73,73	0
54	MG	2a	3017	1/1	0.88	0.10	66,66,66,66	0
54	MG	2a	3020	1/1	0.88	0.18	86,86,86,86	0
54	MG	2A	3407	1/1	0.88	0.15	65,65,65,65	0
54	MG	2A	3029	1/1	0.88	0.20	52,52,52,52	0
54	MG	1A	3707	1/1	0.88	0.13	67,67,67,67	0
54	MG	2a	3029	1/1	0.88	0.14	68,68,68,68	0
54	MG	1a	1763	1/1	0.88	0.15	67,67,67,67	0
54	MG	1A	3711	1/1	0.88	0.16	59,59,59,59	0
54	MG	1A	3875	1/1	0.88	0.12	44,44,44,44	0
54	MG	1a	1769	1/1	0.88	0.11	65,65,65,65	0
54	MG	1A	3068	1/1	0.88	0.23	53,53,53,53	0
54	MG	2A	3433	1/1	0.88	0.21	73,73,73,73	0
54	MG	1A	3717	1/1	0.88	0.13	66,66,66,66	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
54	MG	1a	1774	1/1	0.88	0.10	66,66,66,66	0
54	MG	2a	3055	1/1	0.88	0.29	68,68,68,68	0
54	MG	1a	1775	1/1	0.88	0.10	60,60,60,60	0
54	MG	1A	3041	1/1	0.88	0.14	55,55,55,55	0
54	MG	1A	3310	1/1	0.88	0.10	77,77,77,77	0
54	MG	2A	3448	1/1	0.88	0.12	66,66,66,66	0
54	MG	2A	3451	1/1	0.88	0.17	62,62,62,62	0
54	MG	1A	3731	1/1	0.88	0.24	73,73,73,73	0
54	MG	2a	3071	1/1	0.88	0.11	62,62,62,62	0
54	MG	1a	1661	1/1	0.88	0.28	70,70,70,70	0
54	MG	1B	220	1/1	0.88	0.13	70,70,70,70	0
54	MG	2a	3076	1/1	0.88	0.19	70,70,70,70	0
54	MG	1A	3614	1/1	0.88	0.09	46,46,46,46	0
54	MG	2a	3079	1/1	0.88	0.19	76,76,76,76	0
54	MG	2A	3463	1/1	0.88	0.13	59,59,59,59	0
54	MG	1a	1667	1/1	0.88	0.14	79,79,79,79	0
54	MG	2A	3151	1/1	0.88	0.30	56,56,56,56	0
54	MG	1A	3461	1/1	0.88	0.15	34,34,34,34	0
54	MG	2A	3478	1/1	0.88	0.10	68,68,68,68	0
54	MG	2A	3167	1/1	0.88	0.15	59,59,59,59	0
54	MG	1A	3412	1/1	0.88	0.09	45,45,45,45	0
54	MG	2A	3498	1/1	0.88	0.13	43,43,43,43	0
54	MG	2A	3192	1/1	0.88	0.16	65,65,65,65	0
54	MG	1A	3165	1/1	0.88	0.33	73,73,73,73	0
54	MG	2A	3201	1/1	0.88	0.16	71,71,71,71	0
54	MG	1A	3773	1/1	0.88	0.08	36,36,36,36	0
54	MG	1a	1682	1/1	0.88	0.17	56,56,56,56	0
54	MG	1F	312	1/1	0.88	0.37	51,51,51,51	0
54	MG	2A	3537	1/1	0.88	0.09	72,72,72,72	0
54	MG	1A	3027	1/1	0.88	0.10	64,64,64,64	0
54	MG	2a	3141	1/1	0.88	0.12	78,78,78,78	0
54	MG	1a	1687	1/1	0.88	0.23	73,73,73,73	0
54	MG	1a	1689	1/1	0.88	0.14	73,73,73,73	0
54	MG	2a	3154	1/1	0.88	0.13	56,56,56,56	0
54	MG	2A	3555	1/1	0.88	0.18	42,42,42,42	0
54	MG	2a	3161	1/1	0.88	0.10	80,80,80,80	0
54	MG	1a	1693	1/1	0.88	0.21	72,72,72,72	0
54	MG	1G	202	1/1	0.88	0.11	56,56,56,56	0
54	MG	1A	3562	1/1	0.88	0.10	62,62,62,62	0
54	MG	1A	3798	1/1	0.88	0.14	65,65,65,65	0
54	MG	1A	3433	1/1	0.88	0.14	29,29,29,29	0
54	MG	2A	3253	1/1	0.88	0.21	74,74,74,74	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
54	MG	1T	203	1/1	0.88	0.13	64,64,64,64	0
54	MG	2A	3273	1/1	0.88	0.11	43,43,43,43	0
54	MG	2a	3188	1/1	0.88	0.34	76,76,76,76	0
54	MG	1a	1703	1/1	0.88	0.16	75,75,75,75	0
54	MG	1a	1839	1/1	0.88	0.14	61,61,61,61	0
54	MG	1a	1706	1/1	0.88	0.35	71,71,71,71	0
54	MG	1A	3660	1/1	0.88	0.26	65,65,65,65	0
54	MG	2A	3630	1/1	0.88	0.17	50,50,50,50	0
57	MPD	1A	4028	8/8	0.88	0.21	50,52,60,64	0
54	MG	1a	1855	1/1	0.88	0.15	82,82,82,82	0
54	MG	2A	3306	1/1	0.88	0.10	79,79,79,79	0
54	MG	2A	3645	1/1	0.88	0.09	64,64,64,64	0
54	MG	1A	3035	1/1	0.89	0.12	54,54,54,54	0
54	MG	1A	3153	1/1	0.89	0.10	67,67,67,67	0
54	MG	2A	3087	1/1	0.89	0.19	63,63,63,63	0
54	MG	2B	211	1/1	0.89	0.12	88,88,88,88	0
54	MG	1A	3368	1/1	0.89	0.12	46,46,46,46	0
54	MG	2A	3401	1/1	0.89	0.16	68,68,68,68	0
54	MG	1A	3976	1/1	0.89	0.10	40,40,40,40	0
54	MG	1A	3089	1/1	0.89	0.17	56,56,56,56	0
54	MG	10	108	1/1	0.89	0.13	76,76,76,76	0
54	MG	2A	3114	1/1	0.89	0.17	74,74,74,74	0
54	MG	1A	3066	1/1	0.89	0.14	67,67,67,67	0
54	MG	1A	3128	1/1	0.89	0.17	50,50,50,50	0
54	MG	20	102	1/1	0.89	0.14	69,69,69,69	0
54	MG	2A	3419	1/1	0.89	0.20	60,60,60,60	0
54	MG	2A	3147	1/1	0.89	0.31	79,79,79,79	0
54	MG	2a	3006	1/1	0.89	0.33	75,75,75,75	0
54	MG	2a	3008	1/1	0.89	0.24	65,65,65,65	0
54	MG	1A	3308	1/1	0.89	0.20	73,73,73,73	0
54	MG	2a	3011	1/1	0.89	0.15	71,71,71,71	0
54	MG	15	104	1/1	0.89	0.19	39,39,39,39	0
54	MG	2A	3161	1/1	0.89	0.20	62,62,62,62	0
54	MG	1a	1824	1/1	0.89	0.16	61,61,61,61	0
54	MG	2A	3166	1/1	0.89	0.15	64,64,64,64	0
54	MG	2a	3024	1/1	0.89	0.15	68,68,68,68	0
54	MG	1A	3669	1/1	0.89	0.09	35,35,35,35	0
54	MG	1a	1712	1/1	0.89	0.41	73,73,73,73	0
54	MG	2A	3445	1/1	0.89	0.17	66,66,66,66	0
54	MG	1A	3671	1/1	0.89	0.14	69,69,69,69	0
54	MG	2A	3194	1/1	0.89	0.22	73,73,73,73	0
54	MG	1A	3771	1/1	0.89	0.16	54,54,54,54	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
54	MG	1A	3888	1/1	0.89	0.14	65,65,65,65	0
54	MG	1A	3550	1/1	0.89	0.18	60,60,60,60	0
54	MG	2A	3208	1/1	0.89	0.14	56,56,56,56	0
54	MG	2a	3050	1/1	0.89	0.23	77,77,77,77	0
54	MG	1a	1840	1/1	0.89	0.11	83,83,83,83	0
54	MG	1A	3180	1/1	0.89	0.19	70,70,70,70	0
54	MG	1a	1851	1/1	0.89	0.11	68,68,68,68	0
54	MG	2a	3057	1/1	0.89	0.17	66,66,66,66	0
54	MG	1A	4002	1/1	0.89	0.13	67,67,67,67	0
54	MG	2a	3060	1/1	0.89	0.10	71,71,71,71	0
54	MG	1a	1625	1/1	0.89	0.32	67,67,67,67	0
54	MG	1a	1859	1/1	0.89	0.09	69,69,69,69	0
54	MG	1A	3775	1/1	0.89	0.13	55,55,55,55	0
54	MG	1A	3185	1/1	0.89	0.15	56,56,56,56	0
54	MG	1a	1742	1/1	0.89	0.11	64,64,64,64	0
54	MG	1A	3684	1/1	0.89	0.14	63,63,63,63	0
54	MG	2A	3502	1/1	0.89	0.13	49,49,49,49	0
54	MG	1A	3789	1/1	0.89	0.13	49,49,49,49	0
54	MG	1A	3795	1/1	0.89	0.12	62,62,62,62	0
54	MG	2A	3512	1/1	0.89	0.11	74,74,74,74	0
54	MG	1A	3912	1/1	0.89	0.07	21,21,21,21	0
54	MG	2A	3520	1/1	0.89	0.09	54,54,54,54	0
54	MG	1A	3913	1/1	0.89	0.10	31,31,31,31	0
54	MG	2a	3086	1/1	0.89	0.17	74,74,74,74	0
54	MG	1d	301	1/1	0.89	0.22	78,78,78,78	0
54	MG	2a	3090	1/1	0.89	0.12	69,69,69,69	0
54	MG	1A	3915	1/1	0.89	0.08	61,61,61,61	0
54	MG	2a	3099	1/1	0.89	0.18	70,70,70,70	0
54	MG	2A	3539	1/1	0.89	0.08	59,59,59,59	0
54	MG	1a	1653	1/1	0.89	0.11	65,65,65,65	0
54	MG	2A	3549	1/1	0.89	0.12	69,69,69,69	0
54	MG	2A	3288	1/1	0.89	0.12	75,75,75,75	0
54	MG	2A	3552	1/1	0.89	0.08	79,79,79,79	0
54	MG	2A	3297	1/1	0.89	0.15	78,78,78,78	0
54	MG	1a	1658	1/1	0.89	0.12	75,75,75,75	0
54	MG	2A	3556	1/1	0.89	0.14	48,48,48,48	0
54	MG	2a	3128	1/1	0.89	0.19	75,75,75,75	0
54	MG	1A	3011	1/1	0.89	0.12	55,55,55,55	0
54	MG	1A	3615	1/1	0.89	0.13	44,44,44,44	0
54	MG	1a	1770	1/1	0.89	0.13	57,57,57,57	0
54	MG	2a	3136	1/1	0.89	0.12	76,76,76,76	0
54	MG	2A	3319	1/1	0.89	0.12	62,62,62,62	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
54	MG	1B	228	1/1	0.89	0.08	65,65,65,65	0
54	MG	1a	1772	1/1	0.89	0.18	72,72,72,72	0
54	MG	2A	3326	1/1	0.89	0.09	62,62,62,62	0
54	MG	2A	3003	1/1	0.89	0.12	67,67,67,67	0
54	MG	2A	3005	1/1	0.89	0.12	63,63,63,63	0
54	MG	2a	3160	1/1	0.89	0.12	64,64,64,64	0
54	MG	1A	3694	1/1	0.89	0.14	68,68,68,68	0
54	MG	2A	3601	1/1	0.89	0.09	77,77,77,77	0
54	MG	1A	3807	1/1	0.89	0.19	61,61,61,61	0
54	MG	1E	308	1/1	0.89	0.14	62,62,62,62	0
54	MG	2a	3170	1/1	0.89	0.19	69,69,69,69	0
54	MG	1a	1671	1/1	0.89	0.21	62,62,62,62	0
54	MG	2A	3353	1/1	0.89	0.20	56,56,56,56	0
54	MG	2A	3034	1/1	0.89	0.10	68,68,68,68	0
54	MG	2A	3356	1/1	0.89	0.21	89,89,89,89	0
54	MG	2a	3186	1/1	0.89	0.36	76,76,76,76	0
54	MG	1A	3949	1/1	0.89	0.10	37,37,37,37	0
54	MG	1A	3574	1/1	0.89	0.14	61,61,61,61	0
54	MG	2A	3360	1/1	0.89	0.15	70,70,70,70	0
54	MG	1A	3622	1/1	0.89	0.24	40,40,40,40	0
54	MG	1a	1679	1/1	0.89	0.14	66,66,66,66	0
54	MG	1A	3964	1/1	0.89	0.10	68,68,68,68	0
54	MG	2A	3382	1/1	0.89	0.12	69,69,69,69	0
54	MG	1A	3966	1/1	0.89	0.11	54,54,54,54	0
57	MPD	1a	1882	8/8	0.89	0.13	62,65,70,72	0
54	MG	1N	204	1/1	0.89	0.09	62,62,62,62	0
54	MG	2B	202	1/1	0.89	0.25	75,75,75,75	0
54	MG	2A	3389	1/1	0.89	0.17	52,52,52,52	0
54	MG	2A	3086	1/1	0.90	0.34	65,65,65,65	0
54	MG	1A	3900	1/1	0.90	0.14	57,57,57,57	0
54	MG	2A	3095	1/1	0.90	0.23	63,63,63,63	0
54	MG	1B	223	1/1	0.90	0.15	60,60,60,60	0
54	MG	1A	3911	1/1	0.90	0.13	62,62,62,62	0
54	MG	1A	3038	1/1	0.90	0.09	40,40,40,40	0
54	MG	2T	204	1/1	0.90	0.13	60,60,60,60	0
54	MG	1A	3324	1/1	0.90	0.12	62,62,62,62	0
54	MG	2I	101	1/1	0.90	0.15	75,75,75,75	0
54	MG	1a	1807	1/1	0.90	0.08	57,57,57,57	0
54	MG	1a	1808	1/1	0.90	0.14	57,57,57,57	0
54	MG	1A	3572	1/1	0.90	0.14	55,55,55,55	0
54	MG	2A	3139	1/1	0.90	0.12	57,57,57,57	0
54	MG	2A	3140	1/1	0.90	0.25	56,56,56,56	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
54	MG	1a	1812	1/1	0.90	0.12	57,57,57,57	0
54	MG	1D	312	1/1	0.90	0.25	47,47,47,47	0
54	MG	1A	3256	1/1	0.90	0.19	60,60,60,60	0
54	MG	1E	305	1/1	0.90	0.10	31,31,31,31	0
54	MG	1A	3346	1/1	0.90	0.08	31,31,31,31	0
54	MG	1A	3480	1/1	0.90	0.13	58,58,58,58	0
54	MG	1A	3593	1/1	0.90	0.22	64,64,64,64	0
54	MG	2A	3175	1/1	0.90	0.18	47,47,47,47	0
54	MG	1F	313	1/1	0.90	0.15	45,45,45,45	0
54	MG	2a	3030	1/1	0.90	0.18	71,71,71,71	0
54	MG	1A	3594	1/1	0.90	0.22	40,40,40,40	0
54	MG	1A	3802	1/1	0.90	0.21	69,69,69,69	0
54	MG	2A	3198	1/1	0.90	0.18	78,78,78,78	0
54	MG	1A	3014	1/1	0.90	0.25	63,63,63,63	0
54	MG	1A	3110	1/1	0.90	0.20	48,48,48,48	0
54	MG	2A	3464	1/1	0.90	0.17	63,63,63,63	0
54	MG	1a	1831	1/1	0.90	0.15	73,73,73,73	0
54	MG	1A	3277	1/1	0.90	0.31	75,75,75,75	0
54	MG	1A	3814	1/1	0.90	0.38	53,53,53,53	0
54	MG	1a	1699	1/1	0.90	0.19	69,69,69,69	0
54	MG	1T	201	1/1	0.90	0.11	49,49,49,49	0
54	MG	1A	3493	1/1	0.90	0.11	40,40,40,40	0
54	MG	2A	3494	1/1	0.90	0.10	74,74,74,74	0
54	MG	1A	3113	1/1	0.90	0.14	61,61,61,61	0
54	MG	2A	3232	1/1	0.90	0.22	58,58,58,58	0
54	MG	1a	1850	1/1	0.90	0.24	68,68,68,68	0
54	MG	2A	3237	1/1	0.90	0.08	42,42,42,42	0
54	MG	1A	3508	1/1	0.90	0.13	41,41,41,41	0
54	MG	1Y	202	1/1	0.90	0.16	58,58,58,58	0
54	MG	2A	3515	1/1	0.90	0.12	49,49,49,49	0
54	MG	1A	3439	1/1	0.90	0.12	38,38,38,38	0
54	MG	1A	3705	1/1	0.90	0.10	53,53,53,53	0
54	MG	2a	3077	1/1	0.90	0.15	64,64,64,64	0
54	MG	1A	3156	1/1	0.90	0.19	61,61,61,61	0
54	MG	2A	3259	1/1	0.90	0.10	51,51,51,51	0
54	MG	1l	106	1/1	0.90	0.10	40,40,40,40	0
54	MG	1a	1867	1/1	0.90	0.16	66,66,66,66	0
54	MG	1A	3983	1/1	0.90	0.10	54,54,54,54	0
54	MG	1A	3709	1/1	0.90	0.40	54,54,54,54	0
54	MG	1A	3988	1/1	0.90	0.09	60,60,60,60	0
54	MG	1a	1875	1/1	0.90	0.22	71,71,71,71	0
54	MG	2a	3095	1/1	0.90	0.27	62,62,62,62	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
54	MG	1A	3382	1/1	0.90	0.08	20,20,20,20	0
54	MG	2A	3289	1/1	0.90	0.16	47,47,47,47	0
54	MG	1a	1877	1/1	0.90	0.07	72,72,72,72	0
54	MG	19	102	1/1	0.90	0.14	71,71,71,71	0
54	MG	2a	3114	1/1	0.90	0.17	78,78,78,78	0
54	MG	1a	1601	1/1	0.90	0.11	57,57,57,57	0
54	MG	2A	3307	1/1	0.90	0.18	57,57,57,57	0
54	MG	1a	1602	1/1	0.90	0.13	75,75,75,75	0
54	MG	1A	3188	1/1	0.90	0.15	65,65,65,65	0
54	MG	1a	1606	1/1	0.90	0.23	66,66,66,66	0
54	MG	2a	3125	1/1	0.90	0.17	69,69,69,69	0
54	MG	2a	3126	1/1	0.90	0.13	77,77,77,77	0
54	MG	1a	1609	1/1	0.90	0.14	69,69,69,69	0
54	MG	1a	1745	1/1	0.90	0.18	57,57,57,57	0
54	MG	1a	1611	1/1	0.90	0.19	53,53,53,53	0
54	MG	2a	3132	1/1	0.90	0.13	67,67,67,67	0
54	MG	1a	1753	1/1	0.90	0.23	79,79,79,79	0
54	MG	1n	101	1/1	0.90	0.09	63,63,63,63	0
54	MG	1a	1756	1/1	0.90	0.18	65,65,65,65	0
54	MG	2A	3608	1/1	0.90	0.12	67,67,67,67	0
54	MG	2a	3145	1/1	0.90	0.15	75,75,75,75	0
54	MG	1A	3453	1/1	0.90	0.10	69,69,69,69	0
54	MG	2A	3622	1/1	0.90	0.10	64,64,64,64	0
54	MG	1A	3723	1/1	0.90	0.22	35,35,35,35	0
54	MG	2a	3156	1/1	0.90	0.16	67,67,67,67	0
54	MG	2A	3341	1/1	0.90	0.19	71,71,71,71	0
54	MG	1A	3160	1/1	0.90	0.17	45,45,45,45	0
54	MG	2A	3642	1/1	0.90	0.23	53,53,53,53	0
54	MG	2A	3352	1/1	0.90	0.21	67,67,67,67	0
54	MG	1A	3882	1/1	0.90	0.17	39,39,39,39	0
54	MG	2A	3657	1/1	0.90	0.15	58,58,58,58	0
54	MG	1A	3223	1/1	0.90	0.11	64,64,64,64	0
54	MG	1A	3632	1/1	0.90	0.09	22,22,22,22	0
54	MG	2A	3017	1/1	0.90	0.15	56,56,56,56	0
54	MG	2A	3664	1/1	0.90	0.22	69,69,69,69	0
54	MG	2a	3183	1/1	0.90	0.17	80,80,80,80	0
54	MG	1A	4020	1/1	0.90	0.09	33,33,33,33	0
54	MG	2A	3032	1/1	0.90	0.14	63,63,63,63	0
54	MG	1A	3635	1/1	0.90	0.12	42,42,42,42	0
54	MG	1A	3745	1/1	0.90	0.12	58,58,58,58	0
54	MG	1A	3753	1/1	0.90	0.22	60,60,60,60	0
54	MG	2B	201	1/1	0.90	0.18	67,67,67,67	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
54	MG	1a	1641	1/1	0.90	0.14	56,56,56,56	0
54	MG	1A	3645	1/1	0.90	0.15	55,55,55,55	0
54	MG	1B	206	1/1	0.90	0.24	64,64,64,64	0
54	MG	2A	3388	1/1	0.90	0.11	49,49,49,49	0
54	MG	1a	1646	1/1	0.90	0.22	65,65,65,65	0
54	MG	1B	208	1/1	0.90	0.12	64,64,64,64	0
54	MG	1A	3648	1/1	0.90	0.27	36,36,36,36	0
54	MG	1A	3314	1/1	0.90	0.14	44,44,44,44	0
54	MG	1A	3437	1/1	0.91	0.09	61,61,61,61	0
54	MG	2A	3652	1/1	0.91	0.09	55,55,55,55	0
54	MG	1A	3492	1/1	0.91	0.07	28,28,28,28	0
54	MG	2A	3658	1/1	0.91	0.21	71,71,71,71	0
54	MG	2A	3313	1/1	0.91	0.11	62,62,62,62	0
54	MG	1A	3129	1/1	0.91	0.23	52,52,52,52	0
54	MG	2A	3661	1/1	0.91	0.15	71,71,71,71	0
54	MG	1d	303	1/1	0.91	0.11	74,74,74,74	0
54	MG	1A	3447	1/1	0.91	0.20	66,66,66,66	0
54	MG	1a	1730	1/1	0.91	0.16	77,77,77,77	0
54	MG	2A	3323	1/1	0.91	0.10	50,50,50,50	0
54	MG	2A	3324	1/1	0.91	0.13	53,53,53,53	0
54	MG	2A	3325	1/1	0.91	0.12	66,66,66,66	0
54	MG	1A	3987	1/1	0.91	0.10	62,62,62,62	0
54	MG	1a	1736	1/1	0.91	0.08	58,58,58,58	0
54	MG	1A	3601	1/1	0.91	0.14	52,52,52,52	0
54	MG	1l	201	1/1	0.91	0.14	75,75,75,75	0
54	MG	1A	3602	1/1	0.91	0.09	55,55,55,55	0
54	MG	1A	3327	1/1	0.91	0.12	68,68,68,68	0
54	MG	1A	3218	1/1	0.91	0.24	44,44,44,44	0
54	MG	1A	3855	1/1	0.91	0.11	56,56,56,56	0
54	MG	1y	201	1/1	0.91	0.18	73,73,73,73	0
54	MG	1y	202	1/1	0.91	0.16	74,74,74,74	0
54	MG	1A	3521	1/1	0.91	0.12	70,70,70,70	0
54	MG	1A	3710	1/1	0.91	0.14	45,45,45,45	0
54	MG	1A	3257	1/1	0.91	0.17	68,68,68,68	0
54	MG	1A	3258	1/1	0.91	0.16	56,56,56,56	0
54	MG	1A	4009	1/1	0.91	0.11	48,48,48,48	0
54	MG	2T	201	1/1	0.91	0.20	62,62,62,62	0
54	MG	1a	1760	1/1	0.91	0.13	70,70,70,70	0
54	MG	1A	3534	1/1	0.91	0.09	30,30,30,30	0
54	MG	2U	201	1/1	0.91	0.14	80,80,80,80	0
54	MG	1A	4023	1/1	0.91	0.12	70,70,70,70	0
54	MG	1a	1764	1/1	0.91	0.16	71,71,71,71	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
54	MG	1a	1624	1/1	0.91	0.17	56,56,56,56	0
54	MG	2a	3004	1/1	0.91	0.11	57,57,57,57	0
54	MG	1A	3876	1/1	0.91	0.08	62,62,62,62	0
54	MG	2A	3046	1/1	0.91	0.24	66,66,66,66	0
54	MG	2a	3007	1/1	0.91	0.13	62,62,62,62	0
54	MG	1a	1627	1/1	0.91	0.12	73,73,73,73	0
54	MG	1B	201	1/1	0.91	0.17	63,63,63,63	0
54	MG	1A	3719	1/1	0.91	0.12	59,59,59,59	0
54	MG	2A	3396	1/1	0.91	0.10	71,71,71,71	0
54	MG	1a	1633	1/1	0.91	0.18	63,63,63,63	0
54	MG	2A	3056	1/1	0.91	0.13	45,45,45,45	0
54	MG	2A	3057	1/1	0.91	0.09	40,40,40,40	0
54	MG	1A	3884	1/1	0.91	0.11	52,52,52,52	0
54	MG	1A	3538	1/1	0.91	0.10	57,57,57,57	0
54	MG	1A	3400	1/1	0.91	0.14	64,64,64,64	0
54	MG	2a	3028	1/1	0.91	0.21	74,74,74,74	0
54	MG	1A	3357	1/1	0.91	0.09	56,56,56,56	0
54	MG	2A	3411	1/1	0.91	0.12	68,68,68,68	0
54	MG	2a	3032	1/1	0.91	0.17	71,71,71,71	0
54	MG	2a	3033	1/1	0.91	0.18	79,79,79,79	0
54	MG	1a	1779	1/1	0.91	0.22	70,70,70,70	0
54	MG	2a	3035	1/1	0.91	0.17	66,66,66,66	0
54	MG	2a	3037	1/1	0.91	0.14	68,68,68,68	0
54	MG	2A	3094	1/1	0.91	0.12	52,52,52,52	0
54	MG	1a	1642	1/1	0.91	0.23	75,75,75,75	0
54	MG	1A	3626	1/1	0.91	0.25	37,37,37,37	0
54	MG	1B	214	1/1	0.91	0.17	59,59,59,59	0
54	MG	1A	3739	1/1	0.91	0.10	59,59,59,59	0
54	MG	2a	3048	1/1	0.91	0.26	71,71,71,71	0
54	MG	1A	3299	1/1	0.91	0.15	57,57,57,57	0
54	MG	1a	1796	1/1	0.91	0.15	65,65,65,65	0
54	MG	2a	3052	1/1	0.91	0.25	63,63,63,63	0
54	MG	2a	3053	1/1	0.91	0.24	63,63,63,63	0
54	MG	2A	3437	1/1	0.91	0.16	75,75,75,75	0
54	MG	2A	3116	1/1	0.91	0.17	50,50,50,50	0
54	MG	2A	3122	1/1	0.91	0.19	66,66,66,66	0
54	MG	1a	1649	1/1	0.91	0.15	57,57,57,57	0
54	MG	2A	3132	1/1	0.91	0.12	61,61,61,61	0
54	MG	1a	1800	1/1	0.91	0.26	68,68,68,68	0
54	MG	2A	3137	1/1	0.91	0.10	62,62,62,62	0
54	MG	2A	3449	1/1	0.91	0.10	53,53,53,53	0
54	MG	2a	3066	1/1	0.91	0.25	76,76,76,76	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
54	MG	1A	3629	1/1	0.91	0.12	44,44,44,44	0
54	MG	1a	1805	1/1	0.91	0.19	69,69,69,69	0
54	MG	2A	3142	1/1	0.91	0.19	56,56,56,56	0
54	MG	1B	224	1/1	0.91	0.10	56,56,56,56	0
54	MG	1A	3408	1/1	0.91	0.08	33,33,33,33	0
54	MG	1A	3472	1/1	0.91	0.11	58,58,58,58	0
54	MG	1A	3904	1/1	0.91	0.11	58,58,58,58	0
54	MG	2A	3465	1/1	0.91	0.12	70,70,70,70	0
54	MG	1a	1664	1/1	0.91	0.17	68,68,68,68	0
54	MG	1A	3638	1/1	0.91	0.10	29,29,29,29	0
54	MG	1D	310	1/1	0.91	0.27	48,48,48,48	0
54	MG	2a	3085	1/1	0.91	0.14	76,76,76,76	0
54	MG	2A	3174	1/1	0.91	0.19	59,59,59,59	0
54	MG	1A	3767	1/1	0.91	0.15	66,66,66,66	0
54	MG	2A	3484	1/1	0.91	0.14	57,57,57,57	0
54	MG	1a	1670	1/1	0.91	0.39	69,69,69,69	0
54	MG	1A	3262	1/1	0.91	0.09	77,77,77,77	0
54	MG	2a	3096	1/1	0.91	0.27	70,70,70,70	0
54	MG	2A	3497	1/1	0.91	0.10	64,64,64,64	0
54	MG	1A	3647	1/1	0.91	0.13	49,49,49,49	0
54	MG	1A	3916	1/1	0.91	0.10	32,32,32,32	0
54	MG	2a	3106	1/1	0.91	0.20	76,76,76,76	0
54	MG	1a	1674	1/1	0.91	0.26	61,61,61,61	0
54	MG	2a	3110	1/1	0.91	0.12	67,67,67,67	0
54	MG	1A	3569	1/1	0.91	0.08	47,47,47,47	0
54	MG	2a	3115	1/1	0.91	0.12	68,68,68,68	0
54	MG	1a	1825	1/1	0.91	0.21	56,56,56,56	0
54	MG	2A	3508	1/1	0.91	0.15	66,66,66,66	0
54	MG	1A	3268	1/1	0.91	0.09	58,58,58,58	0
54	MG	1A	3207	1/1	0.91	0.27	52,52,52,52	0
54	MG	2A	3517	1/1	0.91	0.18	63,63,63,63	0
54	MG	2A	3213	1/1	0.91	0.38	67,67,67,67	0
54	MG	1A	3943	1/1	0.91	0.16	58,58,58,58	0
54	MG	2a	3127	1/1	0.91	0.19	71,71,71,71	0
54	MG	2A	3521	1/1	0.91	0.15	54,54,54,54	0
54	MG	1A	3381	1/1	0.91	0.11	26,26,26,26	0
54	MG	1a	1835	1/1	0.91	0.18	69,69,69,69	0
54	MG	2A	3219	1/1	0.91	0.22	78,78,78,78	0
54	MG	1A	3575	1/1	0.91	0.09	68,68,68,68	0
54	MG	2a	3134	1/1	0.91	0.21	70,70,70,70	0
54	MG	2A	3229	1/1	0.91	0.12	57,57,57,57	0
54	MG	1N	203	1/1	0.91	0.10	69,69,69,69	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
54	MG	2a	3139	1/1	0.91	0.09	67,67,67,67	0
54	MG	1a	1692	1/1	0.91	0.14	62,62,62,62	0
54	MG	1A	3952	1/1	0.91	0.11	52,52,52,52	0
54	MG	2a	3147	1/1	0.91	0.08	46,46,46,46	0
54	MG	1A	3792	1/1	0.91	0.14	49,49,49,49	0
54	MG	1P	206	1/1	0.91	0.08	77,77,77,77	0
54	MG	2a	3152	1/1	0.91	0.14	72,72,72,72	0
54	MG	1A	3583	1/1	0.91	0.12	70,70,70,70	0
54	MG	2A	3245	1/1	0.91	0.10	49,49,49,49	0
54	MG	1A	3797	1/1	0.91	0.16	59,59,59,59	0
54	MG	2A	3251	1/1	0.91	0.12	67,67,67,67	0
54	MG	1T	202	1/1	0.91	0.10	75,75,75,75	0
54	MG	2A	3565	1/1	0.91	0.18	58,58,58,58	0
54	MG	2A	3256	1/1	0.91	0.14	69,69,69,69	0
54	MG	1A	3434	1/1	0.91	0.12	32,32,32,32	0
54	MG	2A	3264	1/1	0.91	0.09	47,47,47,47	0
54	MG	2A	3571	1/1	0.91	0.13	78,78,78,78	0
54	MG	1a	1861	1/1	0.91	0.12	64,64,64,64	0
54	MG	1A	3587	1/1	0.91	0.15	57,57,57,57	0
54	MG	1V	204	1/1	0.91	0.12	61,61,61,61	0
54	MG	2A	3598	1/1	0.91	0.09	57,57,57,57	0
54	MG	1A	3588	1/1	0.91	0.15	72,72,72,72	0
54	MG	1a	1708	1/1	0.91	0.25	76,76,76,76	0
54	MG	2A	3284	1/1	0.91	0.13	59,59,59,59	0
54	MG	1a	1872	1/1	0.91	0.17	64,64,64,64	0
54	MG	1A	3100	1/1	0.91	0.13	62,62,62,62	0
54	MG	2A	3623	1/1	0.91	0.13	71,71,71,71	0
54	MG	1a	1713	1/1	0.91	0.12	71,71,71,71	0
54	MG	2A	3632	1/1	0.91	0.11	60,60,60,60	0
54	MG	2t	201	1/1	0.91	0.21	55,55,55,55	0
54	MG	2A	3290	1/1	0.91	0.15	54,54,54,54	0
54	MG	10	107	1/1	0.91	0.10	57,57,57,57	0
54	MG	2A	3636	1/1	0.91	0.11	60,60,60,60	0
54	MG	1A	3487	1/1	0.91	0.12	58,58,58,58	0
57	MPD	2A	3675	8/8	0.91	0.15	60,65,67,69	0
54	MG	1A	3808	1/1	0.91	0.11	62,62,62,62	0
54	MG	2A	3366	1/1	0.92	0.28	66,66,66,66	0
54	MG	2A	3079	1/1	0.92	0.15	54,54,54,54	0
54	MG	1a	1787	1/1	0.92	0.13	78,78,78,78	0
54	MG	2A	3085	1/1	0.92	0.29	64,64,64,64	0
54	MG	1A	3526	1/1	0.92	0.09	28,28,28,28	0
54	MG	1A	3527	1/1	0.92	0.08	28,28,28,28	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
54	MG	2B	207	1/1	0.92	0.09	67,67,67,67	0
54	MG	1A	3879	1/1	0.92	0.09	53,53,53,53	0
54	MG	1a	1791	1/1	0.92	0.14	77,77,77,77	0
54	MG	1a	1794	1/1	0.92	0.09	70,70,70,70	0
54	MG	1a	1647	1/1	0.92	0.13	52,52,52,52	0
54	MG	2A	3105	1/1	0.92	0.15	53,53,53,53	0
54	MG	2D	301	1/1	0.92	0.22	50,50,50,50	0
54	MG	1A	3605	1/1	0.92	0.08	25,25,25,25	0
54	MG	1A	3529	1/1	0.92	0.08	52,52,52,52	0
54	MG	1a	1799	1/1	0.92	0.11	82,82,82,82	0
54	MG	1A	3320	1/1	0.92	0.12	59,59,59,59	0
54	MG	2A	3403	1/1	0.92	0.10	68,68,68,68	0
54	MG	1a	1654	1/1	0.92	0.14	68,68,68,68	0
54	MG	1a	1657	1/1	0.92	0.18	61,61,61,61	0
54	MG	1B	221	1/1	0.92	0.10	63,63,63,63	0
54	MG	1A	3062	1/1	0.92	0.17	46,46,46,46	0
54	MG	2W	202	1/1	0.92	0.17	61,61,61,61	0
54	MG	2A	3412	1/1	0.92	0.12	67,67,67,67	0
54	MG	1A	3010	1/1	0.92	0.15	67,67,67,67	0
54	MG	1A	3720	1/1	0.92	0.11	54,54,54,54	0
54	MG	2a	3003	1/1	0.92	0.12	69,69,69,69	0
54	MG	1a	1811	1/1	0.92	0.13	74,74,74,74	0
54	MG	2A	3421	1/1	0.92	0.08	62,62,62,62	0
54	MG	1B	226	1/1	0.92	0.10	55,55,55,55	0
54	MG	1A	3535	1/1	0.92	0.15	45,45,45,45	0
54	MG	1A	3536	1/1	0.92	0.10	50,50,50,50	0
54	MG	2A	3430	1/1	0.92	0.12	60,60,60,60	0
54	MG	1A	3067	1/1	0.92	0.14	50,50,50,50	0
54	MG	2a	3012	1/1	0.92	0.21	70,70,70,70	0
54	MG	2A	3435	1/1	0.92	0.18	78,78,78,78	0
54	MG	2a	3016	1/1	0.92	0.18	56,56,56,56	0
54	MG	2A	3157	1/1	0.92	0.09	51,51,51,51	0
54	MG	2A	3159	1/1	0.92	0.14	47,47,47,47	0
54	MG	1D	301	1/1	0.92	0.11	48,48,48,48	0
54	MG	2A	3163	1/1	0.92	0.10	65,65,65,65	0
54	MG	2A	3442	1/1	0.92	0.15	73,73,73,73	0
54	MG	1A	3032	1/1	0.92	0.14	57,57,57,57	0
54	MG	2A	3444	1/1	0.92	0.20	74,74,74,74	0
54	MG	1A	3469	1/1	0.92	0.10	60,60,60,60	0
54	MG	1A	3279	1/1	0.92	0.20	55,55,55,55	0
54	MG	2A	3173	1/1	0.92	0.19	61,61,61,61	0
54	MG	1A	3548	1/1	0.92	0.11	56,56,56,56	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
54	MG	1A	3196	1/1	0.92	0.23	64,64,64,64	0
54	MG	2A	3452	1/1	0.92	0.19	43,43,43,43	0
54	MG	2A	3453	1/1	0.92	0.11	65,65,65,65	0
54	MG	1a	1676	1/1	0.92	0.22	66,66,66,66	0
54	MG	2A	3456	1/1	0.92	0.28	66,66,66,66	0
54	MG	2A	3458	1/1	0.92	0.13	64,64,64,64	0
54	MG	2a	3042	1/1	0.92	0.20	62,62,62,62	0
54	MG	2a	3044	1/1	0.92	0.16	79,79,79,79	0
54	MG	1A	3761	1/1	0.92	0.12	44,44,44,44	0
54	MG	2A	3460	1/1	0.92	0.10	64,64,64,64	0
54	MG	1F	311	1/1	0.92	0.30	47,47,47,47	0
54	MG	1A	3475	1/1	0.92	0.12	38,38,38,38	0
54	MG	1A	3283	1/1	0.92	0.23	57,57,57,57	0
54	MG	2A	3200	1/1	0.92	0.16	58,58,58,58	0
54	MG	1A	3643	1/1	0.92	0.10	29,29,29,29	0
54	MG	1A	3644	1/1	0.92	0.13	77,77,77,77	0
54	MG	2A	3469	1/1	0.92	0.10	44,44,44,44	0
54	MG	2A	3474	1/1	0.92	0.09	55,55,55,55	0
54	MG	1A	3051	1/1	0.92	0.21	47,47,47,47	0
54	MG	1A	3365	1/1	0.92	0.07	41,41,41,41	0
54	MG	1A	3774	1/1	0.92	0.10	59,59,59,59	0
54	MG	2A	3480	1/1	0.92	0.08	53,53,53,53	0
54	MG	2a	3063	1/1	0.92	0.12	80,80,80,80	0
54	MG	1A	3945	1/1	0.92	0.08	41,41,41,41	0
54	MG	2A	3482	1/1	0.92	0.10	54,54,54,54	0
54	MG	1a	1845	1/1	0.92	0.13	77,77,77,77	0
54	MG	1A	3571	1/1	0.92	0.15	60,60,60,60	0
54	MG	2A	3487	1/1	0.92	0.09	71,71,71,71	0
54	MG	1A	3255	1/1	0.92	0.12	60,60,60,60	0
54	MG	2A	3495	1/1	0.92	0.10	73,73,73,73	0
54	MG	2A	3496	1/1	0.92	0.10	63,63,63,63	0
54	MG	1A	3786	1/1	0.92	0.14	59,59,59,59	0
54	MG	1A	3960	1/1	0.92	0.10	58,58,58,58	0
54	MG	2A	3230	1/1	0.92	0.12	63,63,63,63	0
54	MG	1A	3369	1/1	0.92	0.14	70,70,70,70	0
54	MG	1A	3963	1/1	0.92	0.08	67,67,67,67	0
54	MG	1A	3294	1/1	0.92	0.12	69,69,69,69	0
54	MG	1A	3578	1/1	0.92	0.22	63,63,63,63	0
54	MG	1A	3058	1/1	0.92	0.19	62,62,62,62	0
54	MG	2a	3089	1/1	0.92	0.18	70,70,70,70	0
54	MG	2A	3242	1/1	0.92	0.10	56,56,56,56	0
54	MG	10	103	1/1	0.92	0.16	60,60,60,60	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
54	MG	1A	3307	1/1	0.92	0.17	52,52,52,52	0
54	MG	1A	3663	1/1	0.92	0.15	58,58,58,58	0
54	MG	2A	3248	1/1	0.92	0.16	65,65,65,65	0
54	MG	2A	3249	1/1	0.92	0.09	61,61,61,61	0
54	MG	2A	3533	1/1	0.92	0.09	57,57,57,57	0
54	MG	2a	3103	1/1	0.92	0.17	74,74,74,74	0
54	MG	1l	101	1/1	0.92	0.15	48,48,48,48	0
54	MG	1A	3800	1/1	0.92	0.14	66,66,66,66	0
54	MG	2a	3108	1/1	0.92	0.16	53,53,53,53	0
54	MG	1A	3664	1/1	0.92	0.24	58,58,58,58	0
54	MG	2A	3542	1/1	0.92	0.14	51,51,51,51	0
54	MG	1A	3666	1/1	0.92	0.15	59,59,59,59	0
54	MG	2A	3261	1/1	0.92	0.09	43,43,43,43	0
54	MG	13	102	1/1	0.92	0.17	53,53,53,53	0
54	MG	1A	3585	1/1	0.92	0.12	47,47,47,47	0
54	MG	1A	3441	1/1	0.92	0.17	50,50,50,50	0
54	MG	1d	302	1/1	0.92	0.19	71,71,71,71	0
54	MG	1A	3173	1/1	0.92	0.22	63,63,63,63	0
54	MG	1A	3813	1/1	0.92	0.14	63,63,63,63	0
54	MG	1a	1738	1/1	0.92	0.13	71,71,71,71	0
54	MG	1a	1740	1/1	0.92	0.12	65,65,65,65	0
54	MG	2A	3560	1/1	0.92	0.10	56,56,56,56	0
54	MG	2A	3287	1/1	0.92	0.08	41,41,41,41	0
54	MG	2A	3563	1/1	0.92	0.16	61,61,61,61	0
54	MG	1A	3674	1/1	0.92	0.12	31,31,31,31	0
54	MG	1h	202	1/1	0.92	0.19	66,66,66,66	0
54	MG	1A	3676	1/1	0.92	0.12	57,57,57,57	0
54	MG	1A	3827	1/1	0.92	0.16	43,43,43,43	0
54	MG	1A	3502	1/1	0.92	0.13	60,60,60,60	0
54	MG	2A	3573	1/1	0.92	0.13	64,64,64,64	0
54	MG	2a	3143	1/1	0.92	0.07	81,81,81,81	0
54	MG	2A	3303	1/1	0.92	0.20	58,58,58,58	0
54	MG	1A	3997	1/1	0.92	0.10	38,38,38,38	0
54	MG	1a	1749	1/1	0.92	0.15	73,73,73,73	0
54	MG	1a	1607	1/1	0.92	0.21	64,64,64,64	0
54	MG	2A	3600	1/1	0.92	0.07	27,27,27,27	0
54	MG	1a	1754	1/1	0.92	0.18	61,61,61,61	0
54	MG	1A	3384	1/1	0.92	0.09	43,43,43,43	0
54	MG	1a	1757	1/1	0.92	0.30	73,73,73,73	0
54	MG	1A	3509	1/1	0.92	0.09	53,53,53,53	0
54	MG	1A	3690	1/1	0.92	0.17	68,68,68,68	0
54	MG	1A	3595	1/1	0.92	0.28	67,67,67,67	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
54	MG	2A	3627	1/1	0.92	0.12	55,55,55,55	0
54	MG	2a	3167	1/1	0.92	0.08	64,64,64,64	0
54	MG	2A	3628	1/1	0.92	0.12	57,57,57,57	0
54	MG	1A	4003	1/1	0.92	0.10	55,55,55,55	0
54	MG	1A	3515	1/1	0.92	0.11	65,65,65,65	0
54	MG	2A	3025	1/1	0.92	0.15	55,55,55,55	0
54	MG	1A	3023	1/1	0.92	0.12	37,37,37,37	0
54	MG	1A	4013	1/1	0.92	0.12	50,50,50,50	0
54	MG	1A	4017	1/1	0.92	0.21	42,42,42,42	0
54	MG	2A	3644	1/1	0.92	0.13	60,60,60,60	0
54	MG	1a	1768	1/1	0.92	0.17	68,68,68,68	0
54	MG	1a	1630	1/1	0.92	0.26	71,71,71,71	0
54	MG	2A	3649	1/1	0.92	0.12	56,56,56,56	0
54	MG	1A	4018	1/1	0.92	0.09	68,68,68,68	0
54	MG	1A	3520	1/1	0.92	0.09	29,29,29,29	0
54	MG	1A	3863	1/1	0.92	0.11	29,29,29,29	0
54	MG	2l	201	1/1	0.92	0.19	72,72,72,72	0
54	MG	1a	1634	1/1	0.92	0.23	78,78,78,78	0
54	MG	2r	101	1/1	0.92	0.13	79,79,79,79	0
54	MG	1A	3702	1/1	0.92	0.10	66,66,66,66	0
54	MG	2A	3055	1/1	0.92	0.26	63,63,63,63	0
54	MG	1A	3867	1/1	0.92	0.07	54,54,54,54	0
54	MG	1A	3870	1/1	0.92	0.12	59,59,59,59	0
54	MG	1A	3703	1/1	0.92	0.12	53,53,53,53	0
54	MG	1A	3208	1/1	0.92	0.26	67,67,67,67	0
54	MG	2A	3364	1/1	0.92	0.11	58,58,58,58	0
54	MG	2A	3379	1/1	0.93	0.07	64,64,64,64	0
54	MG	1A	3946	1/1	0.93	0.11	61,61,61,61	0
54	MG	2A	3097	1/1	0.93	0.17	50,50,50,50	0
54	MG	1A	3458	1/1	0.93	0.07	44,44,44,44	0
54	MG	2A	3667	1/1	0.93	0.11	61,61,61,61	0
54	MG	2A	3385	1/1	0.93	0.13	61,61,61,61	0
54	MG	2A	3386	1/1	0.93	0.15	62,62,62,62	0
54	MG	1a	1669	1/1	0.93	0.17	68,68,68,68	0
54	MG	1A	3599	1/1	0.93	0.10	49,49,49,49	0
54	MG	1A	3197	1/1	0.93	0.17	73,73,73,73	0
54	MG	2A	3110	1/1	0.93	0.23	62,62,62,62	0
54	MG	2A	3395	1/1	0.93	0.12	54,54,54,54	0
54	MG	1F	316	1/1	0.93	0.19	59,59,59,59	0
54	MG	1A	3677	1/1	0.93	0.16	35,35,35,35	0
54	MG	1G	203	1/1	0.93	0.14	77,77,77,77	0
54	MG	1A	3330	1/1	0.93	0.09	56,56,56,56	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
54	MG	1A	3464	1/1	0.93	0.10	60,60,60,60	0
54	MG	1a	1678	1/1	0.93	0.19	67,67,67,67	0
54	MG	1A	3683	1/1	0.93	0.08	44,44,44,44	0
54	MG	1a	1681	1/1	0.93	0.17	52,52,52,52	0
54	MG	2D	307	1/1	0.93	0.18	62,62,62,62	0
54	MG	2A	3138	1/1	0.93	0.20	54,54,54,54	0
54	MG	1A	3225	1/1	0.93	0.10	44,44,44,44	0
54	MG	2F	303	1/1	0.93	0.16	54,54,54,54	0
54	MG	1A	3689	1/1	0.93	0.07	63,63,63,63	0
54	MG	1A	3345	1/1	0.93	0.13	59,59,59,59	0
54	MG	2Q	204	1/1	0.93	0.14	69,69,69,69	0
54	MG	2R	202	1/1	0.93	0.14	55,55,55,55	0
54	MG	2A	3144	1/1	0.93	0.27	61,61,61,61	0
54	MG	2A	3418	1/1	0.93	0.18	51,51,51,51	0
54	MG	1A	3810	1/1	0.93	0.19	44,44,44,44	0
54	MG	1a	1688	1/1	0.93	0.12	72,72,72,72	0
54	MG	1A	3200	1/1	0.93	0.18	47,47,47,47	0
54	MG	2Y	201	1/1	0.93	0.16	68,68,68,68	0
54	MG	2A	3154	1/1	0.93	0.19	61,61,61,61	0
54	MG	2A	3156	1/1	0.93	0.10	48,48,48,48	0
54	MG	1A	3407	1/1	0.93	0.09	40,40,40,40	0
54	MG	2A	3432	1/1	0.93	0.14	57,57,57,57	0
54	MG	1a	1826	1/1	0.93	0.14	65,65,65,65	0
54	MG	1A	3815	1/1	0.93	0.17	68,68,68,68	0
54	MG	1A	3249	1/1	0.93	0.10	46,46,46,46	0
54	MG	1A	3820	1/1	0.93	0.06	40,40,40,40	0
54	MG	1a	1698	1/1	0.93	0.13	75,75,75,75	0
54	MG	1A	3476	1/1	0.93	0.10	26,26,26,26	0
54	MG	2A	3170	1/1	0.93	0.16	54,54,54,54	0
54	MG	1Z	301	1/1	0.93	0.13	61,61,61,61	0
54	MG	1A	3254	1/1	0.93	0.10	39,39,39,39	0
54	MG	10	105	1/1	0.93	0.10	47,47,47,47	0
54	MG	2A	3178	1/1	0.93	0.23	54,54,54,54	0
54	MG	2A	3179	1/1	0.93	0.20	69,69,69,69	0
54	MG	10	106	1/1	0.93	0.12	58,58,58,58	0
54	MG	2A	3187	1/1	0.93	0.22	64,64,64,64	0
54	MG	1a	1842	1/1	0.93	0.14	72,72,72,72	0
54	MG	2a	3026	1/1	0.93	0.18	64,64,64,64	0
54	MG	1a	1705	1/1	0.93	0.33	62,62,62,62	0
54	MG	1A	3549	1/1	0.93	0.09	64,64,64,64	0
54	MG	1a	1848	1/1	0.93	0.14	63,63,63,63	0
54	MG	2A	3457	1/1	0.93	0.14	62,62,62,62	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
54	MG	1A	3989	1/1	0.93	0.06	28,28,28,28	0
54	MG	1A	3618	1/1	0.93	0.14	36,36,36,36	0
54	MG	1A	3102	1/1	0.93	0.12	46,46,46,46	0
54	MG	2A	3205	1/1	0.93	0.23	59,59,59,59	0
54	MG	1A	3847	1/1	0.93	0.11	48,48,48,48	0
54	MG	1A	3425	1/1	0.93	0.07	27,27,27,27	0
54	MG	2A	3211	1/1	0.93	0.17	73,73,73,73	0
54	MG	1a	1715	1/1	0.93	0.31	76,76,76,76	0
54	MG	1A	3105	1/1	0.93	0.10	60,60,60,60	0
54	MG	2a	3043	1/1	0.93	0.28	66,66,66,66	0
54	MG	1a	1864	1/1	0.93	0.14	65,65,65,65	0
54	MG	1a	1717	1/1	0.93	0.16	66,66,66,66	0
54	MG	1A	3999	1/1	0.93	0.14	34,34,34,34	0
54	MG	1a	1869	1/1	0.93	0.10	61,61,61,61	0
54	MG	2A	3221	1/1	0.93	0.17	58,58,58,58	0
54	MG	1A	3627	1/1	0.93	0.16	50,50,50,50	0
54	MG	1A	3860	1/1	0.93	0.07	47,47,47,47	0
54	MG	1a	1724	1/1	0.93	0.19	65,65,65,65	0
54	MG	1A	3064	1/1	0.93	0.08	41,41,41,41	0
54	MG	2A	3485	1/1	0.93	0.12	61,61,61,61	0
54	MG	2a	3056	1/1	0.93	0.09	69,69,69,69	0
54	MG	18	102	1/1	0.93	0.09	65,65,65,65	0
54	MG	1A	3008	1/1	0.93	0.08	45,45,45,45	0
54	MG	1A	3631	1/1	0.93	0.06	36,36,36,36	0
54	MG	1A	3370	1/1	0.93	0.09	34,34,34,34	0
54	MG	1A	3436	1/1	0.93	0.06	35,35,35,35	0
54	MG	2A	3244	1/1	0.93	0.16	52,52,52,52	0
54	MG	1a	1605	1/1	0.93	0.29	68,68,68,68	0
54	MG	2A	3499	1/1	0.93	0.12	52,52,52,52	0
54	MG	1A	4015	1/1	0.93	0.07	59,59,59,59	0
54	MG	1A	3573	1/1	0.93	0.08	49,49,49,49	0
54	MG	2a	3070	1/1	0.93	0.09	71,71,71,71	0
54	MG	1e	202	1/1	0.93	0.13	61,61,61,61	0
54	MG	1a	1608	1/1	0.93	0.12	63,63,63,63	0
54	MG	1A	3726	1/1	0.93	0.10	63,63,63,63	0
54	MG	1f	202	1/1	0.93	0.13	55,55,55,55	0
54	MG	2A	3513	1/1	0.93	0.07	50,50,50,50	0
54	MG	1A	3189	1/1	0.93	0.12	48,48,48,48	0
54	MG	1g	203	1/1	0.93	0.09	73,73,73,73	0
54	MG	2a	3080	1/1	0.93	0.14	57,57,57,57	0
54	MG	1A	4021	1/1	0.93	0.13	56,56,56,56	0
54	MG	2A	3519	1/1	0.93	0.13	58,58,58,58	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
54	MG	2a	3084	1/1	0.93	0.30	66,66,66,66	0
54	MG	1a	1748	1/1	0.93	0.12	62,62,62,62	0
54	MG	1A	3312	1/1	0.93	0.14	38,38,38,38	0
54	MG	1a	1752	1/1	0.93	0.09	65,65,65,65	0
54	MG	2a	3088	1/1	0.93	0.18	57,57,57,57	0
54	MG	2A	3529	1/1	0.93	0.11	67,67,67,67	0
54	MG	1A	3734	1/1	0.93	0.06	74,74,74,74	0
54	MG	2A	3534	1/1	0.93	0.09	42,42,42,42	0
54	MG	1A	3736	1/1	0.93	0.15	56,56,56,56	0
54	MG	1A	3499	1/1	0.93	0.14	35,35,35,35	0
54	MG	2A	3538	1/1	0.93	0.13	65,65,65,65	0
54	MG	1o	102	1/1	0.93	0.19	56,56,56,56	0
54	MG	2A	3540	1/1	0.93	0.07	48,48,48,48	0
54	MG	1A	3440	1/1	0.93	0.11	43,43,43,43	0
54	MG	1A	3093	1/1	0.93	0.13	56,56,56,56	0
54	MG	2A	3548	1/1	0.93	0.12	38,38,38,38	0
54	MG	1a	1628	1/1	0.93	0.09	61,61,61,61	0
54	MG	2A	3002	1/1	0.93	0.10	56,56,56,56	0
54	MG	2A	3291	1/1	0.93	0.12	47,47,47,47	0
54	MG	2A	3293	1/1	0.93	0.12	50,50,50,50	0
54	MG	2A	3295	1/1	0.93	0.20	59,59,59,59	0
54	MG	1A	3649	1/1	0.93	0.15	68,68,68,68	0
54	MG	1A	3756	1/1	0.93	0.15	56,56,56,56	0
54	MG	1A	3651	1/1	0.93	0.11	45,45,45,45	0
54	MG	1B	210	1/1	0.93	0.06	63,63,63,63	0
54	MG	1A	3317	1/1	0.93	0.24	41,41,41,41	0
54	MG	1a	1635	1/1	0.93	0.10	38,38,38,38	0
54	MG	2A	3311	1/1	0.93	0.09	56,56,56,56	0
54	MG	1A	3586	1/1	0.93	0.10	42,42,42,42	0
54	MG	2A	3314	1/1	0.93	0.14	69,69,69,69	0
54	MG	2a	3130	1/1	0.93	0.11	71,71,71,71	0
54	MG	2A	3567	1/1	0.93	0.10	80,80,80,80	0
54	MG	1A	3193	1/1	0.93	0.17	44,44,44,44	0
54	MG	1A	3657	1/1	0.93	0.10	60,60,60,60	0
54	MG	2A	3033	1/1	0.93	0.19	60,60,60,60	0
54	MG	2A	3572	1/1	0.93	0.09	61,61,61,61	0
54	MG	2A	3321	1/1	0.93	0.10	51,51,51,51	0
54	MG	2A	3574	1/1	0.93	0.09	75,75,75,75	0
54	MG	2A	3575	1/1	0.93	0.11	75,75,75,75	0
54	MG	2A	3577	1/1	0.93	0.08	75,75,75,75	0
54	MG	2a	3144	1/1	0.93	0.17	78,78,78,78	0
54	MG	1A	3047	1/1	0.93	0.21	58,58,58,58	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
54	MG	1A	3589	1/1	0.93	0.11	29,29,29,29	0
54	MG	2A	3040	1/1	0.93	0.11	47,47,47,47	0
54	MG	1A	3519	1/1	0.93	0.08	53,53,53,53	0
54	MG	2A	3044	1/1	0.93	0.11	53,53,53,53	0
54	MG	2a	3153	1/1	0.93	0.16	85,85,85,85	0
54	MG	1A	3451	1/1	0.93	0.19	61,61,61,61	0
54	MG	2A	3603	1/1	0.93	0.14	79,79,79,79	0
54	MG	2a	3157	1/1	0.93	0.19	66,66,66,66	0
54	MG	1A	3777	1/1	0.93	0.17	67,67,67,67	0
54	MG	1a	1776	1/1	0.93	0.16	68,68,68,68	0
54	MG	1A	3779	1/1	0.93	0.07	29,29,29,29	0
54	MG	2A	3620	1/1	0.93	0.10	47,47,47,47	0
54	MG	1A	3039	1/1	0.93	0.11	54,54,54,54	0
54	MG	2A	3340	1/1	0.93	0.08	60,60,60,60	0
54	MG	2A	3625	1/1	0.93	0.10	72,72,72,72	0
54	MG	1A	3782	1/1	0.93	0.07	36,36,36,36	0
54	MG	2A	3344	1/1	0.93	0.11	57,57,57,57	0
54	MG	2a	3173	1/1	0.93	0.18	63,63,63,63	0
54	MG	2a	3176	1/1	0.93	0.12	68,68,68,68	0
54	MG	2a	3178	1/1	0.93	0.17	73,73,73,73	0
54	MG	2a	3179	1/1	0.93	0.11	68,68,68,68	0
54	MG	2A	3629	1/1	0.93	0.09	39,39,39,39	0
54	MG	2A	3345	1/1	0.93	0.07	45,45,45,45	0
54	MG	2A	3348	1/1	0.93	0.11	54,54,54,54	0
54	MG	1A	3784	1/1	0.93	0.06	38,38,38,38	0
54	MG	1A	3938	1/1	0.93	0.10	59,59,59,59	0
54	MG	2A	3060	1/1	0.93	0.19	65,65,65,65	0
54	MG	2A	3638	1/1	0.93	0.10	64,64,64,64	0
54	MG	1A	3941	1/1	0.93	0.09	65,65,65,65	0
54	MG	2A	3066	1/1	0.93	0.10	56,56,56,56	0
54	MG	1D	314	1/1	0.93	0.17	70,70,70,70	0
54	MG	2A	3646	1/1	0.93	0.07	71,71,71,71	0
54	MG	1A	3326	1/1	0.93	0.09	43,43,43,43	0
54	MG	1E	307	1/1	0.93	0.10	26,26,26,26	0
54	MG	2A	3651	1/1	0.93	0.19	65,65,65,65	0
54	MG	1A	3394	1/1	0.93	0.17	72,72,72,72	0
54	MG	2A	3656	1/1	0.93	0.10	39,39,39,39	0
57	MPD	1T	205	8/8	0.93	0.15	65,69,78,79	0
54	MG	1F	308	1/1	0.93	0.22	59,59,59,59	0
54	MG	2A	3365	1/1	0.93	0.11	66,66,66,66	0
54	MG	1a	1797	1/1	0.93	0.14	71,71,71,71	0
54	MG	2A	3091	1/1	0.93	0.08	57,57,57,57	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
58	ARG	1B	230	12/12	0.93	0.12	39,54,61,64	0
54	MG	1A	3597	1/1	0.93	0.07	47,47,47,47	0
54	MG	1A	3954	1/1	0.94	0.07	47,47,47,47	0
54	MG	2A	3107	1/1	0.94	0.15	59,59,59,59	0
54	MG	2A	3108	1/1	0.94	0.17	66,66,66,66	0
54	MG	1A	3564	1/1	0.94	0.14	32,32,32,32	0
54	MG	1A	3565	1/1	0.94	0.08	37,37,37,37	0
54	MG	1A	3811	1/1	0.94	0.09	68,68,68,68	0
54	MG	1A	3489	1/1	0.94	0.14	58,58,58,58	0
54	MG	1A	3135	1/1	0.94	0.08	50,50,50,50	0
54	MG	2A	3125	1/1	0.94	0.15	56,56,56,56	0
54	MG	1a	1680	1/1	0.94	0.10	55,55,55,55	0
54	MG	2A	3398	1/1	0.94	0.14	68,68,68,68	0
54	MG	2A	3130	1/1	0.94	0.12	55,55,55,55	0
54	MG	1a	1819	1/1	0.94	0.08	60,60,60,60	0
54	MG	2A	3135	1/1	0.94	0.10	64,64,64,64	0
54	MG	1A	3630	1/1	0.94	0.09	58,58,58,58	0
54	MG	1Q	202	1/1	0.94	0.07	37,37,37,37	0
54	MG	2D	304	1/1	0.94	0.13	44,44,44,44	0
54	MG	2A	3404	1/1	0.94	0.09	62,62,62,62	0
54	MG	1Q	205	1/1	0.94	0.10	54,54,54,54	0
54	MG	1A	3288	1/1	0.94	0.08	61,61,61,61	0
54	MG	1A	3334	1/1	0.94	0.26	60,60,60,60	0
54	MG	2F	301	1/1	0.94	0.12	45,45,45,45	0
54	MG	2F	302	1/1	0.94	0.10	55,55,55,55	0
54	MG	1A	3970	1/1	0.94	0.12	50,50,50,50	0
54	MG	1A	3825	1/1	0.94	0.08	64,64,64,64	0
54	MG	2O	3701	1/1	0.94	0.17	71,71,71,71	0
54	MG	2A	3145	1/1	0.94	0.10	66,66,66,66	0
54	MG	1a	1691	1/1	0.94	0.15	61,61,61,61	0
54	MG	1A	3496	1/1	0.94	0.11	35,35,35,35	0
54	MG	1U	209	1/1	0.94	0.12	61,61,61,61	0
54	MG	2A	3153	1/1	0.94	0.33	71,71,71,71	0
54	MG	1a	1834	1/1	0.94	0.16	71,71,71,71	0
54	MG	1A	3832	1/1	0.94	0.08	21,21,21,21	0
54	MG	2V	201	1/1	0.94	0.15	59,59,59,59	0
54	MG	1A	3833	1/1	0.94	0.22	39,39,39,39	0
54	MG	1W	201	1/1	0.94	0.11	41,41,41,41	0
54	MG	1W	202	1/1	0.94	0.09	45,45,45,45	0
54	MG	1A	3247	1/1	0.94	0.16	60,60,60,60	0
54	MG	23	101	1/1	0.94	0.09	57,57,57,57	0
54	MG	28	102	1/1	0.94	0.22	62,62,62,62	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
54	MG	2A	3434	1/1	0.94	0.10	52,52,52,52	0
54	MG	2A	3164	1/1	0.94	0.08	60,60,60,60	0
54	MG	1A	3640	1/1	0.94	0.13	58,58,58,58	0
54	MG	1A	3839	1/1	0.94	0.10	57,57,57,57	0
54	MG	1A	3986	1/1	0.94	0.11	57,57,57,57	0
54	MG	2A	3169	1/1	0.94	0.12	41,41,41,41	0
54	MG	1A	3841	1/1	0.94	0.10	48,48,48,48	0
54	MG	2A	3172	1/1	0.94	0.26	46,46,46,46	0
54	MG	1A	3501	1/1	0.94	0.06	29,29,29,29	0
54	MG	1A	3341	1/1	0.94	0.11	40,40,40,40	0
54	MG	1a	1852	1/1	0.94	0.09	48,48,48,48	0
54	MG	1A	3845	1/1	0.94	0.17	58,58,58,58	0
54	MG	1a	1709	1/1	0.94	0.35	74,74,74,74	0
54	MG	2A	3181	1/1	0.94	0.11	64,64,64,64	0
54	MG	2A	3183	1/1	0.94	0.22	54,54,54,54	0
54	MG	1a	1858	1/1	0.94	0.08	66,66,66,66	0
54	MG	2A	3454	1/1	0.94	0.07	66,66,66,66	0
54	MG	1A	3991	1/1	0.94	0.07	81,81,81,81	0
54	MG	1a	1860	1/1	0.94	0.10	56,56,56,56	0
54	MG	1A	3342	1/1	0.94	0.08	52,52,52,52	0
54	MG	1A	3994	1/1	0.94	0.08	60,60,60,60	0
54	MG	1A	3343	1/1	0.94	0.14	60,60,60,60	0
54	MG	2a	3031	1/1	0.94	0.13	66,66,66,66	0
54	MG	1A	3512	1/1	0.94	0.06	65,65,65,65	0
54	MG	1a	1866	1/1	0.94	0.14	74,74,74,74	0
54	MG	1A	3202	1/1	0.94	0.09	57,57,57,57	0
54	MG	1A	3187	1/1	0.94	0.23	47,47,47,47	0
54	MG	2A	3206	1/1	0.94	0.16	44,44,44,44	0
54	MG	1a	1719	1/1	0.94	0.11	74,74,74,74	0
54	MG	1A	3735	1/1	0.94	0.06	33,33,33,33	0
54	MG	1a	1721	1/1	0.94	0.17	69,69,69,69	0
54	MG	17	104	1/1	0.94	0.16	59,59,59,59	0
54	MG	18	101	1/1	0.94	0.31	40,40,40,40	0
54	MG	1A	3517	1/1	0.94	0.07	43,43,43,43	0
54	MG	1a	1726	1/1	0.94	0.13	77,77,77,77	0
54	MG	1a	1879	1/1	0.94	0.14	72,72,72,72	0
54	MG	1A	3737	1/1	0.94	0.11	57,57,57,57	0
54	MG	1A	3347	1/1	0.94	0.12	32,32,32,32	0
54	MG	2A	3222	1/1	0.94	0.07	41,41,41,41	0
54	MG	2A	3223	1/1	0.94	0.08	55,55,55,55	0
54	MG	1a	1734	1/1	0.94	0.07	62,62,62,62	0
54	MG	1A	4005	1/1	0.94	0.16	31,31,31,31	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
54	MG	2A	3492	1/1	0.94	0.07	50,50,50,50	0
54	MG	2A	3493	1/1	0.94	0.07	74,74,74,74	0
54	MG	2A	3231	1/1	0.94	0.16	40,40,40,40	0
54	MG	1A	3868	1/1	0.94	0.09	55,55,55,55	0
54	MG	1e	201	1/1	0.94	0.13	52,52,52,52	0
54	MG	1A	3405	1/1	0.94	0.08	38,38,38,38	0
54	MG	1A	3871	1/1	0.94	0.14	49,49,49,49	0
54	MG	1A	4014	1/1	0.94	0.09	53,53,53,53	0
54	MG	1A	3743	1/1	0.94	0.09	65,65,65,65	0
54	MG	1A	3873	1/1	0.94	0.07	34,34,34,34	0
54	MG	1A	3348	1/1	0.94	0.20	58,58,58,58	0
54	MG	1A	3136	1/1	0.94	0.26	46,46,46,46	0
54	MG	1A	3084	1/1	0.94	0.11	52,52,52,52	0
54	MG	2A	3510	1/1	0.94	0.08	67,67,67,67	0
54	MG	1a	1617	1/1	0.94	0.10	81,81,81,81	0
54	MG	2a	3073	1/1	0.94	0.09	62,62,62,62	0
54	MG	1a	1618	1/1	0.94	0.09	69,69,69,69	0
54	MG	1A	4022	1/1	0.94	0.09	51,51,51,51	0
54	MG	1m	201	1/1	0.94	0.11	71,71,71,71	0
54	MG	2A	3254	1/1	0.94	0.16	60,60,60,60	0
54	MG	1a	1620	1/1	0.94	0.11	56,56,56,56	0
54	MG	1A	3878	1/1	0.94	0.07	44,44,44,44	0
54	MG	1a	1623	1/1	0.94	0.08	57,57,57,57	0
54	MG	2A	3262	1/1	0.94	0.10	57,57,57,57	0
54	MG	2a	3083	1/1	0.94	0.23	68,68,68,68	0
54	MG	1A	3757	1/1	0.94	0.13	55,55,55,55	0
54	MG	1A	4025	1/1	0.94	0.08	55,55,55,55	0
54	MG	2A	3272	1/1	0.94	0.09	52,52,52,52	0
54	MG	1A	3466	1/1	0.94	0.07	55,55,55,55	0
54	MG	2A	3001	1/1	0.94	0.26	64,64,64,64	0
54	MG	1A	3413	1/1	0.94	0.08	42,42,42,42	0
54	MG	2A	3277	1/1	0.94	0.11	40,40,40,40	0
54	MG	2a	3091	1/1	0.94	0.22	52,52,52,52	0
54	MG	1A	3470	1/1	0.94	0.09	64,64,64,64	0
54	MG	1A	3086	1/1	0.94	0.21	40,40,40,40	0
54	MG	2A	3285	1/1	0.94	0.09	43,43,43,43	0
54	MG	2a	3097	1/1	0.94	0.14	64,64,64,64	0
54	MG	1A	3891	1/1	0.94	0.08	67,67,67,67	0
54	MG	1a	1765	1/1	0.94	0.11	60,60,60,60	0
54	MG	1A	3768	1/1	0.94	0.07	50,50,50,50	0
54	MG	2A	3551	1/1	0.94	0.12	54,54,54,54	0
54	MG	2a	3104	1/1	0.94	0.09	54,54,54,54	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
54	MG	2a	3105	1/1	0.94	0.11	72,72,72,72	0
54	MG	1A	3424	1/1	0.94	0.13	65,65,65,65	0
54	MG	2A	3018	1/1	0.94	0.37	45,45,45,45	0
54	MG	2A	3019	1/1	0.94	0.12	58,58,58,58	0
54	MG	2A	3022	1/1	0.94	0.14	58,58,58,58	0
54	MG	2a	3111	1/1	0.94	0.12	69,69,69,69	0
54	MG	2a	3113	1/1	0.94	0.19	81,81,81,81	0
54	MG	2A	3023	1/1	0.94	0.22	64,64,64,64	0
54	MG	1A	3209	1/1	0.94	0.24	45,45,45,45	0
54	MG	1a	1636	1/1	0.94	0.11	57,57,57,57	0
54	MG	1A	3152	1/1	0.94	0.09	39,39,39,39	0
54	MG	2A	3304	1/1	0.94	0.17	61,61,61,61	0
54	MG	2A	3305	1/1	0.94	0.07	56,56,56,56	0
54	MG	2a	3121	1/1	0.94	0.11	70,70,70,70	0
54	MG	1A	3430	1/1	0.94	0.07	43,43,43,43	0
54	MG	1A	3212	1/1	0.94	0.20	39,39,39,39	0
54	MG	2A	3035	1/1	0.94	0.17	67,67,67,67	0
54	MG	1A	3898	1/1	0.94	0.14	39,39,39,39	0
54	MG	2A	3038	1/1	0.94	0.11	57,57,57,57	0
54	MG	1A	3899	1/1	0.94	0.13	36,36,36,36	0
54	MG	2A	3315	1/1	0.94	0.07	66,66,66,66	0
54	MG	2A	3316	1/1	0.94	0.09	63,63,63,63	0
54	MG	1a	1643	1/1	0.94	0.11	79,79,79,79	0
54	MG	1A	3606	1/1	0.94	0.11	49,49,49,49	0
54	MG	2A	3045	1/1	0.94	0.19	68,68,68,68	0
54	MG	2A	3579	1/1	0.94	0.11	69,69,69,69	0
54	MG	2a	3137	1/1	0.94	0.10	59,59,59,59	0
54	MG	1A	3778	1/1	0.94	0.10	55,55,55,55	0
54	MG	2A	3587	1/1	0.94	0.17	64,64,64,64	0
54	MG	1A	3545	1/1	0.94	0.10	47,47,47,47	0
54	MG	2a	3142	1/1	0.94	0.08	66,66,66,66	0
54	MG	2A	3592	1/1	0.94	0.08	59,59,59,59	0
54	MG	1A	3679	1/1	0.94	0.08	55,55,55,55	0
54	MG	2A	3597	1/1	0.94	0.11	39,39,39,39	0
54	MG	1a	1786	1/1	0.94	0.08	67,67,67,67	0
54	MG	1A	3172	1/1	0.94	0.11	55,55,55,55	0
54	MG	2a	3150	1/1	0.94	0.08	69,69,69,69	0
54	MG	1A	3195	1/1	0.94	0.07	59,59,59,59	0
54	MG	1A	3012	1/1	0.94	0.15	42,42,42,42	0
54	MG	1A	3686	1/1	0.94	0.10	70,70,70,70	0
54	MG	1a	1656	1/1	0.94	0.23	68,68,68,68	0
54	MG	1a	1793	1/1	0.94	0.11	66,66,66,66	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
54	MG	2A	3615	1/1	0.94	0.08	72,72,72,72	0
54	MG	2A	3616	1/1	0.94	0.08	53,53,53,53	0
54	MG	2A	3617	1/1	0.94	0.09	42,42,42,42	0
54	MG	2A	3334	1/1	0.94	0.18	55,55,55,55	0
54	MG	1A	3687	1/1	0.94	0.08	56,56,56,56	0
54	MG	2A	3338	1/1	0.94	0.10	44,44,44,44	0
54	MG	2A	3624	1/1	0.94	0.13	66,66,66,66	0
54	MG	2A	3073	1/1	0.94	0.15	60,60,60,60	0
54	MG	2A	3076	1/1	0.94	0.09	52,52,52,52	0
54	MG	2A	3342	1/1	0.94	0.09	46,46,46,46	0
54	MG	1A	3688	1/1	0.94	0.09	57,57,57,57	0
54	MG	1A	3936	1/1	0.94	0.07	40,40,40,40	0
54	MG	2a	3177	1/1	0.94	0.10	64,64,64,64	0
54	MG	2A	3347	1/1	0.94	0.11	64,64,64,64	0
54	MG	1A	3484	1/1	0.94	0.07	59,59,59,59	0
54	MG	2A	3081	1/1	0.94	0.07	70,70,70,70	0
54	MG	2A	3350	1/1	0.94	0.12	66,66,66,66	0
54	MG	2A	3082	1/1	0.94	0.13	52,52,52,52	0
54	MG	2a	3184	1/1	0.94	0.31	66,66,66,66	0
54	MG	2A	3639	1/1	0.94	0.12	74,74,74,74	0
54	MG	2A	3641	1/1	0.94	0.16	69,69,69,69	0
54	MG	1A	3177	1/1	0.94	0.15	28,28,28,28	0
54	MG	2A	3643	1/1	0.94	0.10	76,76,76,76	0
54	MG	1A	3617	1/1	0.94	0.12	61,61,61,61	0
54	MG	1A	3554	1/1	0.94	0.06	25,25,25,25	0
54	MG	1a	1801	1/1	0.94	0.11	60,60,60,60	0
54	MG	2A	3092	1/1	0.94	0.07	77,77,77,77	0
54	MG	2A	3093	1/1	0.94	0.20	52,52,52,52	0
54	MG	2A	3361	1/1	0.94	0.07	35,35,35,35	0
54	MG	1A	3557	1/1	0.94	0.07	37,37,37,37	0
54	MG	1A	3696	1/1	0.94	0.14	60,60,60,60	0
56	ERY	1A	4027	51/51	0.94	0.11	37,52,58,63	0
56	ERY	2A	3672	51/51	0.94	0.14	43,60,66,72	0
54	MG	1A	3947	1/1	0.94	0.07	67,67,67,67	0
54	MG	1A	3698	1/1	0.94	0.08	37,37,37,37	0
57	MPD	18	103	8/8	0.94	0.12	35,42,47,49	0
54	MG	2A	3369	1/1	0.94	0.14	59,59,59,59	0
54	MG	2A	3099	1/1	0.94	0.15	53,53,53,53	0
54	MG	2A	3374	1/1	0.94	0.13	69,69,69,69	0
54	MG	2A	3100	1/1	0.94	0.18	40,40,40,40	0
54	MG	1A	3951	1/1	0.94	0.12	62,62,62,62	0
54	MG	1A	3154	1/1	0.94	0.10	63,63,63,63	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
54	MG	1B	215	1/1	0.95	0.16	65,65,65,65	0
54	MG	2A	3376	1/1	0.95	0.12	62,62,62,62	0
54	MG	1A	3244	1/1	0.95	0.24	60,60,60,60	0
54	MG	1A	3542	1/1	0.95	0.11	50,50,50,50	0
54	MG	2A	3129	1/1	0.95	0.32	62,62,62,62	0
54	MG	1A	3002	1/1	0.95	0.11	52,52,52,52	0
54	MG	2A	3131	1/1	0.95	0.14	49,49,49,49	0
54	MG	1A	3131	1/1	0.95	0.15	58,58,58,58	0
54	MG	2A	3387	1/1	0.95	0.09	41,41,41,41	0
54	MG	2A	3133	1/1	0.95	0.13	50,50,50,50	0
54	MG	2B	203	1/1	0.95	0.17	59,59,59,59	0
54	MG	1A	3134	1/1	0.95	0.06	46,46,46,46	0
54	MG	2A	3390	1/1	0.95	0.11	66,66,66,66	0
54	MG	1A	3198	1/1	0.95	0.20	59,59,59,59	0
54	MG	1A	3052	1/1	0.95	0.18	43,43,43,43	0
54	MG	1A	3633	1/1	0.95	0.07	29,29,29,29	0
54	MG	2B	210	1/1	0.95	0.15	71,71,71,71	0
54	MG	1A	3393	1/1	0.95	0.07	57,57,57,57	0
54	MG	2A	3397	1/1	0.95	0.06	72,72,72,72	0
54	MG	1A	3636	1/1	0.95	0.12	52,52,52,52	0
54	MG	1A	3744	1/1	0.95	0.08	38,38,38,38	0
54	MG	2D	303	1/1	0.95	0.18	62,62,62,62	0
54	MG	1D	309	1/1	0.95	0.10	53,53,53,53	0
54	MG	1a	1829	1/1	0.95	0.09	66,66,66,66	0
54	MG	2D	306	1/1	0.95	0.06	32,32,32,32	0
54	MG	1A	3552	1/1	0.95	0.16	29,29,29,29	0
54	MG	1A	3746	1/1	0.95	0.14	46,46,46,46	0
54	MG	1A	3017	1/1	0.95	0.20	35,35,35,35	0
54	MG	2A	3405	1/1	0.95	0.07	67,67,67,67	0
54	MG	2A	3406	1/1	0.95	0.09	38,38,38,38	0
54	MG	2A	3152	1/1	0.95	0.16	57,57,57,57	0
54	MG	1A	3137	1/1	0.95	0.13	36,36,36,36	0
54	MG	1a	1677	1/1	0.95	0.12	70,70,70,70	0
54	MG	2P	201	1/1	0.95	0.07	70,70,70,70	0
54	MG	2A	3155	1/1	0.95	0.09	55,55,55,55	0
54	MG	1A	3396	1/1	0.95	0.07	48,48,48,48	0
54	MG	1A	3760	1/1	0.95	0.10	31,31,31,31	0
54	MG	1A	3559	1/1	0.95	0.13	53,53,53,53	0
54	MG	1F	305	1/1	0.95	0.08	40,40,40,40	0
54	MG	1a	1841	1/1	0.95	0.08	64,64,64,64	0
54	MG	1A	3646	1/1	0.95	0.07	48,48,48,48	0
54	MG	1a	1843	1/1	0.95	0.07	49,49,49,49	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
54	MG	2A	3424	1/1	0.95	0.10	49,49,49,49	0
54	MG	1A	3561	1/1	0.95	0.14	45,45,45,45	0
54	MG	20	101	1/1	0.95	0.12	57,57,57,57	0
54	MG	2A	3426	1/1	0.95	0.08	61,61,61,61	0
54	MG	1A	3765	1/1	0.95	0.06	58,58,58,58	0
54	MG	1a	1846	1/1	0.95	0.10	77,77,77,77	0
54	MG	25	101	1/1	0.95	0.16	49,49,49,49	0
54	MG	1A	3910	1/1	0.95	0.07	52,52,52,52	0
54	MG	1A	3329	1/1	0.95	0.12	60,60,60,60	0
54	MG	1A	3563	1/1	0.95	0.16	70,70,70,70	0
54	MG	1a	1690	1/1	0.95	0.26	73,73,73,73	0
54	MG	1A	3398	1/1	0.95	0.10	50,50,50,50	0
54	MG	1A	3399	1/1	0.95	0.15	63,63,63,63	0
54	MG	1A	3567	1/1	0.95	0.08	43,43,43,43	0
54	MG	1A	3923	1/1	0.95	0.08	47,47,47,47	0
54	MG	2A	3182	1/1	0.95	0.18	58,58,58,58	0
54	MG	1a	1695	1/1	0.95	0.12	57,57,57,57	0
54	MG	1A	3926	1/1	0.95	0.07	53,53,53,53	0
54	MG	2A	3186	1/1	0.95	0.07	46,46,46,46	0
54	MG	2a	3015	1/1	0.95	0.12	59,59,59,59	0
54	MG	2A	3446	1/1	0.95	0.11	66,66,66,66	0
54	MG	1A	3655	1/1	0.95	0.09	57,57,57,57	0
54	MG	2a	3019	1/1	0.95	0.16	55,55,55,55	0
54	MG	2A	3191	1/1	0.95	0.08	36,36,36,36	0
54	MG	1O	201	1/1	0.95	0.07	61,61,61,61	0
54	MG	2A	3450	1/1	0.95	0.07	38,38,38,38	0
54	MG	2A	3193	1/1	0.95	0.20	47,47,47,47	0
54	MG	1A	3138	1/1	0.95	0.06	48,48,48,48	0
54	MG	2A	3197	1/1	0.95	0.31	61,61,61,61	0
54	MG	1A	3333	1/1	0.95	0.11	37,37,37,37	0
54	MG	1A	3178	1/1	0.95	0.18	57,57,57,57	0
54	MG	1a	1868	1/1	0.95	0.09	51,51,51,51	0
54	MG	1Q	203	1/1	0.95	0.12	55,55,55,55	0
54	MG	1a	1870	1/1	0.95	0.12	59,59,59,59	0
54	MG	2A	3204	1/1	0.95	0.24	62,62,62,62	0
54	MG	1a	1704	1/1	0.95	0.27	66,66,66,66	0
54	MG	1A	3404	1/1	0.95	0.05	34,34,34,34	0
54	MG	1A	3939	1/1	0.95	0.16	54,54,54,54	0
54	MG	2A	3209	1/1	0.95	0.10	57,57,57,57	0
54	MG	1A	3335	1/1	0.95	0.27	60,60,60,60	0
54	MG	1A	3336	1/1	0.95	0.10	40,40,40,40	0
54	MG	2a	3041	1/1	0.95	0.21	68,68,68,68	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
54	MG	2A	3212	1/1	0.95	0.07	60,60,60,60	0
54	MG	1A	3179	1/1	0.95	0.13	37,37,37,37	0
54	MG	2A	3470	1/1	0.95	0.14	50,50,50,50	0
54	MG	2a	3045	1/1	0.95	0.11	75,75,75,75	0
54	MG	1A	3785	1/1	0.95	0.08	26,26,26,26	0
54	MG	1U	204	1/1	0.95	0.19	59,59,59,59	0
54	MG	2A	3476	1/1	0.95	0.07	65,65,65,65	0
54	MG	2a	3049	1/1	0.95	0.17	75,75,75,75	0
54	MG	2A	3217	1/1	0.95	0.12	45,45,45,45	0
54	MG	1A	3340	1/1	0.95	0.06	38,38,38,38	0
54	MG	2A	3479	1/1	0.95	0.07	60,60,60,60	0
54	MG	1A	3580	1/1	0.95	0.21	39,39,39,39	0
54	MG	1A	3581	1/1	0.95	0.07	23,23,23,23	0
54	MG	1V	206	1/1	0.95	0.06	66,66,66,66	0
54	MG	1A	3791	1/1	0.95	0.10	49,49,49,49	0
54	MG	1A	3490	1/1	0.95	0.07	23,23,23,23	0
54	MG	2a	3058	1/1	0.95	0.10	58,58,58,58	0
54	MG	1A	3794	1/1	0.95	0.13	56,56,56,56	0
54	MG	1A	3673	1/1	0.95	0.09	49,49,49,49	0
54	MG	10	102	1/1	0.95	0.20	44,44,44,44	0
54	MG	1a	1723	1/1	0.95	0.22	64,64,64,64	0
54	MG	1g	201	1/1	0.95	0.25	69,69,69,69	0
54	MG	1A	3069	1/1	0.95	0.12	44,44,44,44	0
54	MG	2a	3065	1/1	0.95	0.17	61,61,61,61	0
54	MG	10	104	1/1	0.95	0.06	53,53,53,53	0
54	MG	1A	3419	1/1	0.95	0.09	31,31,31,31	0
54	MG	1A	3494	1/1	0.95	0.06	32,32,32,32	0
54	MG	2a	3069	1/1	0.95	0.12	71,71,71,71	0
54	MG	1A	3275	1/1	0.95	0.08	48,48,48,48	0
54	MG	1a	1731	1/1	0.95	0.10	55,55,55,55	0
54	MG	1a	1733	1/1	0.95	0.14	67,67,67,67	0
54	MG	2A	3246	1/1	0.95	0.10	32,32,32,32	0
54	MG	1A	3965	1/1	0.95	0.08	65,65,65,65	0
54	MG	2a	3075	1/1	0.95	0.24	61,61,61,61	0
54	MG	1A	3142	1/1	0.95	0.07	49,49,49,49	0
54	MG	1A	3967	1/1	0.95	0.13	67,67,67,67	0
54	MG	1A	3498	1/1	0.95	0.06	28,28,28,28	0
54	MG	2A	3252	1/1	0.95	0.08	52,52,52,52	0
54	MG	1A	3805	1/1	0.95	0.06	47,47,47,47	0
54	MG	2A	3516	1/1	0.95	0.07	66,66,66,66	0
54	MG	1A	3806	1/1	0.95	0.10	38,38,38,38	0
54	MG	1A	3682	1/1	0.95	0.13	38,38,38,38	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
54	MG	1A	3186	1/1	0.95	0.18	41,41,41,41	0
54	MG	1A	3809	1/1	0.95	0.08	53,53,53,53	0
54	MG	1A	3426	1/1	0.95	0.09	41,41,41,41	0
54	MG	2A	3263	1/1	0.95	0.14	66,66,66,66	0
54	MG	2A	3527	1/1	0.95	0.06	63,63,63,63	0
54	MG	2A	3528	1/1	0.95	0.08	69,69,69,69	0
54	MG	1a	1746	1/1	0.95	0.07	55,55,55,55	0
54	MG	2A	3270	1/1	0.95	0.07	44,44,44,44	0
54	MG	15	108	1/1	0.95	0.14	74,74,74,74	0
54	MG	2a	3093	1/1	0.95	0.18	63,63,63,63	0
54	MG	2A	3008	1/1	0.95	0.06	46,46,46,46	0
54	MG	2A	3010	1/1	0.95	0.12	74,74,74,74	0
54	MG	1A	3685	1/1	0.95	0.15	38,38,38,38	0
54	MG	2a	3098	1/1	0.95	0.29	63,63,63,63	0
54	MG	1A	3149	1/1	0.95	0.08	38,38,38,38	0
54	MG	1A	3503	1/1	0.95	0.07	23,23,23,23	0
54	MG	2A	3280	1/1	0.95	0.13	66,66,66,66	0
54	MG	1A	3070	1/1	0.95	0.19	42,42,42,42	0
54	MG	2A	3544	1/1	0.95	0.07	51,51,51,51	0
54	MG	2A	3546	1/1	0.95	0.10	51,51,51,51	0
54	MG	2A	3283	1/1	0.95	0.09	73,73,73,73	0
54	MG	1A	3073	1/1	0.95	0.06	40,40,40,40	0
54	MG	1a	1755	1/1	0.95	0.06	66,66,66,66	0
54	MG	2a	3109	1/1	0.95	0.06	62,62,62,62	0
54	MG	1A	3818	1/1	0.95	0.12	39,39,39,39	0
54	MG	1A	3352	1/1	0.95	0.11	20,20,20,20	0
54	MG	2A	3027	1/1	0.95	0.11	58,58,58,58	0
54	MG	1A	3824	1/1	0.95	0.07	55,55,55,55	0
54	MG	1A	3029	1/1	0.95	0.09	46,46,46,46	0
54	MG	1A	3826	1/1	0.95	0.10	34,34,34,34	0
54	MG	1A	3191	1/1	0.95	0.11	43,43,43,43	0
54	MG	2A	3294	1/1	0.95	0.15	64,64,64,64	0
54	MG	1A	3828	1/1	0.95	0.07	38,38,38,38	0
54	MG	2a	3120	1/1	0.95	0.08	53,53,53,53	0
54	MG	2A	3561	1/1	0.95	0.07	72,72,72,72	0
54	MG	2A	3036	1/1	0.95	0.12	56,56,56,56	0
54	MG	1A	3030	1/1	0.95	0.06	30,30,30,30	0
54	MG	2A	3564	1/1	0.95	0.11	64,64,64,64	0
54	MG	1A	3438	1/1	0.95	0.13	37,37,37,37	0
54	MG	1A	3835	1/1	0.95	0.06	27,27,27,27	0
54	MG	1a	1614	1/1	0.95	0.22	33,33,33,33	0
54	MG	1A	3362	1/1	0.95	0.10	57,57,57,57	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
54	MG	1A	3699	1/1	0.95	0.16	67,67,67,67	0
54	MG	1A	3700	1/1	0.95	0.08	49,49,49,49	0
54	MG	2A	3309	1/1	0.95	0.07	72,72,72,72	0
54	MG	2A	3310	1/1	0.95	0.13	57,57,57,57	0
54	MG	1A	3298	1/1	0.95	0.11	38,38,38,38	0
54	MG	2A	3312	1/1	0.95	0.11	62,62,62,62	0
54	MG	2A	3576	1/1	0.95	0.06	57,57,57,57	0
54	MG	1A	4004	1/1	0.95	0.10	53,53,53,53	0
54	MG	1A	3524	1/1	0.95	0.06	28,28,28,28	0
54	MG	1A	3843	1/1	0.95	0.10	31,31,31,31	0
54	MG	2A	3586	1/1	0.95	0.06	54,54,54,54	0
54	MG	2A	3054	1/1	0.95	0.08	66,66,66,66	0
54	MG	2A	3588	1/1	0.95	0.09	53,53,53,53	0
54	MG	2a	3146	1/1	0.95	0.10	81,81,81,81	0
54	MG	1A	3366	1/1	0.95	0.10	56,56,56,56	0
54	MG	1a	1626	1/1	0.95	0.09	57,57,57,57	0
54	MG	1A	4010	1/1	0.95	0.07	48,48,48,48	0
54	MG	1A	4011	1/1	0.95	0.06	40,40,40,40	0
54	MG	2A	3061	1/1	0.95	0.12	55,55,55,55	0
54	MG	2A	3062	1/1	0.95	0.06	44,44,44,44	0
54	MG	1a	1780	1/1	0.95	0.11	65,65,65,65	0
54	MG	2A	3064	1/1	0.95	0.09	48,48,48,48	0
54	MG	2A	3605	1/1	0.95	0.10	67,67,67,67	0
54	MG	2a	3158	1/1	0.95	0.11	68,68,68,68	0
54	MG	1a	1781	1/1	0.95	0.10	47,47,47,47	0
54	MG	1a	1783	1/1	0.95	0.10	74,74,74,74	0
54	MG	1A	3704	1/1	0.95	0.10	67,67,67,67	0
54	MG	2A	3613	1/1	0.95	0.07	60,60,60,60	0
54	MG	2a	3165	1/1	0.95	0.11	64,64,64,64	0
54	MG	1A	3608	1/1	0.95	0.08	46,46,46,46	0
54	MG	2A	3332	1/1	0.95	0.08	47,47,47,47	0
54	MG	1A	3849	1/1	0.95	0.22	50,50,50,50	0
54	MG	2A	3619	1/1	0.95	0.07	78,78,78,78	0
54	MG	1A	3706	1/1	0.95	0.19	51,51,51,51	0
54	MG	1A	3226	1/1	0.95	0.14	39,39,39,39	0
54	MG	2A	3337	1/1	0.95	0.08	58,58,58,58	0
54	MG	1A	4019	1/1	0.95	0.07	49,49,49,49	0
54	MG	2A	3084	1/1	0.95	0.15	60,60,60,60	0
54	MG	1A	3708	1/1	0.95	0.10	49,49,49,49	0
54	MG	1a	1792	1/1	0.95	0.18	65,65,65,65	0
54	MG	1A	3856	1/1	0.95	0.09	37,37,37,37	0
54	MG	1A	3857	1/1	0.95	0.20	44,44,44,44	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
54	MG	1A	3858	1/1	0.95	0.09	57,57,57,57	0
54	MG	1A	3859	1/1	0.95	0.08	39,39,39,39	0
54	MG	1A	3300	1/1	0.95	0.09	52,52,52,52	0
54	MG	1A	3530	1/1	0.95	0.10	27,27,27,27	0
54	MG	2A	3096	1/1	0.95	0.07	49,49,49,49	0
54	MG	1A	3229	1/1	0.95	0.09	39,39,39,39	0
54	MG	2A	3640	1/1	0.95	0.13	61,61,61,61	0
54	MG	1B	203	1/1	0.95	0.08	56,56,56,56	0
54	MG	2A	3355	1/1	0.95	0.23	59,59,59,59	0
54	MG	2k	201	1/1	0.95	0.13	67,67,67,67	0
54	MG	1A	3373	1/1	0.95	0.07	24,24,24,24	0
54	MG	2A	3357	1/1	0.95	0.07	50,50,50,50	0
54	MG	1A	3866	1/1	0.95	0.08	56,56,56,56	0
54	MG	1a	1803	1/1	0.95	0.07	70,70,70,70	0
55	HGR	1A	4026	36/36	0.95	0.10	20,30,38,44	0
55	HGR	2A	3671	36/36	0.95	0.11	35,44,51,55	0
54	MG	2A	3647	1/1	0.95	0.11	61,61,61,61	0
54	MG	1a	1804	1/1	0.95	0.08	70,70,70,70	0
54	MG	1A	3374	1/1	0.95	0.09	40,40,40,40	0
54	MG	1A	3232	1/1	0.95	0.10	39,39,39,39	0
54	MG	1a	1650	1/1	0.95	0.17	52,52,52,52	0
54	MG	1a	1652	1/1	0.95	0.18	51,51,51,51	0
54	MG	1A	3021	1/1	0.95	0.22	43,43,43,43	0
54	MG	2A	3367	1/1	0.95	0.07	37,37,37,37	0
54	MG	1A	3456	1/1	0.95	0.16	62,62,62,62	0
54	MG	2A	3115	1/1	0.95	0.14	51,51,51,51	0
54	MG	1A	3623	1/1	0.95	0.16	32,32,32,32	0
54	MG	1A	3537	1/1	0.96	0.07	30,30,30,30	0
54	MG	1A	3253	1/1	0.96	0.18	49,49,49,49	0
54	MG	1A	3034	1/1	0.96	0.07	54,54,54,54	0
54	MG	1A	3793	1/1	0.96	0.07	37,37,37,37	0
54	MG	2A	3088	1/1	0.96	0.09	51,51,51,51	0
54	MG	1A	3096	1/1	0.96	0.07	42,42,42,42	0
54	MG	1A	3344	1/1	0.96	0.11	29,29,29,29	0
54	MG	1A	3143	1/1	0.96	0.10	46,46,46,46	0
54	MG	1a	1784	1/1	0.96	0.07	63,63,63,63	0
54	MG	1A	3020	1/1	0.96	0.30	47,47,47,47	0
54	MG	1A	3662	1/1	0.96	0.06	32,32,32,32	0
54	MG	2A	3654	1/1	0.96	0.07	53,53,53,53	0
54	MG	2A	3655	1/1	0.96	0.08	47,47,47,47	0
54	MG	1A	3075	1/1	0.96	0.07	42,42,42,42	0
54	MG	1A	3971	1/1	0.96	0.12	48,48,48,48	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
54	MG	2A	3362	1/1	0.96	0.08	54,54,54,54	0
54	MG	1A	3260	1/1	0.96	0.08	50,50,50,50	0
54	MG	1a	1610	1/1	0.96	0.08	62,62,62,62	0
54	MG	2A	3101	1/1	0.96	0.08	42,42,42,42	0
54	MG	1A	3442	1/1	0.96	0.09	26,26,26,26	0
54	MG	1A	3977	1/1	0.96	0.08	63,63,63,63	0
54	MG	2A	3368	1/1	0.96	0.09	66,66,66,66	0
54	MG	1A	3350	1/1	0.96	0.07	28,28,28,28	0
54	MG	1A	3670	1/1	0.96	0.05	26,26,26,26	0
54	MG	1a	1615	1/1	0.96	0.07	63,63,63,63	0
54	MG	1a	1616	1/1	0.96	0.10	62,62,62,62	0
54	MG	1A	3076	1/1	0.96	0.04	34,34,34,34	0
54	MG	2A	3378	1/1	0.96	0.06	49,49,49,49	0
54	MG	1A	3449	1/1	0.96	0.12	44,44,44,44	0
54	MG	2A	3380	1/1	0.96	0.06	52,52,52,52	0
54	MG	2A	3381	1/1	0.96	0.09	58,58,58,58	0
54	MG	1A	3354	1/1	0.96	0.06	30,30,30,30	0
54	MG	1A	3558	1/1	0.96	0.07	30,30,30,30	0
54	MG	2A	3117	1/1	0.96	0.08	54,54,54,54	0
54	MG	2A	3121	1/1	0.96	0.06	58,58,58,58	0
54	MG	1a	1621	1/1	0.96	0.09	67,67,67,67	0
54	MG	2A	3124	1/1	0.96	0.25	72,72,72,72	0
54	MG	1A	3267	1/1	0.96	0.13	36,36,36,36	0
54	MG	2B	213	1/1	0.96	0.06	65,65,65,65	0
54	MG	1A	3812	1/1	0.96	0.08	48,48,48,48	0
54	MG	2A	3128	1/1	0.96	0.07	61,61,61,61	0
54	MG	1A	3103	1/1	0.96	0.25	41,41,41,41	0
54	MG	1A	3077	1/1	0.96	0.20	43,43,43,43	0
54	MG	1A	3155	1/1	0.96	0.12	41,41,41,41	0
54	MG	1A	3455	1/1	0.96	0.05	21,21,21,21	0
54	MG	1A	3106	1/1	0.96	0.15	38,38,38,38	0
54	MG	1A	3457	1/1	0.96	0.08	50,50,50,50	0
54	MG	2E	304	1/1	0.96	0.13	43,43,43,43	0
54	MG	1A	3158	1/1	0.96	0.25	45,45,45,45	0
54	MG	1A	3459	1/1	0.96	0.08	60,60,60,60	0
54	MG	1A	3367	1/1	0.96	0.09	35,35,35,35	0
54	MG	1A	3278	1/1	0.96	0.10	60,60,60,60	0
54	MG	1A	3109	1/1	0.96	0.08	42,42,42,42	0
54	MG	2A	3141	1/1	0.96	0.09	54,54,54,54	0
54	MG	1A	3831	1/1	0.96	0.08	68,68,68,68	0
54	MG	1A	3079	1/1	0.96	0.22	42,42,42,42	0
54	MG	1A	3372	1/1	0.96	0.07	38,38,38,38	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
54	MG	2A	3146	1/1	0.96	0.07	65,65,65,65	0
54	MG	1A	3576	1/1	0.96	0.12	58,58,58,58	0
54	MG	1A	4006	1/1	0.96	0.09	18,18,18,18	0
54	MG	1a	1822	1/1	0.96	0.14	71,71,71,71	0
54	MG	1A	3692	1/1	0.96	0.07	63,63,63,63	0
54	MG	1A	3004	1/1	0.96	0.10	46,46,46,46	0
54	MG	2A	3417	1/1	0.96	0.12	33,33,33,33	0
54	MG	2W	203	1/1	0.96	0.12	66,66,66,66	0
54	MG	1A	3838	1/1	0.96	0.12	46,46,46,46	0
54	MG	1A	3286	1/1	0.96	0.14	36,36,36,36	0
54	MG	1A	3695	1/1	0.96	0.08	24,24,24,24	0
54	MG	1a	1828	1/1	0.96	0.07	74,74,74,74	0
54	MG	2A	3423	1/1	0.96	0.08	62,62,62,62	0
54	MG	2A	3158	1/1	0.96	0.06	56,56,56,56	0
54	MG	27	101	1/1	0.96	0.17	49,49,49,49	0
54	MG	1A	3471	1/1	0.96	0.08	54,54,54,54	0
54	MG	2a	3001	1/1	0.96	0.07	52,52,52,52	0
54	MG	1A	3697	1/1	0.96	0.08	54,54,54,54	0
54	MG	2A	3427	1/1	0.96	0.07	61,61,61,61	0
54	MG	2A	3162	1/1	0.96	0.27	50,50,50,50	0
54	MG	1A	3375	1/1	0.96	0.07	29,29,29,29	0
54	MG	1A	3376	1/1	0.96	0.07	45,45,45,45	0
54	MG	1A	3846	1/1	0.96	0.06	41,41,41,41	0
54	MG	1A	3287	1/1	0.96	0.25	45,45,45,45	0
54	MG	1A	3848	1/1	0.96	0.07	44,44,44,44	0
54	MG	2A	3168	1/1	0.96	0.06	52,52,52,52	0
54	MG	1A	3167	1/1	0.96	0.09	40,40,40,40	0
54	MG	2a	3013	1/1	0.96	0.06	53,53,53,53	0
54	MG	2A	3438	1/1	0.96	0.05	72,72,72,72	0
54	MG	2A	3439	1/1	0.96	0.08	56,56,56,56	0
54	MG	1A	3169	1/1	0.96	0.09	35,35,35,35	0
54	MG	1A	3478	1/1	0.96	0.09	56,56,56,56	0
54	MG	2a	3018	1/1	0.96	0.12	51,51,51,51	0
54	MG	1A	3292	1/1	0.96	0.08	43,43,43,43	0
54	MG	1a	1660	1/1	0.96	0.09	49,49,49,49	0
54	MG	1A	3116	1/1	0.96	0.13	61,61,61,61	0
54	MG	2a	3023	1/1	0.96	0.05	55,55,55,55	0
54	MG	2A	3176	1/1	0.96	0.32	39,39,39,39	0
54	MG	1A	3386	1/1	0.96	0.06	30,30,30,30	0
54	MG	1A	3387	1/1	0.96	0.12	40,40,40,40	0
54	MG	1A	3119	1/1	0.96	0.15	35,35,35,35	0
54	MG	1a	1847	1/1	0.96	0.07	63,63,63,63	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
54	MG	1A	3485	1/1	0.96	0.07	34,34,34,34	0
54	MG	1a	1849	1/1	0.96	0.10	65,65,65,65	0
54	MG	1A	3486	1/1	0.96	0.05	39,39,39,39	0
54	MG	1A	3389	1/1	0.96	0.07	54,54,54,54	0
54	MG	2A	3189	1/1	0.96	0.11	40,40,40,40	0
54	MG	1A	3214	1/1	0.96	0.11	37,37,37,37	0
54	MG	1A	3713	1/1	0.96	0.18	50,50,50,50	0
54	MG	2a	3036	1/1	0.96	0.12	48,48,48,48	0
54	MG	1B	213	1/1	0.96	0.05	52,52,52,52	0
54	MG	1A	3120	1/1	0.96	0.20	45,45,45,45	0
54	MG	2A	3195	1/1	0.96	0.09	64,64,64,64	0
54	MG	1A	3718	1/1	0.96	0.05	39,39,39,39	0
54	MG	1A	3869	1/1	0.96	0.07	55,55,55,55	0
54	MG	1B	217	1/1	0.96	0.08	57,57,57,57	0
54	MG	1A	3175	1/1	0.96	0.14	31,31,31,31	0
54	MG	1A	3221	1/1	0.96	0.05	35,35,35,35	0
54	MG	1A	3121	1/1	0.96	0.07	47,47,47,47	0
54	MG	1A	3081	1/1	0.96	0.19	40,40,40,40	0
54	MG	2A	3468	1/1	0.96	0.14	55,55,55,55	0
54	MG	1A	3311	1/1	0.96	0.08	49,49,49,49	0
54	MG	1A	3082	1/1	0.96	0.07	45,45,45,45	0
54	MG	2A	3471	1/1	0.96	0.09	43,43,43,43	0
54	MG	2A	3472	1/1	0.96	0.12	40,40,40,40	0
54	MG	2A	3473	1/1	0.96	0.11	58,58,58,58	0
54	MG	1A	3497	1/1	0.96	0.07	48,48,48,48	0
54	MG	1A	3877	1/1	0.96	0.09	50,50,50,50	0
54	MG	1a	1685	1/1	0.96	0.08	51,51,51,51	0
54	MG	1a	1686	1/1	0.96	0.06	54,54,54,54	0
54	MG	1A	3083	1/1	0.96	0.15	37,37,37,37	0
54	MG	1A	3228	1/1	0.96	0.10	39,39,39,39	0
54	MG	1D	302	1/1	0.96	0.08	54,54,54,54	0
54	MG	1D	308	1/1	0.96	0.14	41,41,41,41	0
54	MG	1A	3880	1/1	0.96	0.05	28,28,28,28	0
54	MG	1A	3184	1/1	0.96	0.15	37,37,37,37	0
54	MG	1A	3006	1/1	0.96	0.05	26,26,26,26	0
54	MG	1a	1881	1/1	0.96	0.21	61,61,61,61	0
54	MG	1A	3886	1/1	0.96	0.10	41,41,41,41	0
54	MG	2A	3490	1/1	0.96	0.06	30,30,30,30	0
54	MG	2A	3491	1/1	0.96	0.14	58,58,58,58	0
54	MG	1A	3738	1/1	0.96	0.05	37,37,37,37	0
54	MG	1A	3323	1/1	0.96	0.08	35,35,35,35	0
54	MG	2A	3224	1/1	0.96	0.09	26,26,26,26	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
54	MG	2A	3226	1/1	0.96	0.13	39,39,39,39	0
54	MG	1A	3504	1/1	0.96	0.06	31,31,31,31	0
54	MG	1A	3506	1/1	0.96	0.07	35,35,35,35	0
54	MG	1F	304	1/1	0.96	0.11	42,42,42,42	0
54	MG	1A	3619	1/1	0.96	0.16	34,34,34,34	0
54	MG	2A	3500	1/1	0.96	0.05	61,61,61,61	0
54	MG	1A	3233	1/1	0.96	0.07	56,56,56,56	0
54	MG	2A	3235	1/1	0.96	0.07	59,59,59,59	0
54	MG	2A	3503	1/1	0.96	0.10	56,56,56,56	0
54	MG	1A	3406	1/1	0.96	0.07	42,42,42,42	0
54	MG	1A	3750	1/1	0.96	0.09	51,51,51,51	0
54	MG	2A	3507	1/1	0.96	0.09	58,58,58,58	0
54	MG	1A	3752	1/1	0.96	0.10	46,46,46,46	0
54	MG	2A	3509	1/1	0.96	0.09	63,63,63,63	0
54	MG	1A	3510	1/1	0.96	0.10	51,51,51,51	0
54	MG	2A	3511	1/1	0.96	0.10	54,54,54,54	0
54	MG	1A	3754	1/1	0.96	0.07	50,50,50,50	0
54	MG	1F	315	1/1	0.96	0.13	49,49,49,49	0
54	MG	2A	3514	1/1	0.96	0.06	50,50,50,50	0
54	MG	1A	3755	1/1	0.96	0.19	64,64,64,64	0
54	MG	1k	201	1/1	0.96	0.12	49,49,49,49	0
54	MG	1a	1710	1/1	0.96	0.27	56,56,56,56	0
54	MG	1F	317	1/1	0.96	0.08	47,47,47,47	0
54	MG	2a	3094	1/1	0.96	0.32	67,67,67,67	0
54	MG	1G	201	1/1	0.96	0.05	73,73,73,73	0
54	MG	2A	3250	1/1	0.96	0.16	49,49,49,49	0
54	MG	1A	3901	1/1	0.96	0.05	41,41,41,41	0
54	MG	2A	3522	1/1	0.96	0.10	49,49,49,49	0
54	MG	1A	3325	1/1	0.96	0.09	40,40,40,40	0
54	MG	2a	3100	1/1	0.96	0.07	68,68,68,68	0
54	MG	2A	3524	1/1	0.96	0.06	54,54,54,54	0
54	MG	2A	3526	1/1	0.96	0.07	59,59,59,59	0
54	MG	1A	3905	1/1	0.96	0.06	51,51,51,51	0
54	MG	1N	201	1/1	0.96	0.07	40,40,40,40	0
54	MG	2A	3255	1/1	0.96	0.11	56,56,56,56	0
54	MG	2A	3532	1/1	0.96	0.05	40,40,40,40	0
54	MG	1A	3514	1/1	0.96	0.11	47,47,47,47	0
54	MG	1A	3758	1/1	0.96	0.06	30,30,30,30	0
54	MG	2A	3260	1/1	0.96	0.15	57,57,57,57	0
54	MG	1A	3759	1/1	0.96	0.13	48,48,48,48	0
54	MG	1P	202	1/1	0.96	0.27	37,37,37,37	0
54	MG	2a	3112	1/1	0.96	0.06	67,67,67,67	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
54	MG	1A	3238	1/1	0.96	0.24	44,44,44,44	0
54	MG	1A	3914	1/1	0.96	0.06	36,36,36,36	0
54	MG	2A	3541	1/1	0.96	0.08	43,43,43,43	0
54	MG	2A	3267	1/1	0.96	0.14	41,41,41,41	0
54	MG	1A	3239	1/1	0.96	0.20	45,45,45,45	0
54	MG	1A	3328	1/1	0.96	0.12	47,47,47,47	0
54	MG	1A	3917	1/1	0.96	0.08	40,40,40,40	0
54	MG	2A	3011	1/1	0.96	0.11	43,43,43,43	0
54	MG	1R	202	1/1	0.96	0.08	39,39,39,39	0
54	MG	2a	3122	1/1	0.96	0.19	63,63,63,63	0
54	MG	2a	3123	1/1	0.96	0.14	80,80,80,80	0
54	MG	1a	1728	1/1	0.96	0.07	45,45,45,45	0
54	MG	1A	3919	1/1	0.96	0.08	40,40,40,40	0
54	MG	1R	204	1/1	0.96	0.15	52,52,52,52	0
54	MG	2A	3553	1/1	0.96	0.18	62,62,62,62	0
54	MG	1A	3920	1/1	0.96	0.11	30,30,30,30	0
54	MG	2A	3020	1/1	0.96	0.25	52,52,52,52	0
54	MG	2A	3021	1/1	0.96	0.06	47,47,47,47	0
54	MG	1A	3518	1/1	0.96	0.06	46,46,46,46	0
54	MG	1A	3924	1/1	0.96	0.27	41,41,41,41	0
54	MG	2A	3024	1/1	0.96	0.09	65,65,65,65	0
54	MG	1A	3416	1/1	0.96	0.07	30,30,30,30	0
54	MG	1A	3766	1/1	0.96	0.06	47,47,47,47	0
54	MG	1U	205	1/1	0.96	0.16	42,42,42,42	0
54	MG	2A	3030	1/1	0.96	0.09	45,45,45,45	0
54	MG	2A	3292	1/1	0.96	0.08	38,38,38,38	0
54	MG	2A	3031	1/1	0.96	0.09	36,36,36,36	0
54	MG	1a	1739	1/1	0.96	0.08	48,48,48,48	0
54	MG	1U	208	1/1	0.96	0.16	40,40,40,40	0
54	MG	1A	3928	1/1	0.96	0.10	44,44,44,44	0
54	MG	2A	3298	1/1	0.96	0.12	57,57,57,57	0
54	MG	1V	203	1/1	0.96	0.07	45,45,45,45	0
54	MG	2A	3302	1/1	0.96	0.09	54,54,54,54	0
54	MG	1A	3929	1/1	0.96	0.06	60,60,60,60	0
54	MG	1A	3930	1/1	0.96	0.05	61,61,61,61	0
54	MG	1A	3931	1/1	0.96	0.09	62,62,62,62	0
54	MG	2A	3039	1/1	0.96	0.22	64,64,64,64	0
54	MG	1A	3417	1/1	0.96	0.13	26,26,26,26	0
54	MG	2A	3041	1/1	0.96	0.12	58,58,58,58	0
54	MG	2A	3584	1/1	0.96	0.09	76,76,76,76	0
54	MG	1A	3418	1/1	0.96	0.07	22,22,22,22	0
54	MG	1A	3240	1/1	0.96	0.17	37,37,37,37	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
54	MG	1A	3637	1/1	0.96	0.12	49,49,49,49	0
54	MG	1A	3085	1/1	0.96	0.17	35,35,35,35	0
54	MG	1A	3060	1/1	0.96	0.09	55,55,55,55	0
54	MG	2A	3591	1/1	0.96	0.10	60,60,60,60	0
54	MG	1A	3641	1/1	0.96	0.09	34,34,34,34	0
54	MG	1A	3528	1/1	0.96	0.04	35,35,35,35	0
54	MG	2A	3595	1/1	0.96	0.10	47,47,47,47	0
54	MG	2a	3168	1/1	0.96	0.14	55,55,55,55	0
54	MG	2A	3596	1/1	0.96	0.12	41,41,41,41	0
54	MG	2A	3051	1/1	0.96	0.17	51,51,51,51	0
54	MG	2A	3317	1/1	0.96	0.05	43,43,43,43	0
54	MG	2a	3172	1/1	0.96	0.12	78,78,78,78	0
54	MG	1A	3245	1/1	0.96	0.23	33,33,33,33	0
54	MG	2A	3053	1/1	0.96	0.10	61,61,61,61	0
54	MG	1A	3025	1/1	0.96	0.13	35,35,35,35	0
54	MG	1A	3427	1/1	0.96	0.18	51,51,51,51	0
54	MG	1A	3948	1/1	0.96	0.04	32,32,32,32	0
54	MG	1A	3532	1/1	0.96	0.05	52,52,52,52	0
54	MG	2A	3611	1/1	0.96	0.07	46,46,46,46	0
54	MG	2A	3058	1/1	0.96	0.07	51,51,51,51	0
54	MG	2A	3059	1/1	0.96	0.05	41,41,41,41	0
54	MG	2A	3614	1/1	0.96	0.07	53,53,53,53	0
54	MG	1a	1762	1/1	0.96	0.12	56,56,56,56	0
54	MG	1l	103	1/1	0.96	0.08	57,57,57,57	0
54	MG	1A	3950	1/1	0.96	0.07	45,45,45,45	0
54	MG	2A	3618	1/1	0.96	0.07	67,67,67,67	0
54	MG	2a	3190	1/1	0.96	0.18	57,57,57,57	0
54	MG	1A	3248	1/1	0.96	0.19	39,39,39,39	0
54	MG	2f	201	1/1	0.96	0.06	51,51,51,51	0
54	MG	2A	3331	1/1	0.96	0.09	41,41,41,41	0
54	MG	2A	3621	1/1	0.96	0.07	49,49,49,49	0
54	MG	1A	3090	1/1	0.96	0.09	46,46,46,46	0
54	MG	1A	3953	1/1	0.96	0.10	45,45,45,45	0
54	MG	2A	3068	1/1	0.96	0.08	52,52,52,52	0
54	MG	2A	3335	1/1	0.96	0.07	43,43,43,43	0
54	MG	13	104	1/1	0.96	0.10	45,45,45,45	0
54	MG	2A	3075	1/1	0.96	0.20	47,47,47,47	0
54	MG	1A	3432	1/1	0.96	0.05	32,32,32,32	0
54	MG	2A	3339	1/1	0.96	0.08	71,71,71,71	0
54	MG	2A	3631	1/1	0.96	0.09	62,62,62,62	0
54	MG	1A	3956	1/1	0.96	0.06	30,30,30,30	0
54	MG	1A	3957	1/1	0.96	0.05	33,33,33,33	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
54	MG	15	107	1/1	0.96	0.07	56,56,56,56	0
54	MG	2A	3635	1/1	0.96	0.10	57,57,57,57	0
54	MG	1A	3251	1/1	0.96	0.15	34,34,34,34	0
54	MG	2A	3637	1/1	0.96	0.09	60,60,60,60	0
54	MG	17	103	1/1	0.96	0.16	43,43,43,43	0
54	MG	2A	3346	1/1	0.96	0.10	42,42,42,42	0
54	MG	2A	3083	1/1	0.96	0.08	57,57,57,57	0
54	MG	1A	3431	1/1	0.97	0.06	45,45,45,45	0
54	MG	1P	205	1/1	0.97	0.15	58,58,58,58	0
54	MG	1a	1711	1/1	0.97	0.10	61,61,61,61	0
54	MG	1A	3078	1/1	0.97	0.23	36,36,36,36	0
54	MG	2E	301	1/1	0.97	0.11	44,44,44,44	0
54	MG	1A	3147	1/1	0.97	0.06	34,34,34,34	0
54	MG	1A	3790	1/1	0.97	0.08	44,44,44,44	0
54	MG	1Q	204	1/1	0.97	0.06	43,43,43,43	0
54	MG	1A	3192	1/1	0.97	0.21	39,39,39,39	0
54	MG	1R	201	1/1	0.97	0.09	41,41,41,41	0
54	MG	2A	3214	1/1	0.97	0.05	61,61,61,61	0
54	MG	2F	304	1/1	0.97	0.12	48,48,48,48	0
54	MG	1A	3337	1/1	0.97	0.21	47,47,47,47	0
54	MG	1A	3539	1/1	0.97	0.07	51,51,51,51	0
54	MG	1A	3250	1/1	0.97	0.24	41,41,41,41	0
54	MG	2Q	201	1/1	0.97	0.17	61,61,61,61	0
54	MG	2Q	202	1/1	0.97	0.24	56,56,56,56	0
54	MG	1A	3059	1/1	0.97	0.07	30,30,30,30	0
54	MG	1A	3252	1/1	0.97	0.21	52,52,52,52	0
54	MG	1A	3150	1/1	0.97	0.17	39,39,39,39	0
54	MG	1A	3799	1/1	0.97	0.06	69,69,69,69	0
54	MG	2T	202	1/1	0.97	0.07	70,70,70,70	0
54	MG	1U	202	1/1	0.97	0.12	39,39,39,39	0
54	MG	1A	3546	1/1	0.97	0.07	33,33,33,33	0
54	MG	1A	3801	1/1	0.97	0.05	72,72,72,72	0
54	MG	1U	206	1/1	0.97	0.17	36,36,36,36	0
54	MG	2W	201	1/1	0.97	0.20	50,50,50,50	0
54	MG	1a	1729	1/1	0.97	0.14	46,46,46,46	0
54	MG	2A	3007	1/1	0.97	0.07	49,49,49,49	0
54	MG	1A	3037	1/1	0.97	0.07	51,51,51,51	0
54	MG	2A	3009	1/1	0.97	0.09	43,43,43,43	0
54	MG	2A	3467	1/1	0.97	0.07	58,58,58,58	0
54	MG	1A	3665	1/1	0.97	0.06	54,54,54,54	0
54	MG	2A	3234	1/1	0.97	0.07	43,43,43,43	0
54	MG	1A	3955	1/1	0.97	0.07	65,65,65,65	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
54	MG	25	102	1/1	0.97	0.18	50,50,50,50	0
54	MG	1A	3108	1/1	0.97	0.36	35,35,35,35	0
54	MG	28	101	1/1	0.97	0.06	52,52,52,52	0
54	MG	2A	3238	1/1	0.97	0.07	50,50,50,50	0
54	MG	2A	3239	1/1	0.97	0.08	44,44,44,44	0
54	MG	2A	3013	1/1	0.97	0.10	27,27,27,27	0
54	MG	1A	3022	1/1	0.97	0.07	55,55,55,55	0
54	MG	1A	3958	1/1	0.97	0.10	33,33,33,33	0
54	MG	1A	3443	1/1	0.97	0.09	27,27,27,27	0
54	MG	1A	3551	1/1	0.97	0.11	53,53,53,53	0
54	MG	1Y	201	1/1	0.97	0.11	63,63,63,63	0
54	MG	1A	3444	1/1	0.97	0.10	33,33,33,33	0
54	MG	1A	3962	1/1	0.97	0.12	51,51,51,51	0
54	MG	10	101	1/1	0.97	0.08	50,50,50,50	0
54	MG	2A	3483	1/1	0.97	0.06	75,75,75,75	0
54	MG	1A	3445	1/1	0.97	0.06	20,20,20,20	0
54	MG	1A	3019	1/1	0.97	0.17	29,29,29,29	0
54	MG	2A	3026	1/1	0.97	0.12	46,46,46,46	0
54	MG	1A	3556	1/1	0.97	0.05	34,34,34,34	0
54	MG	2A	3489	1/1	0.97	0.06	76,76,76,76	0
54	MG	2A	3028	1/1	0.97	0.04	31,31,31,31	0
54	MG	1A	3063	1/1	0.97	0.07	40,40,40,40	0
54	MG	1A	3115	1/1	0.97	0.19	35,35,35,35	0
54	MG	2a	3021	1/1	0.97	0.07	51,51,51,51	0
54	MG	1A	3157	1/1	0.97	0.16	42,42,42,42	0
54	MG	2A	3258	1/1	0.97	0.04	49,49,49,49	0
54	MG	1a	1750	1/1	0.97	0.12	45,45,45,45	0
54	MG	1A	3351	1/1	0.97	0.05	39,39,39,39	0
54	MG	1A	3265	1/1	0.97	0.11	36,36,36,36	0
54	MG	1A	3031	1/1	0.97	0.12	22,22,22,22	0
54	MG	1A	3972	1/1	0.97	0.07	47,47,47,47	0
54	MG	11	104	1/1	0.97	0.06	51,51,51,51	0
54	MG	2A	3265	1/1	0.97	0.08	50,50,50,50	0
54	MG	1A	3819	1/1	0.97	0.06	48,48,48,48	0
54	MG	2A	3269	1/1	0.97	0.11	68,68,68,68	0
54	MG	1A	3975	1/1	0.97	0.04	31,31,31,31	0
54	MG	1A	3117	1/1	0.97	0.06	40,40,40,40	0
54	MG	1A	3823	1/1	0.97	0.08	48,48,48,48	0
54	MG	2A	3042	1/1	0.97	0.05	28,28,28,28	0
54	MG	1A	3206	1/1	0.97	0.16	43,43,43,43	0
54	MG	15	101	1/1	0.97	0.15	34,34,34,34	0
54	MG	1A	3358	1/1	0.97	0.08	43,43,43,43	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
54	MG	1A	3568	1/1	0.97	0.07	54,54,54,54	0
54	MG	1A	3271	1/1	0.97	0.22	35,35,35,35	0
54	MG	1A	3361	1/1	0.97	0.06	44,44,44,44	0
54	MG	1A	3830	1/1	0.97	0.15	35,35,35,35	0
54	MG	2A	3050	1/1	0.97	0.16	47,47,47,47	0
54	MG	17	101	1/1	0.97	0.06	42,42,42,42	0
54	MG	17	102	1/1	0.97	0.06	41,41,41,41	0
54	MG	1A	3273	1/1	0.97	0.07	55,55,55,55	0
54	MG	1A	3162	1/1	0.97	0.24	36,36,36,36	0
54	MG	17	105	1/1	0.97	0.07	50,50,50,50	0
54	MG	1A	3046	1/1	0.97	0.14	19,19,19,19	0
54	MG	1A	3016	1/1	0.97	0.17	37,37,37,37	0
54	MG	19	101	1/1	0.97	0.13	61,61,61,61	0
54	MG	1A	3210	1/1	0.97	0.07	45,45,45,45	0
54	MG	1a	1777	1/1	0.97	0.08	51,51,51,51	0
54	MG	1A	3087	1/1	0.97	0.21	45,45,45,45	0
54	MG	1A	3168	1/1	0.97	0.10	44,44,44,44	0
54	MG	2A	3530	1/1	0.97	0.06	54,54,54,54	0
54	MG	1A	3995	1/1	0.97	0.05	21,21,21,21	0
54	MG	1A	3281	1/1	0.97	0.21	43,43,43,43	0
54	MG	1a	1782	1/1	0.97	0.10	64,64,64,64	0
54	MG	1A	3282	1/1	0.97	0.07	35,35,35,35	0
54	MG	2A	3069	1/1	0.97	0.05	28,28,28,28	0
54	MG	2A	3071	1/1	0.97	0.06	55,55,55,55	0
54	MG	2A	3072	1/1	0.97	0.10	55,55,55,55	0
54	MG	1A	3582	1/1	0.97	0.23	48,48,48,48	0
54	MG	2A	3074	1/1	0.97	0.07	42,42,42,42	0
54	MG	1A	3213	1/1	0.97	0.20	50,50,50,50	0
54	MG	1A	3285	1/1	0.97	0.12	34,34,34,34	0
54	MG	1A	3126	1/1	0.97	0.13	34,34,34,34	0
54	MG	1A	3215	1/1	0.97	0.12	45,45,45,45	0
54	MG	2A	3547	1/1	0.97	0.06	29,29,29,29	0
54	MG	1A	3216	1/1	0.97	0.20	43,43,43,43	0
54	MG	1A	3379	1/1	0.97	0.04	19,19,19,19	0
54	MG	1A	3380	1/1	0.97	0.05	46,46,46,46	0
54	MG	1A	3289	1/1	0.97	0.09	53,53,53,53	0
54	MG	1A	3592	1/1	0.97	0.12	44,44,44,44	0
54	MG	1A	4008	1/1	0.97	0.07	40,40,40,40	0
54	MG	1A	3290	1/1	0.97	0.06	66,66,66,66	0
54	MG	1A	3127	1/1	0.97	0.07	38,38,38,38	0
54	MG	1A	3385	1/1	0.97	0.05	34,34,34,34	0
54	MG	2A	3089	1/1	0.97	0.07	36,36,36,36	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
54	MG	2A	3090	1/1	0.97	0.12	73,73,73,73	0
54	MG	1A	3049	1/1	0.97	0.15	54,54,54,54	0
54	MG	1A	3219	1/1	0.97	0.11	48,48,48,48	0
54	MG	1A	3714	1/1	0.97	0.08	52,52,52,52	0
54	MG	1A	4016	1/1	0.97	0.07	45,45,45,45	0
54	MG	1A	3220	1/1	0.97	0.09	28,28,28,28	0
54	MG	1A	3033	1/1	0.97	0.06	47,47,47,47	0
54	MG	1A	3174	1/1	0.97	0.09	45,45,45,45	0
54	MG	1A	3865	1/1	0.97	0.06	38,38,38,38	0
54	MG	1a	1629	1/1	0.97	0.32	69,69,69,69	0
54	MG	1A	3130	1/1	0.97	0.12	50,50,50,50	0
54	MG	1A	3301	1/1	0.97	0.08	34,34,34,34	0
54	MG	1A	3302	1/1	0.97	0.06	49,49,49,49	0
54	MG	2A	3103	1/1	0.97	0.21	47,47,47,47	0
54	MG	1A	3305	1/1	0.97	0.10	41,41,41,41	0
54	MG	1A	3727	1/1	0.97	0.27	42,42,42,42	0
54	MG	1A	3306	1/1	0.97	0.12	35,35,35,35	0
54	MG	1A	3730	1/1	0.97	0.05	32,32,32,32	0
54	MG	1A	3224	1/1	0.97	0.17	30,30,30,30	0
54	MG	2A	3578	1/1	0.97	0.05	65,65,65,65	0
54	MG	1a	1816	1/1	0.97	0.07	65,65,65,65	0
54	MG	2A	3112	1/1	0.97	0.17	51,51,51,51	0
54	MG	1A	3732	1/1	0.97	0.05	32,32,32,32	0
54	MG	1A	3091	1/1	0.97	0.07	39,39,39,39	0
54	MG	1A	3309	1/1	0.97	0.06	51,51,51,51	0
54	MG	1A	3132	1/1	0.97	0.07	70,70,70,70	0
54	MG	2A	3119	1/1	0.97	0.12	47,47,47,47	0
54	MG	2A	3590	1/1	0.97	0.15	60,60,60,60	0
54	MG	2A	3120	1/1	0.97	0.11	56,56,56,56	0
54	MG	1A	3611	1/1	0.97	0.09	60,60,60,60	0
54	MG	2A	3593	1/1	0.97	0.07	65,65,65,65	0
54	MG	1A	3500	1/1	0.97	0.08	32,32,32,32	0
54	MG	1A	3613	1/1	0.97	0.06	45,45,45,45	0
54	MG	1A	3740	1/1	0.97	0.06	33,33,33,33	0
54	MG	1A	3227	1/1	0.97	0.10	48,48,48,48	0
54	MG	2A	3127	1/1	0.97	0.07	41,41,41,41	0
54	MG	2A	3599	1/1	0.97	0.09	38,38,38,38	0
54	MG	1A	3885	1/1	0.97	0.05	47,47,47,47	0
54	MG	1A	3402	1/1	0.97	0.06	34,34,34,34	0
54	MG	2A	3602	1/1	0.97	0.05	46,46,46,46	0
54	MG	1B	219	1/1	0.97	0.08	40,40,40,40	0
54	MG	1A	3887	1/1	0.97	0.07	28,28,28,28	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
54	MG	1A	3616	1/1	0.97	0.10	61,61,61,61	0
54	MG	1B	222	1/1	0.97	0.06	55,55,55,55	0
54	MG	2A	3609	1/1	0.97	0.08	63,63,63,63	0
54	MG	2A	3610	1/1	0.97	0.06	49,49,49,49	0
54	MG	1A	3092	1/1	0.97	0.08	45,45,45,45	0
54	MG	1A	3313	1/1	0.97	0.21	38,38,38,38	0
54	MG	1A	3747	1/1	0.97	0.11	34,34,34,34	0
54	MG	1A	3001	1/1	0.97	0.06	42,42,42,42	0
54	MG	2A	3370	1/1	0.97	0.11	49,49,49,49	0
54	MG	1A	3507	1/1	0.97	0.06	29,29,29,29	0
54	MG	2A	3372	1/1	0.97	0.04	61,61,61,61	0
54	MG	1a	1838	1/1	0.97	0.09	58,58,58,58	0
54	MG	1A	3621	1/1	0.97	0.09	64,64,64,64	0
54	MG	1A	3230	1/1	0.97	0.11	41,41,41,41	0
54	MG	2A	3377	1/1	0.97	0.06	67,67,67,67	0
54	MG	2A	3143	1/1	0.97	0.10	49,49,49,49	0
54	MG	1A	3318	1/1	0.97	0.22	39,39,39,39	0
54	MG	1A	3625	1/1	0.97	0.09	51,51,51,51	0
54	MG	1a	1666	1/1	0.97	0.07	67,67,67,67	0
54	MG	2A	3626	1/1	0.97	0.06	62,62,62,62	0
54	MG	1D	305	1/1	0.97	0.16	47,47,47,47	0
54	MG	1D	307	1/1	0.97	0.04	43,43,43,43	0
54	MG	2A	3149	1/1	0.97	0.12	53,53,53,53	0
54	MG	2A	3150	1/1	0.97	0.14	60,60,60,60	0
54	MG	1A	3319	1/1	0.97	0.16	29,29,29,29	0
54	MG	1A	3511	1/1	0.97	0.11	33,33,33,33	0
54	MG	1A	3409	1/1	0.97	0.07	26,26,26,26	0
54	MG	1D	311	1/1	0.97	0.21	32,32,32,32	0
54	MG	1A	3513	1/1	0.97	0.06	49,49,49,49	0
54	MG	1A	3411	1/1	0.97	0.05	31,31,31,31	0
54	MG	1A	3907	1/1	0.97	0.04	39,39,39,39	0
54	MG	2A	3394	1/1	0.97	0.07	52,52,52,52	0
54	MG	1a	1853	1/1	0.97	0.11	65,65,65,65	0
54	MG	1D	315	1/1	0.97	0.08	63,63,63,63	0
54	MG	2A	3160	1/1	0.97	0.22	59,59,59,59	0
54	MG	2a	3163	1/1	0.97	0.06	54,54,54,54	0
54	MG	2a	3164	1/1	0.97	0.05	78,78,78,78	0
54	MG	1D	316	1/1	0.97	0.10	50,50,50,50	0
54	MG	1a	1857	1/1	0.97	0.06	62,62,62,62	0
54	MG	1A	3909	1/1	0.97	0.09	63,63,63,63	0
54	MG	1A	3231	1/1	0.97	0.18	37,37,37,37	0
54	MG	1A	3321	1/1	0.97	0.15	33,33,33,33	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
54	MG	1E	309	1/1	0.97	0.07	61,61,61,61	0
54	MG	1a	1862	1/1	0.97	0.06	49,49,49,49	0
54	MG	1A	3414	1/1	0.97	0.09	25,25,25,25	0
54	MG	2A	3650	1/1	0.97	0.06	37,37,37,37	0
54	MG	2a	3175	1/1	0.97	0.06	70,70,70,70	0
54	MG	1A	3415	1/1	0.97	0.10	30,30,30,30	0
54	MG	1F	306	1/1	0.97	0.11	29,29,29,29	0
54	MG	2A	3408	1/1	0.97	0.10	68,68,68,68	0
54	MG	1F	307	1/1	0.97	0.09	37,37,37,37	0
54	MG	1A	3181	1/1	0.97	0.23	42,42,42,42	0
54	MG	2a	3181	1/1	0.97	0.10	59,59,59,59	0
54	MG	1A	3183	1/1	0.97	0.12	33,33,33,33	0
54	MG	1A	3770	1/1	0.97	0.12	58,58,58,58	0
54	MG	1A	3236	1/1	0.97	0.31	42,42,42,42	0
54	MG	2A	3415	1/1	0.97	0.11	57,57,57,57	0
54	MG	1A	3918	1/1	0.97	0.08	26,26,26,26	0
54	MG	1A	3094	1/1	0.97	0.09	38,38,38,38	0
54	MG	2A	3663	1/1	0.97	0.13	58,58,58,58	0
54	MG	1A	3421	1/1	0.97	0.20	60,60,60,60	0
54	MG	1A	3921	1/1	0.97	0.07	52,52,52,52	0
54	MG	1A	3642	1/1	0.97	0.06	36,36,36,36	0
54	MG	1A	3054	1/1	0.97	0.11	31,31,31,31	0
54	MG	1A	3776	1/1	0.97	0.05	30,30,30,30	0
54	MG	1a	1878	1/1	0.97	0.06	61,61,61,61	0
54	MG	1a	1697	1/1	0.97	0.12	51,51,51,51	0
54	MG	2A	3190	1/1	0.97	0.06	54,54,54,54	0
54	MG	1A	3056	1/1	0.97	0.08	34,34,34,34	0
54	MG	1A	3140	1/1	0.97	0.20	30,30,30,30	0
54	MG	2B	204	1/1	0.97	0.18	57,57,57,57	0
54	MG	1H	202	1/1	0.97	0.06	46,46,46,46	0
54	MG	2A	3431	1/1	0.97	0.07	45,45,45,45	0
54	MG	1A	3057	1/1	0.97	0.17	43,43,43,43	0
54	MG	1N	202	1/1	0.97	0.09	40,40,40,40	0
54	MG	2A	3196	1/1	0.97	0.09	64,64,64,64	0
54	MG	1A	3028	1/1	0.97	0.12	34,34,34,34	0
54	MG	1A	3332	1/1	0.97	0.05	25,25,25,25	0
54	MG	1A	3246	1/1	0.97	0.20	37,37,37,37	0
54	MG	1P	201	1/1	0.97	0.21	38,38,38,38	0
54	MG	1A	3650	1/1	0.97	0.08	34,34,34,34	0
54	MG	2A	3202	1/1	0.97	0.14	44,44,44,44	0
54	MG	2D	302	1/1	0.97	0.07	44,44,44,44	0
54	MG	1P	203	1/1	0.97	0.12	34,34,34,34	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
59	ZN	14	501	1/1	0.97	0.11	118,118,118,118	0
59	ZN	24	501	1/1	0.97	0.15	121,121,121,121	0
60	SF4	2d	501	8/8	0.97	0.06	69,84,87,92	0
54	MG	1A	3159	1/1	0.98	0.09	34,34,34,34	0
54	MG	1A	3410	1/1	0.98	0.11	31,31,31,31	0
54	MG	2A	3266	1/1	0.98	0.10	38,38,38,38	0
54	MG	2A	3113	1/1	0.98	0.05	48,48,48,48	0
54	MG	2A	3268	1/1	0.98	0.07	33,33,33,33	0
54	MG	2A	3604	1/1	0.98	0.05	71,71,71,71	0
54	MG	1A	3829	1/1	0.98	0.18	42,42,42,42	0
54	MG	1A	3199	1/1	0.98	0.08	37,37,37,37	0
54	MG	1A	3728	1/1	0.98	0.11	36,36,36,36	0
54	MG	1A	3639	1/1	0.98	0.11	60,60,60,60	0
54	MG	2A	3118	1/1	0.98	0.13	42,42,42,42	0
54	MG	1A	3125	1/1	0.98	0.10	34,34,34,34	0
54	MG	1a	1751	1/1	0.98	0.05	61,61,61,61	0
54	MG	1A	3834	1/1	0.98	0.04	34,34,34,34	0
54	MG	2A	3278	1/1	0.98	0.05	47,47,47,47	0
54	MG	2A	3279	1/1	0.98	0.04	50,50,50,50	0
54	MG	1A	3161	1/1	0.98	0.07	36,36,36,36	0
54	MG	1A	3295	1/1	0.98	0.11	27,27,27,27	0
54	MG	1E	302	1/1	0.98	0.25	45,45,45,45	0
54	MG	1E	304	1/1	0.98	0.08	29,29,29,29	0
54	MG	1A	3297	1/1	0.98	0.09	41,41,41,41	0
54	MG	1A	3353	1/1	0.98	0.07	40,40,40,40	0
54	MG	1A	3072	1/1	0.98	0.14	34,34,34,34	0
54	MG	1A	3566	1/1	0.98	0.05	52,52,52,52	0
54	MG	1F	301	1/1	0.98	0.05	35,35,35,35	0
54	MG	1F	302	1/1	0.98	0.17	31,31,31,31	0
54	MG	1A	3163	1/1	0.98	0.13	38,38,38,38	0
54	MG	1A	3356	1/1	0.98	0.08	27,27,27,27	0
54	MG	1A	3420	1/1	0.98	0.04	28,28,28,28	0
54	MG	1A	3003	1/1	0.98	0.04	31,31,31,31	0
54	MG	1A	3074	1/1	0.98	0.05	31,31,31,31	0
54	MG	1F	309	1/1	0.98	0.08	39,39,39,39	0
54	MG	1A	3652	1/1	0.98	0.16	37,37,37,37	0
54	MG	1A	3423	1/1	0.98	0.04	26,26,26,26	0
54	MG	1a	1639	1/1	0.98	0.05	35,35,35,35	0
54	MG	1A	3095	1/1	0.98	0.16	39,39,39,39	0
54	MG	1A	3360	1/1	0.98	0.07	42,42,42,42	0
54	MG	1A	3852	1/1	0.98	0.09	47,47,47,47	0
54	MG	1A	3748	1/1	0.98	0.06	50,50,50,50	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
54	MG	1A	3854	1/1	0.98	0.04	50,50,50,50	0
54	MG	2A	3004	1/1	0.98	0.05	42,42,42,42	0
54	MG	1A	3303	1/1	0.98	0.07	43,43,43,43	0
54	MG	1A	3751	1/1	0.98	0.05	46,46,46,46	0
54	MG	1A	3304	1/1	0.98	0.12	47,47,47,47	0
54	MG	1A	3974	1/1	0.98	0.12	47,47,47,47	0
54	MG	1G	204	1/1	0.98	0.12	57,57,57,57	0
54	MG	1A	3577	1/1	0.98	0.07	42,42,42,42	0
54	MG	1A	3659	1/1	0.98	0.04	31,31,31,31	0
54	MG	1A	3428	1/1	0.98	0.04	33,33,33,33	0
54	MG	1A	3363	1/1	0.98	0.05	47,47,47,47	0
54	MG	2A	3014	1/1	0.98	0.07	60,60,60,60	0
54	MG	2A	3015	1/1	0.98	0.13	38,38,38,38	0
54	MG	1a	1655	1/1	0.98	0.09	47,47,47,47	0
54	MG	2A	3653	1/1	0.98	0.10	55,55,55,55	0
54	MG	1A	3055	1/1	0.98	0.13	36,36,36,36	0
54	MG	1A	3980	1/1	0.98	0.07	26,26,26,26	0
54	MG	1A	3981	1/1	0.98	0.05	33,33,33,33	0
54	MG	1A	3098	1/1	0.98	0.05	20,20,20,20	0
54	MG	1A	3505	1/1	0.98	0.06	45,45,45,45	0
54	MG	1A	3984	1/1	0.98	0.06	55,55,55,55	0
54	MG	2A	3488	1/1	0.98	0.05	46,46,46,46	0
54	MG	1a	1662	1/1	0.98	0.08	68,68,68,68	0
54	MG	2A	3328	1/1	0.98	0.07	43,43,43,43	0
54	MG	1A	3015	1/1	0.98	0.05	35,35,35,35	0
54	MG	1A	3171	1/1	0.98	0.14	43,43,43,43	0
54	MG	1A	3667	1/1	0.98	0.20	48,48,48,48	0
54	MG	2A	3171	1/1	0.98	0.12	51,51,51,51	0
54	MG	1A	3668	1/1	0.98	0.08	32,32,32,32	0
54	MG	1A	3764	1/1	0.98	0.03	30,30,30,30	0
54	MG	1A	3133	1/1	0.98	0.04	35,35,35,35	0
54	MG	1A	3007	1/1	0.98	0.07	39,39,39,39	0
54	MG	1A	3371	1/1	0.98	0.04	23,23,23,23	0
54	MG	2A	3177	1/1	0.98	0.17	44,44,44,44	0
54	MG	1A	3101	1/1	0.98	0.05	38,38,38,38	0
54	MG	1A	3769	1/1	0.98	0.04	39,39,39,39	0
54	MG	2A	3180	1/1	0.98	0.14	38,38,38,38	0
54	MG	2A	3504	1/1	0.98	0.09	41,41,41,41	0
54	MG	1A	3040	1/1	0.98	0.10	39,39,39,39	0
54	MG	2A	3343	1/1	0.98	0.09	67,67,67,67	0
54	MG	1A	3591	1/1	0.98	0.08	32,32,32,32	0
54	MG	1A	3005	1/1	0.98	0.09	25,25,25,25	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
54	MG	1A	3261	1/1	0.98	0.17	40,40,40,40	0
54	MG	2A	3185	1/1	0.98	0.19	43,43,43,43	0
54	MG	1A	3315	1/1	0.98	0.04	25,25,25,25	0
54	MG	1A	3316	1/1	0.98	0.15	46,46,46,46	0
54	MG	2A	3188	1/1	0.98	0.12	25,25,25,25	0
54	MG	2A	3351	1/1	0.98	0.04	52,52,52,52	0
54	MG	1U	203	1/1	0.98	0.30	37,37,37,37	0
54	MG	1A	3104	1/1	0.98	0.27	35,35,35,35	0
54	MG	1A	3681	1/1	0.98	0.12	51,51,51,51	0
54	MG	1A	3263	1/1	0.98	0.11	48,48,48,48	0
54	MG	1U	207	1/1	0.98	0.11	48,48,48,48	0
54	MG	1A	3264	1/1	0.98	0.07	53,53,53,53	0
54	MG	1A	3139	1/1	0.98	0.10	32,32,32,32	0
54	MG	2a	3135	1/1	0.98	0.14	58,58,58,58	0
54	MG	2E	303	1/1	0.98	0.04	50,50,50,50	0
54	MG	1V	201	1/1	0.98	0.06	29,29,29,29	0
54	MG	1V	202	1/1	0.98	0.09	35,35,35,35	0
54	MG	1A	3266	1/1	0.98	0.12	39,39,39,39	0
54	MG	2a	3140	1/1	0.98	0.11	68,68,68,68	0
54	MG	1A	3783	1/1	0.98	0.07	35,35,35,35	0
54	MG	1A	3522	1/1	0.98	0.05	51,51,51,51	0
54	MG	1A	3523	1/1	0.98	0.09	57,57,57,57	0
54	MG	1A	3383	1/1	0.98	0.13	61,61,61,61	0
54	MG	1A	4012	1/1	0.98	0.04	60,60,60,60	0
54	MG	2A	3531	1/1	0.98	0.06	50,50,50,50	0
54	MG	1A	3787	1/1	0.98	0.04	37,37,37,37	0
54	MG	1A	3604	1/1	0.98	0.13	54,54,54,54	0
54	MG	1A	3042	1/1	0.98	0.10	36,36,36,36	0
54	MG	2A	3207	1/1	0.98	0.07	45,45,45,45	0
54	MG	2R	201	1/1	0.98	0.06	47,47,47,47	0
54	MG	1A	3044	1/1	0.98	0.13	34,34,34,34	0
54	MG	1A	3182	1/1	0.98	0.04	31,31,31,31	0
54	MG	2a	3155	1/1	0.98	0.13	56,56,56,56	0
54	MG	2A	3373	1/1	0.98	0.04	46,46,46,46	0
54	MG	1A	3270	1/1	0.98	0.14	40,40,40,40	0
54	MG	1a	1832	1/1	0.98	0.05	63,63,63,63	0
54	MG	1A	3107	1/1	0.98	0.05	33,33,33,33	0
54	MG	1A	3902	1/1	0.98	0.04	54,54,54,54	0
54	MG	1A	3045	1/1	0.98	0.14	32,32,32,32	0
54	MG	2A	3065	1/1	0.98	0.07	52,52,52,52	0
54	MG	1A	3144	1/1	0.98	0.10	35,35,35,35	0
54	MG	1A	3391	1/1	0.98	0.05	32,32,32,32	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
54	MG	1A	3145	1/1	0.98	0.11	26,26,26,26	0
54	MG	2A	3070	1/1	0.98	0.15	48,48,48,48	0
54	MG	1A	3276	1/1	0.98	0.10	38,38,38,38	0
54	MG	1A	3331	1/1	0.98	0.07	36,36,36,36	0
54	MG	1A	3024	1/1	0.98	0.14	29,29,29,29	0
54	MG	1A	3018	1/1	0.98	0.14	34,34,34,34	0
54	MG	25	103	1/1	0.98	0.05	61,61,61,61	0
54	MG	1A	3112	1/1	0.98	0.19	37,37,37,37	0
54	MG	2A	3225	1/1	0.98	0.09	61,61,61,61	0
54	MG	13	101	1/1	0.98	0.09	35,35,35,35	0
54	MG	2A	3228	1/1	0.98	0.06	46,46,46,46	0
54	MG	2A	3392	1/1	0.98	0.08	41,41,41,41	0
54	MG	2A	3077	1/1	0.98	0.05	44,44,44,44	0
54	MG	1A	3026	1/1	0.98	0.14	35,35,35,35	0
54	MG	1A	3467	1/1	0.98	0.05	31,31,31,31	0
54	MG	1B	207	1/1	0.98	0.10	49,49,49,49	0
54	MG	1A	3543	1/1	0.98	0.05	26,26,26,26	0
54	MG	15	102	1/1	0.98	0.19	38,38,38,38	0
54	MG	2a	3009	1/1	0.98	0.04	66,66,66,66	0
54	MG	1A	3050	1/1	0.98	0.09	44,44,44,44	0
54	MG	2A	3236	1/1	0.98	0.06	44,44,44,44	0
54	MG	2A	3568	1/1	0.98	0.04	60,60,60,60	0
54	MG	1A	3013	1/1	0.98	0.03	20,20,20,20	0
54	MG	1B	211	1/1	0.98	0.14	54,54,54,54	0
54	MG	1B	212	1/1	0.98	0.05	44,44,44,44	0
54	MG	1A	3624	1/1	0.98	0.17	40,40,40,40	0
54	MG	1A	3088	1/1	0.98	0.35	36,36,36,36	0
54	MG	1A	3339	1/1	0.98	0.07	24,24,24,24	0
54	MG	1A	3036	1/1	0.98	0.06	34,34,34,34	0
54	MG	1A	3474	1/1	0.98	0.07	44,44,44,44	0
54	MG	1A	3234	1/1	0.98	0.14	34,34,34,34	0
54	MG	1A	3715	1/1	0.98	0.20	43,43,43,43	0
54	MG	1A	3716	1/1	0.98	0.03	41,41,41,41	0
54	MG	2A	3582	1/1	0.98	0.05	61,61,61,61	0
54	MG	2A	3583	1/1	0.98	0.05	59,59,59,59	0
54	MG	1A	3817	1/1	0.98	0.11	41,41,41,41	0
54	MG	1A	3053	1/1	0.98	0.06	34,34,34,34	0
54	MG	1A	3237	1/1	0.98	0.24	38,38,38,38	0
54	MG	1a	1732	1/1	0.98	0.07	46,46,46,46	0
54	MG	1A	3071	1/1	0.98	0.14	39,39,39,39	0
54	MG	1A	3821	1/1	0.98	0.05	40,40,40,40	0
54	MG	1A	3937	1/1	0.98	0.07	61,61,61,61	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
54	MG	1A	3822	1/1	0.98	0.06	49,49,49,49	0
54	MG	1A	3123	1/1	0.98	0.10	30,30,30,30	0
54	MG	2A	3104	1/1	0.98	0.08	39,39,39,39	0
54	MG	1A	3722	1/1	0.98	0.05	30,30,30,30	0
54	MG	1A	3555	1/1	0.98	0.07	37,37,37,37	0
54	MG	1D	304	1/1	0.98	0.05	47,47,47,47	0
59	ZN	1n	102	1/1	0.98	0.04	84,84,84,84	0
54	MG	1A	3724	1/1	0.98	0.08	46,46,46,46	0
59	ZN	2n	102	1/1	0.98	0.06	95,95,95,95	0
60	SF4	1d	304	8/8	0.98	0.06	60,68,72,73	0
54	MG	1D	306	1/1	0.98	0.05	17,17,17,17	0
54	MG	1A	3540	1/1	0.99	0.03	25,25,25,25	0
54	MG	1E	303	1/1	0.99	0.09	37,37,37,37	0
54	MG	1A	3906	1/1	0.99	0.06	34,34,34,34	0
54	MG	1A	3482	1/1	0.99	0.03	38,38,38,38	0
54	MG	2A	3429	1/1	0.99	0.04	37,37,37,37	0
54	MG	2A	3123	1/1	0.99	0.04	43,43,43,43	0
54	MG	1E	306	1/1	0.99	0.04	38,38,38,38	0
54	MG	1A	3908	1/1	0.99	0.07	61,61,61,61	0
54	MG	1A	3741	1/1	0.99	0.03	35,35,35,35	0
54	MG	1A	3862	1/1	0.99	0.06	41,41,41,41	0
54	MG	2A	3274	1/1	0.99	0.11	44,44,44,44	0
54	MG	1A	3780	1/1	0.99	0.04	43,43,43,43	0
54	MG	2A	3606	1/1	0.99	0.03	42,42,42,42	0
54	MG	1A	3097	1/1	0.99	0.09	36,36,36,36	0
54	MG	1F	303	1/1	0.99	0.15	42,42,42,42	0
54	MG	1A	3259	1/1	0.99	0.20	32,32,32,32	0
54	MG	1A	3364	1/1	0.99	0.03	33,33,33,33	0
54	MG	1A	3241	1/1	0.99	0.08	35,35,35,35	0
54	MG	2A	3281	1/1	0.99	0.06	39,39,39,39	0
54	MG	2a	3148	1/1	0.99	0.05	56,56,56,56	0
54	MG	2A	3525	1/1	0.99	0.09	40,40,40,40	0
54	MG	2A	3134	1/1	0.99	0.15	42,42,42,42	0
54	MG	1A	3675	1/1	0.99	0.03	43,43,43,43	0
54	MG	1A	3122	1/1	0.99	0.07	34,34,34,34	0
54	MG	1A	3460	1/1	0.99	0.03	31,31,31,31	0
54	MG	1A	3749	1/1	0.99	0.05	23,23,23,23	0
54	MG	2A	3067	1/1	0.99	0.13	37,37,37,37	0
54	MG	1A	3579	1/1	0.99	0.06	53,53,53,53	0
54	MG	1A	3114	1/1	0.99	0.16	33,33,33,33	0
54	MG	1A	3922	1/1	0.99	0.03	19,19,19,19	0
54	MG	1A	3462	1/1	0.99	0.04	49,49,49,49	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
54	MG	2A	3536	1/1	0.99	0.04	50,50,50,50	0
54	MG	1A	3124	1/1	0.99	0.10	26,26,26,26	0
54	MG	1A	3925	1/1	0.99	0.03	45,45,45,45	0
54	MG	1A	3065	1/1	0.99	0.05	34,34,34,34	0
54	MG	1A	3284	1/1	0.99	0.05	27,27,27,27	0
54	MG	2A	3296	1/1	0.99	0.04	43,43,43,43	0
54	MG	1A	3146	1/1	0.99	0.08	45,45,45,45	0
54	MG	1A	3796	1/1	0.99	0.04	21,21,21,21	0
54	MG	1A	3349	1/1	0.99	0.06	30,30,30,30	0
54	MG	2A	3545	1/1	0.99	0.04	49,49,49,49	0
54	MG	2A	3300	1/1	0.99	0.03	39,39,39,39	0
54	MG	2A	3301	1/1	0.99	0.04	46,46,46,46	0
54	MG	1A	3881	1/1	0.99	0.03	54,54,54,54	0
54	MG	1A	3932	1/1	0.99	0.06	51,51,51,51	0
54	MG	2a	3174	1/1	0.99	0.04	59,59,59,59	0
54	MG	1A	3525	1/1	0.99	0.06	27,27,27,27	0
54	MG	1a	1651	1/1	0.99	0.09	53,53,53,53	0
54	MG	2A	3227	1/1	0.99	0.04	35,35,35,35	0
54	MG	15	103	1/1	0.99	0.17	24,24,24,24	0
54	MG	1B	218	1/1	0.99	0.06	39,39,39,39	0
54	MG	1A	3934	1/1	0.99	0.03	50,50,50,50	0
54	MG	1A	3883	1/1	0.99	0.05	35,35,35,35	0
54	MG	1a	1856	1/1	0.99	0.04	59,59,59,59	0
54	MG	1A	3721	1/1	0.99	0.04	38,38,38,38	0
54	MG	1A	3840	1/1	0.99	0.05	51,51,51,51	0
54	MG	1A	3992	1/1	0.99	0.05	45,45,45,45	0
54	MG	1A	3468	1/1	0.99	0.04	31,31,31,31	0
54	MG	1A	3043	1/1	0.99	0.04	19,19,19,19	0
54	MG	1A	3940	1/1	0.99	0.05	51,51,51,51	0
54	MG	1A	3148	1/1	0.99	0.10	42,42,42,42	0
54	MG	1Q	201	1/1	0.99	0.05	38,38,38,38	0
54	MG	1A	3942	1/1	0.99	0.03	54,54,54,54	0
54	MG	1A	3889	1/1	0.99	0.07	45,45,45,45	0
54	MG	1A	3048	1/1	0.99	0.06	26,26,26,26	0
54	MG	1A	3560	1/1	0.99	0.05	44,44,44,44	0
54	MG	1D	303	1/1	0.99	0.07	41,41,41,41	0
54	MG	1a	1603	1/1	0.99	0.06	50,50,50,50	0
54	MG	1A	3203	1/1	0.99	0.09	47,47,47,47	0
54	MG	1A	3446	1/1	0.99	0.04	35,35,35,35	0
54	MG	1A	3118	1/1	0.99	0.10	30,30,30,30	0
54	MG	1A	3235	1/1	0.99	0.14	33,33,33,33	0
54	MG	1A	3272	1/1	0.99	0.26	33,33,33,33	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
54	MG	1A	3176	1/1	0.99	0.07	37,37,37,37	0
54	MG	1A	3733	1/1	0.99	0.04	45,45,45,45	0
54	MG	2A	3109	1/1	0.99	0.09	36,36,36,36	0
54	MG	2A	3580	1/1	0.99	0.07	39,39,39,39	0
54	MG	2A	3581	1/1	0.99	0.08	43,43,43,43	0
54	MG	1a	1810	1/1	0.99	0.04	63,63,63,63	0
54	MG	2A	3414	1/1	0.99	0.07	44,44,44,44	0
54	MG	1U	201	1/1	0.99	0.15	35,35,35,35	0
54	MG	2A	3257	1/1	0.99	0.06	49,49,49,49	0
54	MG	1A	3111	1/1	0.99	0.04	43,43,43,43	0
54	MG	1A	3164	1/1	0.99	0.07	36,36,36,36	0
59	ZN	1Y	203	1/1	0.99	0.03	58,58,58,58	0
54	MG	1A	3296	1/1	0.99	0.04	22,22,22,22	0
59	ZN	15	109	1/1	0.99	0.03	52,52,52,52	0
54	MG	2A	3420	1/1	0.99	0.06	51,51,51,51	0
59	ZN	2Y	202	1/1	0.99	0.04	80,80,80,80	0
54	MG	1A	3634	1/1	0.99	0.12	34,34,34,34	0
59	ZN	25	104	1/1	0.99	0.03	65,65,65,65	0
59	ZN	26	501	1/1	0.99	0.03	64,64,64,64	0
59	ZN	29	501	1/1	0.99	0.04	72,72,72,72	0
54	MG	1A	3903	1/1	0.99	0.06	42,42,42,42	0
54	MG	1A	3009	1/1	0.99	0.06	35,35,35,35	0
54	MG	1E	301	1/1	0.99	0.06	34,34,34,34	0
54	MG	1A	3851	1/1	1.00	0.05	28,28,28,28	0
59	ZN	16	501	1/1	1.00	0.05	48,48,48,48	0
59	ZN	19	103	1/1	1.00	0.05	49,49,49,49	0
54	MG	1A	3491	1/1	1.00	0.03	51,51,51,51	0
54	MG	1A	3242	1/1	1.00	0.07	30,30,30,30	0
54	MG	1a	1741	1/1	1.00	0.08	45,45,45,45	0

6.5 Other polymers ⓘ

There are no such residues in this entry.