



Full wwPDB X-ray Structure Validation Report ⓘ

Aug 4, 2026 – 08:54 PM EDT

PDB ID : 3M8D / pdb_00003m8d
Title : Crystal structure of spin-labeled BtuB V10R1 with bound calcium and cyanocobalamin
Authors : Freed, D.M.; Horanyi, P.S.; Wiener, M.C.; Cafiso, D.S.
Deposited on : 2010-03-17
Resolution : 2.44 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.015 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.50


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION


The reported resolution of this entry is 2.44 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	2340 (2.46-2.42)
Clashscore	190562	2400 (2.46-2.42)
Ramachandran outliers	187476	2379 (2.46-2.42)
Sidechain outliers	187428	2379 (2.46-2.42)
RSRZ outliers	180081	2340 (2.46-2.42)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	594	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	CNC	A	701	X	-	-	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
3	C8E	A	703	-	-	-	X
3	C8E	A	704	-	-	X	-
4	MTN	A	708	-	-	X	-

2 Entry composition [i](#)


There are 6 unique types of molecules in this entry. The entry contains 4862 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Vitamin B12 transporter btuB.


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	583	Total	C	N	O	S	0	0	0
			4552	2865	780	904	3			


- Molecule 2 is CYANOCOBALAMIN (CCD ID: CNC) (formula: $C_{63}H_{89}CoN_{14}O_{14}P$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	Co	N	O	P	0
			93	63	1	14	14	1	

- Molecule 3 is (HYDROXYETHYLOXY)TRI(ETHYLOXY)OCTANE (CCD ID: C8E) (formula: $C_{16}H_{34}O_5$).





Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
4	A	1	Total	C	N	O	S	0	0
			12	9	1	1	1		

- Molecule 5 is CALCIUM ION (CCD ID: CA) (formula: Ca).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	3	Total	Ca	0	0
			3	3		


- Molecule 6 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	76	Total	O	0	0
			76	76		

3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Vitamin B12 transporter btuB



4 Data and refinement statistics

Property	Value	Source
Space group	P 31 2 1	Depositor
Cell constants a, b, c, α , β , γ	82.05Å 82.05Å 224.46Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	44.04 – 2.44 44.04 – 2.44	Depositor EDS
% Data completeness (in resolution range)	96.6 (44.04-2.44) 96.5 (44.04-2.44)	Depositor EDS
R_{merge}	0.12	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.63 (at 2.45Å)	Xtriage
Refinement program	REFMAC	Depositor
R, R_{free}	0.226 , 0.275 0.227 , 0.279	Depositor DCC
R_{free} test set	1647 reflections (5.10%)	wwPDB-VP
Wilson B-factor (Å ²)	66.5	Xtriage
Anisotropy	0.022	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.31 , 16.8	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	0.022 for -h,-k,l	Xtriage
F_o, F_c correlation	0.93	EDS
Total number of atoms	4862	wwPDB-VP
Average B, all atoms (Å ²)	37.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.50% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: CA, CNC, MTN, C8E

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	1.21	14/4665 (0.3%)	1.13	22/6353 (0.3%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	2

All (14) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	580	GLN	CD-OE1	8.68	1.40	1.23
1	A	473	GLY	N-CA	8.12	1.55	1.44
1	A	472	THR	CA-C	-7.80	1.47	1.52
1	A	159	GLN	CD-OE1	5.76	1.34	1.23
1	A	264	GLN	CD-NE2	-5.74	1.21	1.33
1	A	417	GLN	CD-NE2	-5.67	1.21	1.33
1	A	228	ASN	CG-ND2	-5.51	1.21	1.33
1	A	495	LEU	C-O	-5.49	1.16	1.23
1	A	261	ILE	CA-CB	-5.42	1.47	1.54
1	A	524	GLY	C-O	5.33	1.28	1.23
1	A	28	VAL	C-O	-5.31	1.18	1.24
1	A	208	HIS	ND1-CE1	5.28	1.37	1.32
1	A	362	ASN	CG-OD1	5.15	1.33	1.23
1	A	498	ARG	CB-CG	5.03	1.67	1.52

All (22) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	534	TYR	CA-C-N	9.36	131.54	119.84
1	A	534	TYR	C-N-CA	9.36	131.54	119.84
1	A	89	GLY	N-CA-C	9.28	123.87	112.73
1	A	472	THR	CA-C-N	-8.17	109.05	121.87
1	A	472	THR	C-N-CA	-8.17	109.05	121.87
1	A	224	ASP	CB-CA-C	7.08	121.31	110.62
1	A	306	VAL	CB-CA-C	-6.70	99.12	111.18
1	A	208	HIS	CB-CG-CD2	-6.31	123.00	131.20
1	A	534	TYR	C-N-CD	-6.29	99.21	125.00
1	A	368	HIS	CB-CG-CD2	-6.16	123.19	131.20
1	A	282	GLY	N-CA-C	5.76	121.84	110.83
1	A	569	PHE	CA-C-N	-5.73	113.48	122.08
1	A	569	PHE	C-N-CA	-5.73	113.48	122.08
1	A	277	TYR	N-CA-C	5.68	117.16	108.52
1	A	208	HIS	CB-CG-ND1	5.59	131.08	122.70
1	A	334	ASP	N-CA-C	5.51	117.60	108.13
1	A	582	ALA	N-CA-C	5.48	120.41	111.37
1	A	569	PHE	N-CA-C	-5.43	102.45	110.48
1	A	19	ARG	N-CA-C	5.30	117.06	111.28
1	A	473	GLY	CA-C-N	5.14	125.82	120.12
1	A	473	GLY	C-N-CA	5.14	125.82	120.12
1	A	368	HIS	CB-CG-ND1	5.11	130.36	122.70

There are no chirality outliers.

All (2) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	534	TYR	Mainchain,Peptide

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4552	0	4223	59	0
2	A	93	0	87	16	0
3	A	126	0	204	13	0
4	A	12	0	15	7	0
5	A	3	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
6	A	76	0	0	2	0
All	All	4862	0	4529	83	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 9.

All (83) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:A:701:CNC:H362	2:A:701:CNC:H351	1.11	1.10
2:A:701:CNC:H351	2:A:701:CNC:C36	1.92	0.93
2:A:701:CNC:H362	2:A:701:CNC:C35	1.97	0.93
3:A:704:C8E:H13	3:A:704:C8E:H52	1.56	0.86
2:A:701:CNC:H552	2:A:701:CNC:H531	1.60	0.83
3:A:704:C8E:C1	3:A:704:C8E:H82	2.12	0.79
3:A:704:C8E:H13	3:A:704:C8E:H82	1.68	0.75
1:A:100:PRO:HG2	1:A:103:LEU:HD22	1.71	0.72
1:A:138:THR:HG22	1:A:156:THR:OG1	1.90	0.72
1:A:81:ASP:HB3	4:A:708:MTN:H83	1.73	0.71
1:A:293:MET:HE2	1:A:320:GLN:HB3	1.73	0.70
1:A:72:ASN:OD1	1:A:498:ARG:NH2	2.24	0.69
1:A:61:GLY:O	1:A:227:THR:HG21	1.92	0.68
1:A:516:TRP:CZ3	1:A:551:VAL:CG1	2.76	0.68
3:A:704:C8E:H13	3:A:704:C8E:C5	2.24	0.67
1:A:516:TRP:CE3	1:A:551:VAL:HG12	2.28	0.67
1:A:91:SER:HB3	2:A:701:CNC:N45	2.10	0.66
1:A:27:THR:HG21	1:A:49:LEU:HD22	1.78	0.66
3:A:704:C8E:H13	3:A:704:C8E:C8	2.25	0.65
1:A:91:SER:HB3	2:A:701:CNC:H451	1.62	0.65
1:A:293:MET:CE	1:A:320:GLN:HB3	2.28	0.63
1:A:87:LEU:HD12	1:A:87:LEU:O	2.03	0.59
1:A:308:HIS:CD2	6:A:813:HOH:O	2.57	0.58
1:A:429:VAL:HG22	1:A:470:PHE:HB3	1.85	0.57
1:A:528:ASP:HB2	1:A:541:MET:HE1	1.86	0.57
1:A:516:TRP:CZ3	1:A:551:VAL:HG12	2.38	0.57
1:A:63:LEU:HD12	1:A:95:ASP:CG	2.30	0.56
1:A:334:ASP:OD1	1:A:334:ASP:C	2.50	0.55
1:A:293:MET:CG	1:A:294:LYS:N	2.71	0.54
1:A:70:GLY:O	1:A:498:ARG:NE	2.40	0.53
1:A:81:ASP:CB	4:A:708:MTN:H83	2.40	0.52
1:A:132:THR:HG21	6:A:833:HOH:O	2.10	0.51

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:A:704:C8E:H13	3:A:704:C8E:C6	2.40	0.51
1:A:572:ASP:OD1	1:A:580:GLN:NE2	2.43	0.51
3:A:704:C8E:C1	3:A:704:C8E:H61	2.41	0.51
1:A:21:THR:HG23	1:A:345:LEU:HD21	1.91	0.51
1:A:429:VAL:HG22	1:A:470:PHE:CB	2.40	0.51
1:A:66:ILE:HD11	1:A:96:LEU:CD1	2.41	0.50
3:A:704:C8E:C1	3:A:704:C8E:C5	2.89	0.50
1:A:466:ALA:HB1	3:A:704:C8E:H112	1.93	0.49
1:A:21:THR:CG2	1:A:345:LEU:HD21	2.43	0.49
1:A:81:ASP:C	4:A:708:MTN:H82	2.37	0.49
2:A:701:CNC:H601	2:A:701:CNC:H262	1.95	0.49
1:A:13:ASN:O	1:A:14:ARG:HB2	2.13	0.49
1:A:81:ASP:CA	4:A:708:MTN:H83	2.43	0.49
3:A:704:C8E:H82	3:A:704:C8E:H12	1.92	0.48
1:A:61:GLY:O	1:A:227:THR:CG2	2.60	0.48
1:A:81:ASP:C	4:A:708:MTN:C8	2.86	0.48
1:A:198:LEU:C	1:A:198:LEU:HD23	2.39	0.47
1:A:17:GLN:OE1	1:A:21:THR:HG22	2.15	0.46
1:A:543:GLY:C	1:A:544:VAL:HG13	2.39	0.46
1:A:543:GLY:C	1:A:544:VAL:CG1	2.87	0.46
1:A:38:GLN:NE2	1:A:562:ARG:HB3	2.29	0.46
2:A:701:CNC:C36	2:A:701:CNC:C35	2.68	0.46
2:A:701:CNC:H491	2:A:701:CNC:H471	1.97	0.45
1:A:66:ILE:HD11	1:A:96:LEU:HD12	1.98	0.45
1:A:81:ASP:O	4:A:708:MTN:C8	2.64	0.45
1:A:167:THR:O	1:A:168:LEU:HD23	2.17	0.45
2:A:701:CNC:H253	2:A:701:CNC:H301	1.71	0.45
3:A:704:C8E:H52	3:A:704:C8E:C1	2.31	0.45
1:A:91:SER:CB	2:A:701:CNC:H451	2.29	0.44
1:A:13:ASN:OD1	1:A:13:ASN:C	2.61	0.43
3:A:704:C8E:C1	3:A:704:C8E:C6	2.97	0.43
1:A:47:ARG:HG2	1:A:48:ARG:N	2.33	0.43
1:A:63:LEU:H	2:A:701:CNC:H332	1.67	0.43
3:A:704:C8E:H112	3:A:704:C8E:H141	1.87	0.43
1:A:332:GLY:O	1:A:333:TYR:CB	2.67	0.43
1:A:588:LEU:HD23	1:A:589:SER:N	2.34	0.43
1:A:332:GLY:O	1:A:333:TYR:HB2	2.19	0.42
1:A:450:THR:HG22	1:A:450:THR:O	2.19	0.42
2:A:701:CNC:H491	2:A:701:CNC:C47	2.49	0.42
1:A:221:TYR:C	1:A:221:TYR:CD1	2.98	0.42
1:A:186:THR:OG1	1:A:190:ALA:HA	2.20	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:A:701:CNC:H301	2:A:701:CNC:H203	2.02	0.41
1:A:114:ARG:O	1:A:114:ARG:HG3	2.21	0.41
1:A:293:MET:HG3	1:A:294:LYS:N	2.36	0.41
2:A:701:CNC:C47	2:A:701:CNC:C49	2.98	0.41
2:A:701:CNC:N3B	2:A:701:CNC:H202	2.36	0.41
1:A:84:ARG:NH1	1:A:318:GLN:OE1	2.53	0.41
1:A:81:ASP:O	4:A:708:MTN:H82	2.21	0.41
1:A:115:SER:O	1:A:358:ARG:HD3	2.20	0.41
1:A:479:VAL:O	1:A:479:VAL:HG13	2.21	0.41
1:A:205:ALA:C	1:A:206:LEU:HD12	2.45	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	579/594 (98%)	554 (96%)	21 (4%)	4 (1%)	18 21

All (4) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	90	VAL
1	A	535	PRO
1	A	283	ARG
1	A	333	TYR

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	466/495 (94%)	451 (97%)	15 (3%)	34	46

All (15) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	21	THR
1	A	54	ILE
1	A	66	ILE
1	A	103	LEU
1	A	114	ARG
1	A	141	SER
1	A	198	LEU
1	A	224	ASP
1	A	260	LEU
1	A	306	VAL
1	A	311	ILE
1	A	347	GLN
1	A	539	VAL
1	A	548	ASP
1	A	587	THR

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (7) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	105	GLN
1	A	151	ASN
1	A	209	ASN
1	A	225	ASN
1	A	368	HIS
1	A	417	GLN
1	A	502	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 11 ligands modelled in this entry, 3 are monoatomic - leaving 8 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
3	C8E	A	703	-	20,20,20	0.46	0	19,19,19	0.41	0
3	C8E	A	706	-	20,20,20	0.47	0	19,19,19	0.44	0
3	C8E	A	702	-	20,20,20	0.60	0	19,19,19	0.79	0
3	C8E	A	707	-	20,20,20	0.54	0	19,19,19	0.60	0
4	MTN	A	708	1	9,12,16	1.07	1 (11%)	11,20,27	4.39	7 (63%)
3	C8E	A	705	-	20,20,20	0.57	0	19,19,19	0.67	0
2	CNC	A	701	-	93,103,103	1.11	8 (8%)	149,171,171	1.77	25 (16%)
3	C8E	A	704	-	20,20,20	0.57	0	19,19,19	0.83	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	C8E	A	703	-	-	10/18/18/18	-
3	C8E	A	706	-	-	9/18/18/18	-
3	C8E	A	702	-	-	8/18/18/18	-
3	C8E	A	707	-	-	11/18/18/18	-
4	MTN	A	708	1	-	0/0/25/29	0/1/1/1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	C8E	A	705	-	-	9/18/18/18	-
2	CNC	A	701	-	1/1/36/38	9/56/235/235	0/3/11/11
3	C8E	A	704	-	-	10/18/18/18	-

All (9) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	701	CNC	C9B-N3B	-3.92	1.32	1.39
2	A	701	CNC	C1-N21	-3.53	1.44	1.50
2	A	701	CNC	C4-C5	-2.55	1.32	1.43
2	A	701	CNC	C1-C2	-2.45	1.53	1.58
4	A	708	MTN	C1-C2	2.38	1.53	1.50
2	A	701	CNC	C8B-N1B	-2.37	1.34	1.39
2	A	701	CNC	C16-C15	-2.15	1.33	1.42
2	A	701	CNC	C2B-N1B	-2.12	1.33	1.37
2	A	701	CNC	C10-C9	-2.03	1.33	1.39

All (32) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	A	708	MTN	C2-C1-N1	10.24	106.48	99.43
2	A	701	CNC	O6R-C1R-N1B	7.53	122.55	108.09
2	A	701	CNC	C9B-C8B-N1B	7.09	108.45	105.30
4	A	708	MTN	C8-C1-N1	-5.54	103.71	110.05
4	A	708	MTN	C1-C2-C3	-5.50	108.51	113.48
2	A	701	CNC	C2R-C1R-N1B	-5.09	100.67	113.30
2	A	701	CNC	C7-C6-C5	-4.76	120.63	128.07
2	A	701	CNC	C9B-N3B-C2B	4.41	109.81	104.40
2	A	701	CNC	N1B-C2B-N3B	-4.33	107.79	113.94
2	A	701	CNC	O6R-C4R-C5R	3.73	117.11	109.22
4	A	708	MTN	C8-C1-C2	-3.64	109.31	112.77
2	A	701	CNC	C8B-C9B-N3B	-3.47	106.25	110.00
2	A	701	CNC	C7B-C8B-C9B	-3.37	118.44	122.47
2	A	701	CNC	O7R-C2R-C3R	-3.26	102.05	111.19
2	A	701	CNC	C1-N21-C4	3.07	114.46	109.48
4	A	708	MTN	C6-C5-C3	-3.03	107.15	112.17
2	A	701	CNC	C2P-C1P-N59	-3.03	108.47	112.92
2	A	701	CNC	C7-C6-N22	2.78	112.99	107.94
4	A	708	MTN	C9-C1-C8	2.68	114.36	110.94
2	A	701	CNC	C41-C8-C9	2.65	115.80	111.19
2	A	701	CNC	C3-C4-N21	-2.63	108.72	111.98

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	701	CNC	C2-C3-C4	2.59	104.56	101.64
2	A	701	CNC	C55-C56-C57	-2.49	105.69	111.25
2	A	701	CNC	C3-C4-C5	2.48	127.97	123.82
2	A	701	CNC	C12-C11-C10	-2.47	121.32	123.54
4	A	708	MTN	C9-C1-C2	-2.47	110.42	112.77
2	A	701	CNC	C3R-C2R-C1R	2.45	105.27	99.89
2	A	701	CNC	C12-C11-N23	2.39	114.05	111.49
2	A	701	CNC	C48-C49-C50	-2.31	104.69	112.55
2	A	701	CNC	C53-C15-C14	2.17	121.18	116.79
2	A	701	CNC	C10-C9-N22	-2.09	123.35	125.74
2	A	701	CNC	C1-C19-N24	2.08	109.61	106.29

All (1) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
2	A	701	CNC	N24

All (66) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	A	704	C8E	C14-C13-O12-C11
3	A	706	C8E	O15-C16-C17-O18
3	A	703	C8E	O12-C13-C14-O15
2	A	701	CNC	C3R-C4R-C5R-O8R
2	A	701	CNC	O6R-C4R-C5R-O8R
3	A	704	C8E	O15-C16-C17-O18
3	A	705	C8E	O15-C16-C17-O18
3	A	707	C8E	C17-C16-O15-C14
3	A	705	C8E	O18-C19-C20-O21
3	A	704	C8E	C6-C7-C8-O9
3	A	705	C8E	C17-C16-O15-C14
3	A	704	C8E	C2-C3-C4-C5
3	A	706	C8E	O18-C19-C20-O21
3	A	705	C8E	C6-C7-C8-O9
2	A	701	CNC	C13-C48-C49-C50
3	A	703	C8E	O15-C16-C17-O18
3	A	705	C8E	C13-C14-O15-C16
3	A	703	C8E	C4-C5-C6-C7
3	A	706	C8E	O12-C13-C14-O15
3	A	706	C8E	C2-C3-C4-C5
3	A	703	C8E	O9-C10-C11-O12
3	A	707	C8E	O18-C19-C20-O21

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
3	A	707	C8E	O9-C10-C11-O12
3	A	707	C8E	C4-C5-C6-C7
3	A	703	C8E	C1-C2-C3-C4
3	A	702	C8E	O9-C10-C11-O12
3	A	704	C8E	C5-C6-C7-C8
3	A	707	C8E	C10-C11-O12-C13
3	A	704	C8E	O12-C13-C14-O15
3	A	702	C8E	O15-C16-C17-O18
3	A	703	C8E	C17-C16-O15-C14
3	A	707	C8E	C16-C17-O18-C19
3	A	702	C8E	C13-C14-O15-C16
3	A	707	C8E	C14-C13-O12-C11
3	A	705	C8E	C16-C17-O18-C19
3	A	702	C8E	C20-C19-O18-C17
2	A	701	CNC	C38-C37-C7-C36
2	A	701	CNC	C38-C37-C7-C8
3	A	706	C8E	C13-C14-O15-C16
3	A	707	C8E	O15-C16-C17-O18
3	A	704	C8E	C20-C19-O18-C17
3	A	704	C8E	O9-C10-C11-O12
3	A	702	C8E	C6-C7-C8-O9
3	A	704	C8E	O18-C19-C20-O21
2	A	701	CNC	C18-C60-C61-O63
2	A	701	CNC	C18-C60-C61-N62
3	A	702	C8E	C5-C6-C7-C8
3	A	704	C8E	C7-C8-O9-C10
2	A	701	CNC	C1P-C2P-O3-P
3	A	705	C8E	C1-C2-C3-C4
3	A	703	C8E	C14-C13-O12-C11
3	A	703	C8E	C11-C10-O9-C8
3	A	706	C8E	C6-C7-C8-O9
3	A	707	C8E	C7-C8-O9-C10
2	A	701	CNC	C3P-C2P-O3-P
3	A	707	C8E	C20-C19-O18-C17
3	A	703	C8E	C7-C8-O9-C10
3	A	707	C8E	C5-C6-C7-C8
3	A	702	C8E	C7-C8-O9-C10
3	A	703	C8E	C6-C7-C8-O9
3	A	705	C8E	C7-C8-O9-C10
3	A	706	C8E	O9-C10-C11-O12
3	A	702	C8E	C17-C16-O15-C14
3	A	706	C8E	C4-C5-C6-C7

Continued on next page...

Continued from previous page...


Mol	Chain	Res	Type	Atoms
3	A	705	C8E	O9-C10-C11-O12
3	A	706	C8E	C5-C6-C7-C8




There are no ring outliers.


3 monomers are involved in 36 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	A	708	MTN	7	0
2	A	701	CNC	16	0
3	A	704	C8E	13	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.







5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	583/594 (98%)	0.21	15 (2%) 57 57	22, 34, 51, 81	2 (0%)

All (15) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	448	ASP	4.9
1	A	144	TRP	4.1
1	A	332	GLY	3.6
1	A	422	PHE	3.6
1	A	90	VAL	3.2
1	A	331	ASP	3.0
1	A	172	TYR	2.8
1	A	91	SER	2.4
1	A	87	LEU	2.3
1	A	7	THR	2.3
1	A	446	TYR	2.2
1	A	133	ARG	2.2
1	A	198	LEU	2.1
1	A	512	TYR	2.0
1	A	449	HIS	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
4	MTN	A	708	12/16	0.64	0.37	57,71,74,75	12
3	C8E	A	703	21/21	0.74	0.45	108,112,123,123	0
5	CA	A	711	1/1	0.77	0.23	88,88,88,88	0
5	CA	A	710	1/1	0.81	0.19	82,82,82,82	0
3	C8E	A	707	21/21	0.82	0.30	74,101,120,120	0
3	C8E	A	705	21/21	0.82	0.33	89,97,107,108	0
3	C8E	A	706	21/21	0.85	0.22	70,78,82,85	0
3	C8E	A	702	21/21	0.91	0.23	56,59,67,69	0
3	C8E	A	704	21/21	0.92	0.21	47,55,75,78	0
2	CNC	A	701	93/93	0.93	0.14	51,61,70,79	0
5	CA	A	709	1/1	0.96	0.10	75,75,75,75	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around MTN A 708:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around C8E A 703:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around C8E A 707:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around C8E A 705:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around C8E A 706:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around C8E A 702:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around C8E A 704:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around CNC A 701:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.