



Full wwPDB NMR Structure Validation Report ⓘ

Aug 18, 2026 – 02:08 pm BST

PDB ID : 5MCS / pdb_00005mcs
BMRB ID : 34064
Title : Solution structure and dynamics of the outer membrane cytochrome OmcF from *Geobacter sulfurreducens*
Authors : Dantas, J.M.; Silva, M.A.; Morgado, L.; Pantoja-Uceda, D.; Turner, D.L.; Bruix, M.; Salgueiro, C.A.
Deposited on : 2016-11-10

This is a Full wwPDB NMR Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/NMRValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 1.8.4, CSD as541be (2020)
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
wwPDB-RCI : v_1n_11_5_13_A (Berjanski et al., 2005)
PANAV : Wang et al. (2010)
wwPDB-ShiftChecker : v1.2
BMRB Restraints Analysis : v1.2.1
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.50


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

SOLUTION NMR

The overall completeness of chemical shifts assignment is 32%.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	NMR archive (#Entries)
Clashscore	229148	14424
Ramachandran outliers	224038	12848
Sidechain outliers	223484	12823

The table below summarises the geometric issues observed across the polymeric chains and their fit to the experimental data. The red, orange, yellow and green segments indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A cyan segment indicates the fraction of residues that are not part of the well-defined cores, and a grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$.

Mol	Chain	Length	Quality of chain
1	A	80	51% 39% 8% ..

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA and RNA chains that are outliers for geometric criteria:

Mol	Chain	Compound	Res	Total models with violations	
				Chirality	Geometry
2	A	HEC	201	20	-

2 Ensemble composition and analysis

This entry contains 20 models. Model 18 is the overall representative, medoid model (most similar to other models). The authors have identified model 20 as representative, based on the following criterion: *target function*.

The following residues are included in the computation of the global validation metrics.

Well-defined (core) protein residues			
Well-defined core	Residue range (total)	Backbone RMSD (Å)	Medoid model
1	A:26-A:104 (79)	0.28	18

Ill-defined regions of proteins are excluded from the global statistics.

Ligands and non-protein polymers are included in the analysis.

The models can be grouped into 4 clusters and 2 single-model clusters were found.

Cluster number	Models
1	1, 3, 4, 6, 8, 9, 16, 18
2	5, 11, 13, 14, 15
3	2, 12, 20
4	7, 10
Single-model clusters	17; 19


3 Entry composition i

There are 2 unique types of molecules in this entry. The entry contains 1176 atoms, of which 550 are hydrogens and 0 are deuteriums.

- Molecule 1 is a protein called Lipoprotein cytochrome c, 1 heme-binding site.

Mol	Chain	Residues	Atoms						Trace
			Total	C	H	N	O	S	
1	A	80	1133	364	550	110	105	4	0

- Molecule 2 is HEME C (CCD ID: HEC) (formula: $C_{34}H_{36}FeN_4O_4$).




Mol	Chain	Residues	Atoms				
			Total	C	Fe	N	O
2	A	1	43	34	1	4	4

4 Residue-property plots

4.1 Average score per residue in the NMR ensemble

These plots are provided for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic is the same as shown in the summary in section 1 of this report. The second graphic shows the sequence where residues are colour-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outliers are shown as green connectors. Residues which are classified as ill-defined in the NMR ensemble, are shown in cyan with an underline colour-coded according to the previous scheme. Residues which were present in the experimental sample, but not modelled in the final structure are shown in grey.

- Molecule 1: Lipoprotein cytochrome c, 1 heme-binding site




4.2 Scores per residue for each member of the ensemble

Colouring as in section 4.1 above.


4.2.1 Score per residue for model 1

- Molecule 1: Lipoprotein cytochrome c, 1 heme-binding site




4.2.2 Score per residue for model 2

- Molecule 1: Lipoprotein cytochrome c, 1 heme-binding site




4.2.3 Score per residue for model 3

- Molecule 1: Lipoprotein cytochrome c, 1 heme-binding site




4.2.4 Score per residue for model 4

- Molecule 1: Lipoprotein cytochrome c, 1 heme-binding site




4.2.5 Score per residue for model 5

- Molecule 1: Lipoprotein cytochrome c, 1 heme-binding site



4.2.6 Score per residue for model 6

- Molecule 1: Lipoprotein cytochrome c, 1 heme-binding site



4.2.7 Score per residue for model 7


- Molecule 1: Lipoprotein cytochrome c, 1 heme-binding site






4.2.8 Score per residue for model 8

- Molecule 1: Lipoprotein cytochrome c, 1 heme-binding site



4.2.9 Score per residue for model 9

- Molecule 1: Lipoprotein cytochrome c, 1 heme-binding site



4.2.10 Score per residue for model 10

- Molecule 1: Lipoprotein cytochrome c, 1 heme-binding site




4.2.11 Score per residue for model 11

- Molecule 1: Lipoprotein cytochrome c, 1 heme-binding site



4.2.12 Score per residue for model 12

- Molecule 1: Lipoprotein cytochrome c, 1 heme-binding site




4.2.13 Score per residue for model 13

- Molecule 1: Lipoprotein cytochrome c, 1 heme-binding site




4.2.14 Score per residue for model 14

- Molecule 1: Lipoprotein cytochrome c, 1 heme-binding site




4.2.15 Score per residue for model 15

- Molecule 1: Lipoprotein cytochrome c, 1 heme-binding site



4.2.16 Score per residue for model 16


- Molecule 1: Lipoprotein cytochrome c, 1 heme-binding site






4.2.17 Score per residue for model 17

- Molecule 1: Lipoprotein cytochrome c, 1 heme-binding site




4.2.18 Score per residue for model 18 (medoid)

- Molecule 1: Lipoprotein cytochrome c, 1 heme-binding site




4.2.19 Score per residue for model 19

- Molecule 1: Lipoprotein cytochrome c, 1 heme-binding site



4.2.20 Score per residue for model 20

- Molecule 1: Lipoprotein cytochrome c, 1 heme-binding site



5 Refinement protocol and experimental data overview

The models were refined using the following method: *distance geometry*.

Of the 100 calculated structures, 20 were deposited, based on the following criterion: *target function*.

The following table shows the software used for structure solution, optimisation and refinement.

Software name	Classification	Version
DYANA	refinement	
DYANA	structure calculation	

The following table shows chemical shift validation statistics as aggregates over all chemical shift files. Detailed validation can be found in section 7 of this report.

Chemical shift file(s)	working_cs.cif
Number of chemical shift lists	1
Total number of shifts	603
Number of shifts mapped to atoms	511
Number of unparsed shifts	0
Number of shifts with mapping errors	92
Number of shifts with mapping warnings	0
Assignment completeness (well-defined parts)	32%

6 Model quality [i](#)

6.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: HEC

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the (average) root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	#Z>5	RMSZ	#Z>5
1	A	0.74±0.00	0±0/864 (0.0± 0.0%)	1.29±0.03	3±3/1187 (0.2± 0.3%)
All	All	0.74	0/17280 (0.0%)	1.29	54/23740 (0.2%)

There are no bond-length outliers.

All unique angle outliers are listed below. They are sorted according to the Z-score of the worst occurrence in the ensemble.

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)	Models	
								Worst	Total
1	A	87[2]	ILE	CA-C-N	6.49	124.33	119.66	13	9
1	A	87[2]	ILE	C-N-CA	6.49	124.33	119.66	13	9
1	A	87[3]	ILE	CA-C-N	6.49	124.33	119.66	13	9
1	A	87[3]	ILE	C-N-CA	6.49	124.33	119.66	13	9
1	A	87[1]	ILE	CA-C-N	6.49	124.33	119.66	13	9
1	A	87[1]	ILE	C-N-CA	6.49	124.33	119.66	13	9

There are no chirality outliers.

There are no planarity outliers.

6.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in each chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes averaged over the ensemble.

Mol	Chain	Non-H	H(model)	H(added)	Clashes
1	A	578	545	388	39±4
2	A	43	0	30	4±2

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes
All	All	12420	10900	8360	816

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 39.

All unique clashes are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:88:PRO:HG2	1:A:91:ASP:CG	0.79	2.03	9	20
1:A:32:ALA:HA	1:A:36:ALA:HB2	0.78	1.55	3	20
1:A:31:PHE:CG	1:A:98:TYR:CE1	0.70	2.79	19	4
1:A:61:GLY:C	1:A:63:ARG:HH11	0.70	1.93	17	5
1:A:88:PRO:HG2	1:A:91:ASP:OD1	0.66	1.89	11	8
2:A:201:HEC:CGA	2:A:201:HEC:CHA	0.65	2.74	13	8
1:A:88:PRO:HG2	1:A:91:ASP:OD2	0.61	1.94	7	6
1:A:73:ARG:NH2	1:A:89:PRO:HG3	0.60	2.11	8	4
1:A:102:SER:OG	1:A:103:PHE:CE1	0.60	2.54	16	6
1:A:31:PHE:CD1	1:A:31:PHE:O	0.59	2.55	17	6
1:A:31:PHE:C	1:A:31:PHE:CD1	0.59	2.81	10	6
1:A:75:PRO:HG2	1:A:80:PRO:O	0.59	1.98	17	20
1:A:79:MET:O	1:A:80:PRO:O	0.58	2.21	8	20
1:A:31:PHE:CD1	1:A:98:TYR:CE1	0.58	2.91	19	5
1:A:102:SER:C	1:A:103:PHE:CG	0.58	2.79	20	1
1:A:89:PRO:O	1:A:92:ALA:HB3	0.58	1.98	8	11
1:A:31:PHE:CD2	1:A:31:PHE:C	0.58	2.82	14	12
1:A:58:GLU:CD	1:A:58:GLU:C	0.57	2.72	12	2
1:A:31:PHE:CD2	1:A:31:PHE:O	0.57	2.58	6	10
1:A:31:PHE:CD1	1:A:31:PHE:C	0.57	2.83	17	2
1:A:81:ALA:C	1:A:82:PHE:CD1	0.56	2.83	13	4
1:A:57:ARG:NH2	2:A:201:HEC:CBA	0.56	2.69	4	1
1:A:31:PHE:CD2	1:A:98:TYR:CE1	0.56	2.94	6	6
2:A:201:HEC:O1A	2:A:201:HEC:C3A	0.56	2.54	18	1
1:A:88:PRO:CG	1:A:91:ASP:CG	0.56	2.79	7	16
1:A:47:HIS:CE1	2:A:201:HEC:O1D	0.55	2.59	11	1
1:A:47:HIS:CE1	2:A:201:HEC:O2D	0.55	2.60	5	1
1:A:58:GLU:CG	1:A:59:ALA:N	0.55	2.70	17	19
1:A:31:PHE:CD2	1:A:98:TYR:CE2	0.55	2.95	16	3
1:A:47:HIS:CE1	2:A:201:HEC:CGD	0.54	2.91	11	1
1:A:57:ARG:CZ	2:A:201:HEC:CBA	0.53	2.86	20	1
2:A:201:HEC:O2A	2:A:201:HEC:C2A	0.53	2.56	10	3
1:A:31:PHE:CG	1:A:98:TYR:CE2	0.53	2.96	16	4
2:A:201:HEC:CGA	2:A:201:HEC:C1A	0.52	2.88	20	3

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:66:ARG:O	1:A:67:ASP:C	0.52	2.53	11	20
1:A:61:GLY:CA	1:A:63:ARG:NH1	0.51	2.74	2	5
1:A:103:PHE:CD1	1:A:103:PHE:N	0.51	2.78	14	16
1:A:47:HIS:ND1	2:A:201:HEC:CGD	0.49	2.75	11	1
1:A:54:ARG:O	1:A:58:GLU:N	0.49	2.44	14	18
2:A:201:HEC:C3D	2:A:201:HEC:O1D	0.49	2.60	4	1
2:A:201:HEC:O1A	2:A:201:HEC:C2A	0.49	2.57	18	3
1:A:35:CYS:C	1:A:37:GLY:N	0.49	2.70	14	19
1:A:57:ARG:NH1	1:A:103:PHE:CD1	0.49	2.81	9	1
2:A:201:HEC:O2D	2:A:201:HEC:C3D	0.49	2.61	17	1
1:A:35:CYS:O	1:A:36:ALA:C	0.48	2.56	15	20
2:A:201:HEC:O2A	2:A:201:HEC:C3A	0.48	2.61	10	1
1:A:38:CYS:C	1:A:40:PRO:HD3	0.48	2.34	14	20
1:A:38:CYS:C	1:A:40:PRO:CD	0.48	2.86	14	20
1:A:91:ASP:O	1:A:94:LYS:CG	0.48	2.61	7	8
1:A:88:PRO:O	1:A:91:ASP:N	0.48	2.47	16	11
1:A:31:PHE:CD1	1:A:98:TYR:CE2	0.47	3.02	15	2
1:A:57:ARG:NH2	2:A:201:HEC:CAA	0.47	2.78	4	1
1:A:63:ARG:O	1:A:63:ARG:CG	0.47	2.63	13	1
1:A:70:ALA:O	1:A:73:ARG:CB	0.46	2.63	4	14
1:A:57:ARG:CZ	2:A:201:HEC:HBA2	0.46	2.40	20	1
1:A:54:ARG:C	1:A:56:ARG:N	0.46	2.71	8	4
1:A:56:ARG:CB	1:A:57:ARG:NH1	0.46	2.78	4	1
1:A:61:GLY:C	1:A:63:ARG:NH1	0.46	2.70	17	2
1:A:57:ARG:NH1	1:A:103:PHE:O	0.46	2.49	16	1
1:A:54:ARG:O	1:A:55:ALA:C	0.46	2.59	12	15
1:A:66:ARG:O	1:A:69:ALA:N	0.46	2.49	14	20
1:A:49:GLU:O	1:A:56:ARG:NH2	0.46	2.49	16	5
2:A:201:HEC:CGA	2:A:201:HEC:HHA	0.46	2.41	14	5
1:A:54:ARG:NH1	1:A:58:GLU:OE1	0.45	2.49	9	1
1:A:88:PRO:HG2	1:A:91:ASP:CB	0.45	2.41	9	12
1:A:28:GLY:O	1:A:32:ALA:N	0.45	2.49	2	6
1:A:31:PHE:CG	1:A:98:TYR:CD1	0.45	3.05	6	1
1:A:28:GLY:CA	1:A:98:TYR:CD1	0.45	3.00	10	1
1:A:31:PHE:O	1:A:36:ALA:N	0.44	2.50	14	4
1:A:38:CYS:CB	2:A:201:HEC:C2C	0.44	2.95	20	19
1:A:58:GLU:HG3	1:A:59:ALA:N	0.44	2.28	12	3
1:A:70:ALA:O	1:A:73:ARG:N	0.44	2.49	15	3
1:A:81:ALA:C	1:A:82:PHE:CD2	0.44	2.95	20	1
2:A:201:HEC:C3A	2:A:201:HEC:O2A	0.44	2.66	3	1
1:A:102:SER:OG	1:A:103:PHE:CD1	0.43	2.71	16	1

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:50:LYS:O	2:A:201:HEC:CGA	0.43	2.66	15	1
2:A:201:HEC:CHA	2:A:201:HEC:O2A	0.43	2.66	20	1
1:A:35:CYS:O	1:A:37:GLY:N	0.43	2.51	13	6
1:A:39:HIS:N	1:A:40:PRO:CD	0.43	2.82	14	19
1:A:58:GLU:O	1:A:61:GLY:N	0.43	2.52	9	1
1:A:79:MET:HG3	2:A:201:HEC:C4C	0.42	2.44	17	9
2:A:201:HEC:O1A	2:A:201:HEC:CMA	0.42	2.68	18	1
1:A:31:PHE:CG	1:A:98:TYR:CD2	0.41	3.08	3	2
1:A:70:ALA:O	1:A:71:TYR:C	0.41	2.63	15	4
2:A:201:HEC:C1A	2:A:201:HEC:CGA	0.41	2.95	4	1
1:A:71:TYR:C	1:A:73:ARG:N	0.41	2.78	16	4
1:A:57:ARG:O	1:A:61:GLY:CA	0.41	2.69	7	1
1:A:61:GLY:CA	1:A:63:ARG:HH11	0.41	2.29	2	1
1:A:50:LYS:O	2:A:201:HEC:O2A	0.40	2.39	15	1
1:A:40:PRO:O	1:A:43:GLY:N	0.40	2.52	9	1

6.3 Torsion angles [i](#)

6.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all NMR entries. The Analysed column shows the number of residues for which the backbone conformation was analysed and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	114/80 (142%)	79±2 (69±1%)	26±2 (23±2%)	9±1 (8±1%)	1	13
All	All	2280/1600 (142%)	1579 (69%)	514 (23%)	187 (8%)	1	13

All 15 unique Ramachandran outliers are listed below. They are sorted by the frequency of occurrence in the ensemble.

Mol	Chain	Res	Type	Models (Total)
1	A	33[1]	THR	20
1	A	33[2]	THR	20
1	A	33[3]	THR	20
1	A	38	CYS	20
1	A	69	ALA	20
1	A	80	PRO	20
1	A	68[1]	VAL	15

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Models (Total)
1	A	68[2]	VAL	15
1	A	68[3]	VAL	15
1	A	102	SER	14
1	A	26	GLY	4
1	A	100[1]	VAL	1
1	A	100[2]	VAL	1
1	A	100[3]	VAL	1
1	A	103	PHE	1

6.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all NMR entries. The Analysed column shows the number of residues for which the sidechain conformation was analysed and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	92/56 (164%)	79±2 (86±2%)	13±2 (14±2%)	6	45
All	All	1840/1120 (164%)	1587 (86%)	253 (14%)	6	45

All 32 unique residues with a non-rotameric sidechain are listed below. They are sorted by the frequency of occurrence in the ensemble.

Mol	Chain	Res	Type	Models (Total)
1	A	33[1]	THR	20
1	A	33[2]	THR	20
1	A	33[3]	THR	20
1	A	38	CYS	20
1	A	94	LYS	20
1	A	103	PHE	20
1	A	63	ARG	17
1	A	57	ARG	14
1	A	50	LYS	10
1	A	73	ARG	9
1	A	102	SER	9
1	A	56	ARG	7
1	A	84	GLU	7
1	A	41[1]	GLN	6
1	A	41[2]	GLN	6
1	A	49	GLU	5
1	A	74[1]	ASN	5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Models (Total)
1	A	74[2]	ASN	5
1	A	66	ARG	4
1	A	54	ARG	4
1	A	87[2]	ILE	4
1	A	87[3]	ILE	4
1	A	87[1]	ILE	4
1	A	29	GLU	3
1	A	71	TYR	2
1	A	58	GLU	2
1	A	60[1]	ASN	1
1	A	60[2]	ASN	1
1	A	45[1]	THR	1
1	A	45[2]	THR	1
1	A	45[3]	THR	1
1	A	86	MET	1

6.3.3 RNA ⓘ

There are no RNA molecules in this entry.

6.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

6.6 Ligand geometry ⓘ

1 ligand is modelled in this entry.

In the following table, the Counts columns list the number of bonds for which Mogul statistics could be retrieved, the number of bonds that are observed in the model and the number of bonds that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length is the number of standard deviations the observed value is removed from the expected value. A bond length with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the average root-mean-square of all Z scores of the bond lengths.

Mol	Type	Chain	Res	Link	Bond lengths		
					Counts	RMSZ	#Z>2
2	HEC	A	201	1	50,50,50	1.22±0.03	3±0 (6±0%)

In the following table, the Counts columns list the number of angles for which Mogul statistics could be retrieved, the number of angles that are observed in the model and the number of angles that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond angle is the number of standard deviations the observed value is removed from the expected value. A bond angle with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the average root-mean-square of all Z scores of the bond angles.

Mol	Type	Chain	Res	Link	Bond angles		
					Counts	RMSZ	#Z>2
2	HEC	A	201	1	68,82,82	0.64±0.00	0±0 (0±0%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	HEC	A	201	1	1±0,1,3,7	0±0,14,54,54	-

All unique bond outliers are listed below. They are sorted according to the Z-score of the worst occurrence in the ensemble.

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)	Models	
								Worst	Total
2	A	201	HEC	FE-NB	5.39	2.11	1.94	20	20
2	A	201	HEC	FE-NA	4.70	2.11	1.95	13	20
2	A	201	HEC	CHC-C1C	3.89	1.48	1.39	17	20
2	A	201	HEC	FE-NC	2.03	2.02	1.95	17	1

There are no bond-angle outliers.

All unique chiral outliers are listed below.


Mol	Chain	Res	Type	Atoms	Models (Total)
2	A	201	HEC	NA	20

There are no torsion outliers.

There are no ring outliers.

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths,

bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



6.7 Other polymers [i](#)

There are no such molecules in this entry.

6.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

7 Chemical shift validation

The completeness of assignment taking into account all chemical shift lists is 32% for the well-defined parts and 32% for the entire structure.

7.1 Chemical shift list 1

File name: working_cs.cif

Chemical shift list name: *assigned_chemical_shifts_1*

7.1.1 Bookkeeping

The following table shows the results of parsing the chemical shift list and reports the number of nuclei with statistically unusual chemical shifts.

Total number of shifts	603
Number of shifts mapped to atoms	511
Number of unparsed shifts	0
Number of shifts with mapping errors	92
Number of shifts with mapping warnings	0
Number of shift outliers (ShiftChecker)	6

- Can not parse the chemical shift value. All 247 occurrences are reported below.

List ID	Chain	Res	Type	Atom	Shift Data		
					Value	Uncertainty	Ambiguity
1	A	26	GLY	HA2	4.299	0.005	.
1	A	26	GLY	HA3	4.045	0.001	.
1	A	27	GLY	HA2	3.973	0.005	.
1	A	27	GLY	HA3	3.618	0.002	.
1	A	28	GLY	HA2	3.378	0.002	.
1	A	28	GLY	HA3	2.213	0.006	.
1	A	29	GLU	HB2	2.202	0.004	.
1	A	29	GLU	HB3	2.079	0.003	.
1	A	29	GLU	HG2	2.327	0.004	.
1	A	29	GLU	HG3	2.311	0.000	.
1	A	30	LEU	HB2	2.192	0.002	.
1	A	30	LEU	HB3	1.487	0.004	.
1	A	30	LEU	HD11	0.985	0.003	.
1	A	30	LEU	HD12	0.985	0.003	.
1	A	30	LEU	HD13	0.985	0.003	.
1	A	30	LEU	HD21	1.135	0.004	.
1	A	30	LEU	HD22	1.135	0.004	.

Continued on next page...

Continued from previous page...

List ID	Chain	Res	Type	Atom	Shift Data		
					Value	Uncertainty	Ambiguity
1	A	30	LEU	HD23	1.135	0.004	.
1	A	31	PHE	HB2	2.960	0.003	.
1	A	31	PHE	HB3	2.942	0.003	.
1	A	31	PHE	HD1	7.343	0.004	.
1	A	31	PHE	HE1	6.678	0.003	.
1	A	34	HIS	HB2	3.539	0.006	.
1	A	34	HIS	HB3	3.463	0.005	.
1	A	35	CYS	HB2	0.936	0.004	.
1	A	35	CYS	HB3	2.062	0.003	.
1	A	37	GLY	HA2	3.784	0.005	.
1	A	37	GLY	HA3	3.669	0.005	.
1	A	38	CYS	HB2	0.631	0.007	.
1	A	38	CYS	HB3	1.693	0.004	.
1	A	39	HIS	HB2	1.003	0.005	.
1	A	39	HIS	HB3	1.278	0.006	.
1	A	40	PRO	HB2	1.989	0.006	.
1	A	40	PRO	HB3	1.783	0.007	.
1	A	40	PRO	HD2	2.679	0.004	.
1	A	40	PRO	HD3	2.576	0.003	.
1	A	40	PRO	HG3	1.669	0.001	.
1	A	41	GLN	HB2	2.280	0.003	.
1	A	41	GLN	HB3	1.988	0.004	.
1	A	41	GLN	HE21	7.523	0.004	.
1	A	41	GLN	HE22	6.839	0.004	.
1	A	41	GLN	HG2	2.337	0.004	.
1	A	41	GLN	HG3	2.300	0.000	.
1	A	42	GLY	HA2	2.415	0.006	.
1	A	42	GLY	HA3	1.760	0.005	.
1	A	43	GLY	HA2	3.711	0.006	.
1	A	43	GLY	HA3	3.243	0.007	.
1	A	44	ASN	HB2	2.419	0.004	.
1	A	44	ASN	HB3	1.436	0.001	.
1	A	44	ASN	HD21	5.171	0.481	.
1	A	44	ASN	HD22	7.268	0.004	.
1	A	46	VAL	HG11	1.214	0.002	.
1	A	46	VAL	HG12	1.214	0.002	.
1	A	46	VAL	HG13	1.214	0.002	.
1	A	46	VAL	HG21	1.410	0.002	.
1	A	46	VAL	HG22	1.410	0.002	.
1	A	46	VAL	HG23	1.410	0.002	.
1	A	47	HIS	HB2	3.544	0.004	.

Continued on next page...

Continued from previous page...

List ID	Chain	Res	Type	Atom	Shift Data		
					Value	Uncertainty	Ambiguity
1	A	47	HIS	HB3	3.491	0.006	.
1	A	48	PRO	HB2	2.390	0.002	.
1	A	48	PRO	HD2	3.816	0.004	.
1	A	48	PRO	HD3	3.682	0.003	.
1	A	48	PRO	HG2	2.049	0.003	.
1	A	48	PRO	HG3	1.905	0.002	.
1	A	49	GLU	HB2	2.188	0.001	.
1	A	49	GLU	HB3	2.056	0.003	.
1	A	49	GLU	HG2	2.449	0.010	.
1	A	49	GLU	HG3	2.323	0.003	.
1	A	50	LYS	HB2	2.221	0.005	.
1	A	50	LYS	HB3	2.406	0.007	.
1	A	50	LYS	HD2	1.936	0.001	.
1	A	50	LYS	HD3	1.923	0.004	.
1	A	50	LYS	HE2	3.278	0.002	.
1	A	50	LYS	HG2	2.041	0.004	.
1	A	50	LYS	HG3	1.507	0.006	.
1	A	52	LEU	HB2	1.303	0.010	.
1	A	52	LEU	HB3	0.850	0.006	.
1	A	52	LEU	HD11	-0.434	0.003	.
1	A	52	LEU	HD12	-0.434	0.003	.
1	A	52	LEU	HD13	-0.434	0.003	.
1	A	52	LEU	HD21	-1.072	0.003	.
1	A	52	LEU	HD22	-1.072	0.003	.
1	A	52	LEU	HD23	-1.072	0.003	.
1	A	54	ARG	HB2	2.012	0.005	.
1	A	54	ARG	HB3	1.909	0.007	.
1	A	54	ARG	HD2	3.260	0.002	.
1	A	54	ARG	HD3	3.285	0.002	.
1	A	54	ARG	HG2	1.438	0.002	.
1	A	54	ARG	HG3	1.661	0.007	.
1	A	56	ARG	HB2	1.899	0.003	.
1	A	56	ARG	HB3	1.859	0.003	.
1	A	56	ARG	HD2	3.394	0.001	.
1	A	56	ARG	HD3	3.335	0.003	.
1	A	56	ARG	HG2	1.754	0.005	.
1	A	56	ARG	HG3	1.801	0.001	.
1	A	57	ARG	HB2	1.738	0.002	.
1	A	57	ARG	HD2	2.890	0.003	.
1	A	57	ARG	HD3	2.934	0.004	.
1	A	57	ARG	HG2	1.447	0.003	.

Continued on next page...

Continued from previous page...

List ID	Chain	Res	Type	Atom	Shift Data		
					Value	Uncertainty	Ambiguity
1	A	58	GLU	HB2	2.021	0.005	.
1	A	58	GLU	HB3	2.096	0.003	.
1	A	58	GLU	HG2	2.909	0.004	.
1	A	60	ASN	HB2	2.919	0.005	.
1	A	60	ASN	HB3	3.307	0.004	.
1	A	60	ASN	HD21	7.867	0.006	.
1	A	60	ASN	HD22	7.580	0.007	.
1	A	61	GLY	HA2	4.294	0.005	.
1	A	61	GLY	HA3	3.767	0.002	.
1	A	62	ILE	HG12	1.009	0.002	.
1	A	62	ILE	HG13	1.480	0.006	.
1	A	63	ARG	HB2	2.060	0.002	.
1	A	63	ARG	HB3	1.943	0.007	.
1	A	63	ARG	HD2	3.288	0.006	.
1	A	63	ARG	HG2	1.468	0.003	.
1	A	63	ARG	HG3	1.606	0.004	.
1	A	65	VAL	HG11	1.145	0.003	.
1	A	65	VAL	HG12	1.145	0.003	.
1	A	65	VAL	HG13	1.145	0.003	.
1	A	65	VAL	HG21	1.155	0.002	.
1	A	65	VAL	HG22	1.155	0.002	.
1	A	65	VAL	HG23	1.155	0.002	.
1	A	66	ARG	HB2	1.897	0.005	.
1	A	66	ARG	HD2	3.246	0.005	.
1	A	66	ARG	HG2	1.863	0.003	.
1	A	66	ARG	HG3	1.696	0.004	.
1	A	67	ASP	HB2	3.337	0.004	.
1	A	67	ASP	HB3	2.900	0.002	.
1	A	68	VAL	HG11	1.535	0.003	.
1	A	68	VAL	HG12	1.535	0.003	.
1	A	68	VAL	HG13	1.535	0.003	.
1	A	68	VAL	HG21	1.207	0.004	.
1	A	68	VAL	HG22	1.207	0.004	.
1	A	68	VAL	HG23	1.207	0.004	.
1	A	71	TYR	HB2	3.003	0.004	.
1	A	71	TYR	HB3	3.275	0.006	.
1	A	71	TYR	HD1	6.883	0.002	.
1	A	71	TYR	HE1	6.365	0.001	.
1	A	72	ILE	HG12	1.625	0.006	.
1	A	72	ILE	HG13	1.174	0.002	.
1	A	73	ARG	HB2	1.859	0.002	.

Continued on next page...

Continued from previous page...

List ID	Chain	Res	Type	Atom	Shift Data		
					Value	Uncertainty	Ambiguity
1	A	73	ARG	HB3	1.815	0.002	.
1	A	73	ARG	HD2	3.318	0.003	.
1	A	73	ARG	HD3	3.089	0.002	.
1	A	74	ASN	HB2	2.402	0.010	.
1	A	74	ASN	HB3	2.276	0.005	.
1	A	74	ASN	HD21	7.465	0.002	.
1	A	74	ASN	HD22	6.615	0.002	.
1	A	75	PRO	HB2	0.040	0.003	.
1	A	75	PRO	HB3	-0.283	0.002	.
1	A	75	PRO	HD2	2.656	0.002	.
1	A	75	PRO	HD3	2.504	0.004	.
1	A	75	PRO	HG2	0.484	0.005	.
1	A	75	PRO	HG3	0.339	0.001	.
1	A	76	GLY	HA2	4.030	0.009	.
1	A	76	GLY	HA3	3.854	0.005	.
1	A	77	PRO	HB2	2.241	0.001	.
1	A	77	PRO	HB3	2.031	0.006	.
1	A	77	PRO	HD2	3.657	0.003	.
1	A	77	PRO	HD3	3.537	0.002	.
1	A	78	GLY	HA2	4.319	0.008	.
1	A	78	GLY	HA3	3.559	0.006	.
1	A	79	MET	HB2	-2.994	0.003	.
1	A	79	MET	HB3	-0.516	0.003	.
1	A	79	MET	HG2	-1.248	0.003	.
1	A	79	MET	HG3	-3.293	0.002	.
1	A	80	PRO	HB2	1.692	0.005	.
1	A	80	PRO	HB3	0.946	0.006	.
1	A	80	PRO	HD2	3.575	0.004	.
1	A	80	PRO	HD3	2.758	0.004	.
1	A	80	PRO	HG2	1.884	0.005	.
1	A	80	PRO	HG3	1.724	0.003	.
1	A	82	PHE	HB2	2.433	0.005	.
1	A	82	PHE	HB3	2.232	0.005	.
1	A	82	PHE	HD1	6.774	0.002	.
1	A	82	PHE	HE1	7.082	0.005	.
1	A	83	GLY	HA2	4.205	0.005	.
1	A	83	GLY	HA3	3.850	0.004	.
1	A	84	GLU	HB3	1.946	0.001	.
1	A	86	MET	HB2	2.150	0.006	.
1	A	86	MET	HB3	2.112	0.002	.
1	A	86	MET	HG2	2.698	0.004	.

Continued on next page...

Continued from previous page...

List ID	Chain	Res	Type	Atom	Shift Data		
					Value	Uncertainty	Ambiguity
1	A	86	MET	HG3	2.593	0.005	.
1	A	87	ILE	HG12	1.170	0.003	.
1	A	87	ILE	HG13	0.734	0.005	.
1	A	88	PRO	HB2	2.672	0.003	.
1	A	88	PRO	HB3	2.023	0.007	.
1	A	88	PRO	HD2	4.073	0.004	.
1	A	88	PRO	HD3	3.601	0.003	.
1	A	88	PRO	HG2	2.159	0.004	.
1	A	88	PRO	HG3	2.035	0.006	.
1	A	89	PRO	HB2	2.507	0.004	.
1	A	89	PRO	HB3	2.053	0.005	.
1	A	89	PRO	HD2	3.940	0.004	.
1	A	89	PRO	HD3	3.726	0.004	.
1	A	89	PRO	HG2	2.312	0.003	.
1	A	89	PRO	HG3	2.030	0.002	.
1	A	91	ASP	HB2	2.768	0.006	.
1	A	91	ASP	HB3	2.654	0.004	.
1	A	93	LEU	HB2	1.877	0.004	.
1	A	93	LEU	HB3	1.677	0.007	.
1	A	93	LEU	HD11	0.955	0.005	.
1	A	93	LEU	HD12	0.955	0.005	.
1	A	93	LEU	HD13	0.955	0.005	.
1	A	93	LEU	HD21	0.887	0.004	.
1	A	93	LEU	HD22	0.887	0.004	.
1	A	93	LEU	HD23	0.887	0.004	.
1	A	94	LYS	HB2	2.189	0.002	.
1	A	94	LYS	HB3	1.767	0.005	.
1	A	94	LYS	HD2	1.742	0.003	.
1	A	94	LYS	HD3	1.900	0.003	.
1	A	94	LYS	HE2	3.064	0.003	.
1	A	94	LYS	HE3	3.021	0.000	.
1	A	94	LYS	HG2	1.633	0.004	.
1	A	95	ILE	HG12	1.186	0.003	.
1	A	95	ILE	HG13	0.135	0.003	.
1	A	96	GLY	HA2	4.062	0.002	.
1	A	96	GLY	HA3	3.939	0.003	.
1	A	97	GLU	HB2	2.155	0.006	.
1	A	97	GLU	HG2	2.581	0.005	.
1	A	97	GLU	HG3	2.368	0.003	.
1	A	98	TYR	HB2	3.199	0.004	.
1	A	98	TYR	HB3	3.092	0.004	.

Continued on next page...

Continued from previous page...

List ID	Chain	Res	Type	Atom	Shift Data		
					Value	Uncertainty	Ambiguity
1	A	98	TYR	HD1	6.682	0.004	.
1	A	98	TYR	HE1	6.162	0.003	.
1	A	99	VAL	HG11	1.278	0.004	.
1	A	99	VAL	HG12	1.278	0.004	.
1	A	99	VAL	HG13	1.278	0.004	.
1	A	99	VAL	HG21	1.677	0.003	.
1	A	99	VAL	HG22	1.677	0.003	.
1	A	99	VAL	HG23	1.677	0.003	.
1	A	100	VAL	HG11	0.962	0.002	.
1	A	100	VAL	HG12	0.962	0.002	.
1	A	100	VAL	HG13	0.962	0.002	.
1	A	100	VAL	HG21	1.015	0.003	.
1	A	100	VAL	HG22	1.015	0.003	.
1	A	100	VAL	HG23	1.015	0.003	.
1	A	102	SER	HB2	2.267	0.005	.
1	A	102	SER	HB3	1.594	0.003	.
1	A	103	PHE	HB2	2.858	0.006	.
1	A	103	PHE	HB3	2.787	0.007	.
1	A	103	PHE	HD1	7.061	0.004	.
1	A	103	PHE	HE1	6.502	0.005	.
1	A	104	PRO	HB2	2.099	0.000	.
1	A	104	PRO	HB3	2.140	0.000	.
1	A	104	PRO	HD2	3.479	0.005	.
1	A	104	PRO	HD3	3.819	0.013	.
1	A	104	PRO	HG3	1.902	0.002	.

The following assigned chemical shifts were not mapped to the molecules present in the coordinate file.

- No matching atom found in the structure. All 92 occurrences are reported below.

List ID	Chain	Res	Type	Atom	Shift Data		
					Value	Uncertainty	Ambiguity
1	A	30	LEU	HD12	0.985	0.003	.
1	A	30	LEU	HD13	0.985	0.003	.
1	A	30	LEU	HD21	1.135	0.004	.
1	A	30	LEU	HD23	1.135	0.004	.
1	A	33	THR	HG21	0.662	0.003	1
1	A	33	THR	HG23	0.662	0.003	1
1	A	41	GLN	HE22	6.839	0.004	.
1	A	44	ASN	HD22	7.268	0.004	.
1	A	45	THR	HG21	0.904	0.003	1

Continued on next page...

Continued from previous page...

List ID	Chain	Res	Type	Atom	Shift Data		
					Value	Uncertainty	Ambiguity
1	A	45	THR	HG23	0.904	0.003	1
1	A	46	VAL	HG12	1.214	0.002	.
1	A	46	VAL	HG13	1.214	0.002	.
1	A	46	VAL	HG21	1.41	0.002	.
1	A	46	VAL	HG23	1.41	0.002	.
1	A	51	THR	HG21	1.055	0.004	1
1	A	51	THR	HG23	1.055	0.004	1
1	A	52	LEU	HD12	-0.434	0.003	.
1	A	52	LEU	HD13	-0.434	0.003	.
1	A	52	LEU	HD21	-1.072	0.003	.
1	A	52	LEU	HD23	-1.072	0.003	.
1	A	60	ASN	HD22	7.58	0.007	.
1	A	62	ILE	HD12	0.786	0.003	1
1	A	62	ILE	HD13	0.786	0.003	1
1	A	62	ILE	HG21	0.909	0.002	1
1	A	62	ILE	HG23	0.909	0.002	1
1	A	64	THR	HG21	1.317	0.003	1
1	A	64	THR	HG23	1.317	0.003	1
1	A	65	VAL	HG12	1.145	0.003	.
1	A	65	VAL	HG13	1.145	0.003	.
1	A	65	VAL	HG21	1.155	0.002	.
1	A	65	VAL	HG23	1.155	0.002	.
1	A	68	VAL	HG12	1.535	0.003	.
1	A	68	VAL	HG13	1.535	0.003	.
1	A	68	VAL	HG21	1.207	0.004	.
1	A	68	VAL	HG23	1.207	0.004	.
1	A	72	ILE	HD12	0.696	0.006	1
1	A	72	ILE	HD13	0.696	0.006	1
1	A	72	ILE	HG21	0.827	0.018	1
1	A	72	ILE	HG23	0.827	0.018	1
1	A	74	ASN	HD22	6.615	0.002	.
1	A	87	ILE	HD12	0.135	0.002	1
1	A	87	ILE	HD13	0.135	0.002	1
1	A	87	ILE	HG21	0.72	0.002	1
1	A	87	ILE	HG23	0.72	0.002	1
1	A	93	LEU	HD12	0.955	0.005	.
1	A	93	LEU	HD13	0.955	0.005	.
1	A	93	LEU	HD21	0.887	0.004	.
1	A	93	LEU	HD23	0.887	0.004	.
1	A	95	ILE	HD12	1.104	0.007	1
1	A	95	ILE	HD13	1.104	0.007	1

Continued on next page...

Continued from previous page...

List ID	Chain	Res	Type	Atom	Shift Data		
					Value	Uncertainty	Ambiguity
1	A	95	ILE	HG21	1.591	0.004	1
1	A	95	ILE	HG23	1.591	0.004	1
1	A	99	VAL	HG12	1.278	0.004	.
1	A	99	VAL	HG13	1.278	0.004	.
1	A	99	VAL	HG21	1.677	0.003	.
1	A	99	VAL	HG23	1.677	0.003	.
1	A	100	VAL	HG12	0.962	0.002	.
1	A	100	VAL	HG13	0.962	0.002	.
1	A	100	VAL	HG21	1.015	0.003	.
1	A	100	VAL	HG23	1.015	0.003	.
1	A	201	HEC	HAA1	2.693	0.002	.
1	A	201	HEC	HAA2	4.114	0.003	.
1	A	201	HEC	HAB	5.479	0.003	1
1	A	201	HEC	HAC	6.195	0.003	1
1	A	201	HEC	HAD1	4.152	0.004	.
1	A	201	HEC	HAD2	4.446	0.002	.
1	A	201	HEC	HBA1	2.014	0.004	.
1	A	201	HEC	HBA2	3.119	0.002	.
1	A	201	HEC	HBB1	1.141	0.003	1
1	A	201	HEC	HBB2	1.141	0.003	1
1	A	201	HEC	HBB3	1.141	0.003	1
1	A	201	HEC	HBC1	2.5	0.002	1
1	A	201	HEC	HBC2	2.5	0.002	1
1	A	201	HEC	HBC3	2.5	0.002	1
1	A	201	HEC	HBD1	2.887	0.010	.
1	A	201	HEC	HBD2	3.241	0.004	.
1	A	201	HEC	HHA	10.097	0.003	1
1	A	201	HEC	HHB	9.417	0.002	1
1	A	201	HEC	HHC	9.588	0.002	1
1	A	201	HEC	HHD	9.334	0.003	1
1	A	201	HEC	HMA1	3.024	0.004	1
1	A	201	HEC	HMA2	3.024	0.004	1
1	A	201	HEC	HMA3	3.024	0.004	1
1	A	201	HEC	HMB1	3.638	0.002	1
1	A	201	HEC	HMB2	3.638	0.002	1
1	A	201	HEC	HMB3	3.638	0.002	1
1	A	201	HEC	HMC1	4.074	0.003	1
1	A	201	HEC	HMC2	4.074	0.003	1
1	A	201	HEC	HMC3	4.074	0.003	1
1	A	201	HEC	HMD1	3.197	0.004	1
1	A	201	HEC	HMD2	3.197	0.004	1

Continued on next page...

Continued from previous page...

List ID	Chain	Res	Type	Atom	Shift Data		
					Value	Uncertainty	Ambiguity
1	A	201	HEC	HMD3	3.197	0.004	1

7.1.2 Chemical shift referencing [i](#)

The following table shows the suggested chemical shift referencing corrections.

Nucleus	# values	Correction $\pm$ precision, ppm	Suggested action
$^{13}\text{C}_\alpha$	0	—	None (insufficient data)
$^{13}\text{C}_\beta$	0	—	None (insufficient data)
$^{13}\text{C}'$	0	—	None (insufficient data)
^{15}N	69	1.28 ± 0.41	Should be applied

7.1.3 Completeness of resonance assignments [i](#)

The following table shows the completeness of the chemical shift assignments for the well-defined regions of the structure. The overall completeness is 32%, i.e. 318 atoms were assigned a chemical shift out of a possible 1005. 0 out of 8 assigned methyl groups (LEU and VAL) were assigned stereospecifically.

	Total	^1H	^{13}C	^{15}N
Backbone	206/390 (53%)	138/161 (86%)	0/158 (0%)	68/71 (96%)
Sidechain	102/546 (19%)	98/358 (27%)	0/164 (0%)	4/24 (17%)
Aromatic	10/69 (14%)	10/35 (29%)	0/31 (0%)	0/3 (0%)
Overall	318/1005 (32%)	246/554 (44%)	0/353 (0%)	72/98 (73%)

The following table shows the completeness of the chemical shift assignments for the full structure. The overall completeness is 32%, i.e. 324 atoms were assigned a chemical shift out of a possible 1014. 0 out of 8 assigned methyl groups (LEU and VAL) were assigned stereospecifically.

	Total	^1H	^{13}C	^{15}N
Backbone	209/395 (53%)	140/163 (86%)	0/160 (0%)	69/72 (96%)
Sidechain	105/550 (19%)	101/361 (28%)	0/165 (0%)	4/24 (17%)
Aromatic	10/69 (14%)	10/35 (29%)	0/31 (0%)	0/3 (0%)
Overall	324/1014 (32%)	251/559 (45%)	0/356 (0%)	73/99 (74%)

7.1.4 Statistically unusual chemical shifts [i](#)


The following table lists the statistically unusual chemical shifts. These are statistical measures, and large deviations from the mean do not necessarily imply incorrect assignments. Molecules containing paramagnetic centres or hemes are expected to give rise to anomalous chemical shifts.

List Id	Chain	Res	Type	Atom	Shift, ppm	Expected range, ppm	Z-score
1	A	39	HIS	HD2	0.52	4.65 – 9.35	-13.8
1	A	79	MET	HE1	-2.85	-0.03 – 3.80	-12.4
1	A	79	MET	HE2	-2.85	-0.03 – 3.80	-12.4
1	A	79	MET	HE3	-2.85	-0.03 – 3.80	-12.4
1	A	39	HIS	HE1	1.15	5.13 – 10.76	-12.1
1	A	75	PRO	HA	2.77	2.78 – 6.00	-5.0

7.1.5 Random Coil Index (RCI) plots [i](#)

The image below reports *random coil index* values for the protein chains in the structure. The height of each bar gives a probability of a given residue to be disordered, as predicted from the available chemical shifts and the amino acid sequence. A value above 0.2 is an indication of significant predicted disorder. The colour of the bar shows whether the residue is in the well-defined core (black) or in the ill-defined residue ranges (cyan), as described in section 2 on ensemble composition. If well-defined core and ill-defined regions are not identified then it is shown as gray bars.

Random coil index (RCI) for chain A:



8 NMR restraints analysis

No restraints data found

9 Distance violation analysis ⓘ

No distance restraints data found

10 Dihedral-angle violation analysis ⓘ

No dihedral-angle restraints found