



wwPDB NMR Structure Validation Summary Report ⓘ

Aug 5, 2026 – 02:10 PM EDT

PDB ID : 2MHM / pdb_00002mhm
BMRB ID : 19638
Title : Solution structure of cytochrome c Y67H
Authors : Lan, W.X.; Wang, Z.H.; Yang, Z.Z.; Ying, T.L.; Wu, H.M.; Tan, X.S.; Cao, C.Y.; Huang, Z.X.
Deposited on : 2013-11-26

This is a wwPDB NMR Structure Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/NMRValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
wwPDB-RCI : v_1n_11_5_13_A (Berjanski et al., 2005)
PANAV : Wang et al. (2010)
wwPDB-ShiftChecker : v1.2
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.50


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

SOLUTION NMR

The overall completeness of chemical shifts assignment is 21%.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	NMR archive (#Entries)
Clashscore	229148	14424
Ramachandran outliers	224038	12848
Sidechain outliers	223484	12823

The table below summarises the geometric issues observed across the polymeric chains and their fit to the experimental data. The red, orange, yellow and green segments indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A cyan segment indicates the fraction of residues that are not part of the well-defined cores, and a grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$.

Mol	Chain	Length	Quality of chain
1	A	108	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA and RNA chains that are outliers for geometric criteria:

Mol	Chain	Compound	Res	Total models with violations	
				Chirality	Geometry
2	A	HEC	201	20	-

2 Ensemble composition and analysis

This entry contains 20 models. Model 14 is the overall representative, medoid model (most similar to other models). The authors have identified model 1 as representative, based on the following criterion: *lowest energy*.

The following residues are included in the computation of the global validation metrics.

Well-defined (core) protein residues			
Well-defined core	Residue range (total)	Backbone RMSD (Å)	Medoid model
1	A:-3-A:-1, A:1-A:101 (104)	0.80	14

Ill-defined regions of proteins are excluded from the global statistics.

Ligands and non-protein polymers are included in the analysis.

NmrClust was unable to cluster the ensemble.

Error message: 1 Unexpected character

3 Entry composition [i](#)

There are 2 unique types of molecules in this entry. The entry contains 1761 atoms, of which 877 are hydrogens and 0 are deuteriums.


- Molecule 1 is a protein called Cytochrome c iso-1.

Mol	Chain	Residues	Atoms						Trace
1	A	108	Total	C	H	N	O	S	0
			1686	529	845	152	156	4	

There are 3 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	67	HIS	TYR	engineered mutation	UNP P00044
A	72	ALA	LYS	conflict	UNP P00044
A	102	THR	CYS	conflict	UNP P00044

- Molecule 2 is HEME C (CCD ID: HEC) (formula: $C_{34}H_{36}FeN_4O_4$).




4 Residue-property plots

4.1 Average score per residue in the NMR ensemble

These plots are provided for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic is the same as shown in the summary in section 1 of this report. The second graphic shows the sequence where residues are colour-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outliers are shown as green connectors. Residues which are classified as ill-defined in the NMR ensemble, are shown in cyan with an underline colour-coded according to the previous scheme. Residues which were present in the experimental sample, but not modelled in the final structure are shown in grey.


- Molecule 1: Cytochrome c iso-1



4.2 Residue scores for the representative (medoid) model from the NMR ensemble

The representative model is number 14. Colouring as in section 4.1 above.

- Molecule 1: Cytochrome c iso-1



5 Refinement protocol and experimental data overview

The models were refined using the following method: *simulated annealing*.

Of the 100 calculated structures, 20 were deposited, based on the following criterion: *structures with the lowest energy*.

The following table shows the software used for structure solution, optimisation and refinement.

Software name	Classification	Version
CNS	refinement	
X-PLOR	refinement	

The following table shows chemical shift validation statistics as aggregates over all chemical shift files. Detailed validation can be found in section 7 of this report.

Chemical shift file(s)	working_cs.cif
Number of chemical shift lists	1
Total number of shifts	667
Number of shifts mapped to atoms	667
Number of unparsed shifts	0
Number of shifts with mapping errors	0
Number of shifts with mapping warnings	0
Assignment completeness (well-defined parts)	21%

6 Model quality [i](#)

6.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: HEC

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the (average) root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	#Z>5	RMSZ	#Z>5
1	A	1.46±0.01	0±0/828 (0.0± 0.1%)	1.24±0.02	0±1/1110 (0.0± 0.1%)
All	All	1.46	5/16560 (0.0%)	1.24	9/22200 (0.0%)

All unique bond outliers are listed below. They are sorted according to the Z-score of the worst occurrence in the ensemble.

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)	Models	
								Worst	Total
1	A	27	LYS	N-CA	5.54	1.49	1.46	18	4
1	A	1	GLY	N-CA	5.02	1.49	1.44	1	1

All unique angle outliers are listed below. They are sorted according to the Z-score of the worst occurrence in the ensemble.

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)	Models	
								Worst	Total
1	A	27	LYS	CA-C-O	5.54	121.16	117.94	18	4
1	A	34	GLY	N-CA-C	-5.19	108.08	115.30	4	1
1	A	27	LYS	CB-CA-C	-5.14	109.67	117.07	18	4

There are no chirality outliers.

There are no planarity outliers.

6.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in each chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes averaged over the ensemble.

Mol	Chain	Non-H	H(model)	H(added)	Clashes
1	A	809	817	813	48±7
2	A	43	32	30	5±2
All	All	17040	16980	16860	982

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 29.

5 of 334 unique clashes are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:8:THR:O	1:A:12:THR:HG23	0.83	1.73	5	19
1:A:57:VAL:HG11	1:A:74:TYR:OH	0.82	1.74	11	20
1:A:39:HIS:CE1	1:A:58:LEU:HD13	0.80	2.11	16	1
1:A:32:LEU:HD12	1:A:32:LEU:N	0.80	1.92	4	17
1:A:57:VAL:HG21	1:A:74:TYR:OH	0.76	1.81	7	7

6.3 Torsion angles [i](#)

6.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all NMR entries. The Analysed column shows the number of residues for which the backbone conformation was analysed and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	104/108 (96%)	92±2 (88±2%)	6±1 (6±1%)	6±2 (6±2%)	2	19
All	All	2080/2160 (96%)	1839 (88%)	117 (6%)	124 (6%)	2	19

5 of 29 unique Ramachandran outliers are listed below. They are sorted by the frequency of occurrence in the ensemble.

Mol	Chain	Res	Type	Models (Total)
1	A	14	CYS	20
1	A	-1	ALA	14
1	A	20	VAL	13
1	A	51	ALA	12
1	A	44	GLU	11

6.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all NMR entries. The Analysed column shows the number of residues for which the sidechain conformation was analysed and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	84/88 (95%)	82±1 (98±1%)	2±1 (2±1%)	43	89
All	All	1680/1760 (95%)	1640 (98%)	40 (2%)	43	89

5 of 17 unique residues with a non-rotameric sidechain are listed below. They are sorted by the frequency of occurrence in the ensemble.

Mol	Chain	Res	Type	Models (Total)
1	A	79	LYS	6
1	A	86	LYS	5
1	A	80	MET	4
1	A	20	VAL	4
1	A	62	ASN	3

6.3.3 RNA [i](#)

There are no RNA molecules in this entry.

6.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.6 Ligand geometry [i](#)

1 ligand is modelled in this entry.

In the following table, the Counts columns list the number of bonds for which Mogul statistics could be retrieved, the number of bonds that are observed in the model and the number of bonds that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length is the number of standard deviations the observed value is removed from the expected value. A bond length with $|Z| > 2$ is

considered an outlier worth inspection. RMSZ is the average root-mean-square of all Z scores of the bond lengths.

Mol	Type	Chain	Res	Link	Bond lengths		
					Counts	RMSZ	#Z>2
2	HEC	A	201	1	50,50,50	0.81±0.01	2±0 (4±0%)

In the following table, the Counts columns list the number of angles for which Mogul statistics could be retrieved, the number of angles that are observed in the model and the number of angles that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond angle is the number of standard deviations the observed value is removed from the expected value. A bond angle with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the average root-mean-square of all Z scores of the bond angles.

Mol	Type	Chain	Res	Link	Bond angles		
					Counts	RMSZ	#Z>2
2	HEC	A	201	1	68,82,82	0.87±0.01	0±0 (0±0%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	HEC	A	201	1	1±0,1,7,7	0±0,14,54,54	-

All unique bond outliers are listed below. They are sorted according to the Z-score of the worst occurrence in the ensemble.

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)	Models	
								Worst	Total
2	A	201	HEC	O2A-CGA	2.60	1.22	1.30	9	20
2	A	201	HEC	O2D-CGD	2.58	1.22	1.30	12	20

There are no bond-angle outliers.


All unique chiral outliers are listed below.

Mol	Chain	Res	Type	Atoms	Models (Total)
2	A	201	HEC	NA	20

There are no torsion outliers.

There are no ring outliers.

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



6.7 Other polymers ⓘ

There are no such molecules in this entry.

6.8 Polymer linkage issues ⓘ

There are no chain breaks in this entry.

7 Chemical shift validation

The completeness of assignment taking into account all chemical shift lists is 21% for the well-defined parts and 21% for the entire structure.

7.1 Chemical shift list 1

File name: working_cs.cif

Chemical shift list name: *assigned_chem_shift_list_1*

7.1.1 Bookkeeping

The following table shows the results of parsing the chemical shift list and reports the number of nuclei with statistically unusual chemical shifts.

Total number of shifts	667
Number of shifts mapped to atoms	667
Number of unparsed shifts	0
Number of shifts with mapping errors	0
Number of shifts with mapping warnings	0
Number of shift outliers (ShiftChecker)	10

- Can not parse the chemical shift value. First 5 (of 361) occurrences are reported below.

List ID	Chain	Res	Type	Atom	Shift Data		
					Value	Uncertainty	Ambiguity
1	A	-4	GLU	HB2	2.153	0	.
1	A	-4	GLU	HB3	2.153	0	.
1	A	-4	GLU	HG2	2.323	0	.
1	A	-4	GLU	HG3	2.323	0	.
1	A	-3	PHE	HB2	2.929	0.003	.
1	A	-3	PHE	HB3	2.579	0.007	.
1	A	-3	PHE	HD1	6.926	0.001	.
1	A	-3	PHE	HD2	6.926	0.001	.
1	A	-3	PHE	HE1	7.172	0.002	.
1	A	-3	PHE	HE2	7.172	0.002	.
1	A	-2	LYS	HB2	1.302	0.001	.
1	A	-2	LYS	HB3	1.242	0.001	.
1	A	-2	LYS	HD2	1.384	0.005	.
1	A	-2	LYS	HD3	1.384	0.005	.
1	A	-2	LYS	HE2	2.825	0.008	.
1	A	-2	LYS	HE3	2.588	0.006	.
1	A	-2	LYS	HG2	1.13	0.006	.

Continued on next page...

Continued from previous page...

List ID	Chain	Res	Type	Atom	Shift Data		
					Value	Uncertainty	Ambiguity
1	A	-2	LYS	HG3	1.13	0.006	.
1	A	1	GLY	HA2	4.312	0.002	.
1	A	1	GLY	HA3	3.387	0.019	.
1	A	2	SER	HB2	3.812	0.009	.
1	A	2	SER	HB3	3.595	0.009	.
1	A	4	LYS	HB2	2	0.006	.
1	A	4	LYS	HB3	1.865	0.007	.
1	A	5	LYS	HB2	1.783	0	.
1	A	5	LYS	HB3	1.783	0	.
1	A	5	LYS	HD2	1.688	0	.
1	A	5	LYS	HD3	1.688	0	.
1	A	6	GLY	HA2	4.043	0.009	.
1	A	6	GLY	HA3	3.286	0.008	.
1	A	9	LEU	HB2	1.838	0.014	.
1	A	9	LEU	HB3	1.838	0.014	.
1	A	9	LEU	HD11	0.627	0.006	.
1	A	9	LEU	HD12	0.627	0.006	.
1	A	9	LEU	HD13	0.627	0.006	.
1	A	9	LEU	HD21	0.833	0.006	.
1	A	9	LEU	HD22	0.833	0.006	.
1	A	9	LEU	HD23	0.833	0.006	.
1	A	10	PHE	HB2	2.958	0.008	.
1	A	10	PHE	HB3	2.703	0.005	.
1	A	10	PHE	HD1	7.731	0.011	.
1	A	10	PHE	HD2	7.731	0.011	.
1	A	10	PHE	HE1	8.158	0.005	.
1	A	10	PHE	HE2	8.158	0.005	.
1	A	11	LYS	HB2	2.164	0.001	.
1	A	11	LYS	HB3	1.812	0.005	.
1	A	11	LYS	HE2	2.864	0.006	.
1	A	11	LYS	HE3	2.864	0.006	.
1	A	11	LYS	HG2	1.383	0	.
1	A	11	LYS	HG3	1.383	0	.
1	A	13	ARG	HB2	1.418	0.003	.
1	A	13	ARG	HB3	1.043	0.001	.
1	A	13	ARG	HD2	2.655	0	.
1	A	13	ARG	HD3	2.655	0	.
1	A	13	ARG	HG2	1.248	0.002	.
1	A	13	ARG	HG3	1.08	0	.
1	A	14	CYS	HB2	2.822	0.007	.
1	A	14	CYS	HB3	2.572	0.003	.

Continued on next page...

Continued from previous page...

List ID	Chain	Res	Type	Atom	Shift Data		
					Value	Uncertainty	Ambiguity
1	A	15	LEU	HB2	2.625	0.002	.
1	A	15	LEU	HB3	2.146	0.001	.
1	A	15	LEU	HD11	1.445	0	.
1	A	15	LEU	HD12	1.445	0	.
1	A	15	LEU	HD13	1.445	0	.
1	A	15	LEU	HD21	2.025	0.003	.
1	A	15	LEU	HD22	2.025	0.003	.
1	A	15	LEU	HD23	2.025	0.003	.
1	A	16	GLN	HB2	2.615	0.004	.
1	A	16	GLN	HB3	2.371	0.008	.
1	A	16	GLN	HE21	6.903	0.001	.
1	A	16	GLN	HE22	7.597	0.004	.
1	A	16	GLN	HG2	2.942	0.005	.
1	A	16	GLN	HG3	2.786	0.005	.
1	A	17	CYS	HB2	2.366	0.005	.
1	A	17	CYS	HB3	2.313	0.003	.
1	A	18	HIS	HB2	15.552	0.005	.
1	A	18	HIS	HB3	8.365	0.003	.
1	A	20	VAL	HG11	0.946	0.002	.
1	A	20	VAL	HG12	0.946	0.002	.
1	A	20	VAL	HG13	0.946	0.002	.
1	A	20	VAL	HG21	0.946	0.002	.
1	A	20	VAL	HG22	0.946	0.002	.
1	A	20	VAL	HG23	0.946	0.002	.
1	A	21	GLU	HB2	2.171	0.005	.
1	A	21	GLU	HB3	2.088	0.003	.
1	A	23	GLY	HA2	4.045	0.004	.
1	A	23	GLY	HA3	3.724	0.001	.
1	A	24	GLY	HA2	4.416	0	.
1	A	24	GLY	HA3	3.691	0	.
1	A	25	PRO	HD2	3.792	0.01	.
1	A	25	PRO	HD3	3.655	0	.
1	A	25	PRO	HG2	2.073	0	.
1	A	25	PRO	HG3	1.973	0	.
1	A	26	HIS	HB2	3.113	0.003	.
1	A	26	HIS	HB3	2.962	0.06	.
1	A	27	LYS	HB2	2.536	0.002	.
1	A	27	LYS	HB3	1.805	0.002	.
1	A	28	VAL	HG11	-0.065	0.008	.
1	A	28	VAL	HG12	-0.065	0.008	.
1	A	28	VAL	HG13	-0.065	0.008	.

Continued on next page...

Continued from previous page...

List ID	Chain	Res	Type	Atom	Shift Data		
					Value	Uncertainty	Ambiguity
1	A	28	VAL	HG21	0.761	0.001	.
1	A	28	VAL	HG22	0.761	0.001	.
1	A	28	VAL	HG23	0.761	0.001	.
1	A	29	GLY	HA2	-0.494	0.014	.
1	A	29	GLY	HA3	-3.07	0.012	.
1	A	30	PRO	HB2	1.749	0.011	.
1	A	30	PRO	HB3	0.129	0.005	.
1	A	30	PRO	HD3	-1.613	0	.
1	A	30	PRO	HG2	-0.71	0.009	.
1	A	30	PRO	HG3	0.013	0.008	.
1	A	31	ASN	HB2	3.007	0.007	.
1	A	31	ASN	HB3	2.627	0.003	.
1	A	31	ASN	HD21	8.136	0.007	.
1	A	32	LEU	HB2	2.541	0.003	.
1	A	32	LEU	HB3	2.071	0.005	.
1	A	32	LEU	HD11	0.618	0.004	.
1	A	32	LEU	HD12	0.618	0.004	.
1	A	32	LEU	HD13	0.618	0.004	.
1	A	32	LEU	HD21	1.082	0.007	.
1	A	32	LEU	HD22	1.082	0.007	.
1	A	32	LEU	HD23	1.082	0.007	.
1	A	33	HIS	HB2	3.329	0.003	.
1	A	33	HIS	HB3	3.23	0.007	.
1	A	34	GLY	HA2	3.767	0	.
1	A	34	GLY	HA3	3.676	0.002	.
1	A	35	ILE	HG12	1.025	0.001	.
1	A	35	ILE	HG13	0.492	0.001	.
1	A	36	PHE	HB2	2.834	0.008	.
1	A	36	PHE	HB3	2.717	0.003	.
1	A	36	PHE	HD1	6.931	0.008	.
1	A	36	PHE	HD2	6.931	0.008	.
1	A	36	PHE	HE1	6.359	0.003	.
1	A	36	PHE	HE2	6.359	0.003	.
1	A	37	GLY	HA2	4.175	0.002	.
1	A	37	GLY	HA3	3.557	0.005	.
1	A	38	ARG	HB2	1.786	0.005	.
1	A	38	ARG	HB3	1.786	0.005	.
1	A	38	ARG	HD2	3.208	0.004	.
1	A	38	ARG	HD3	3.208	0.004	.
1	A	38	ARG	HG2	1.962	0.004	.
1	A	38	ARG	HG3	1.962	0.004	.

Continued on next page...

Continued from previous page...

List ID	Chain	Res	Type	Atom	Shift Data		
					Value	Uncertainty	Ambiguity
1	A	39	HIS	HB2	2.932	0.004	.
1	A	39	HIS	HB3	2.788	0.009	.
1	A	40	SER	HB2	4.117	0.02	.
1	A	40	SER	HB3	3.762	0.007	.
1	A	41	GLY	HA2	3.061	0.009	.
1	A	41	GLY	HA3	1.111	0.005	.
1	A	42	GLN	HB2	2.437	0	.
1	A	42	GLN	HB3	1.677	0.009	.
1	A	42	GLN	HE21	6.765	0	.
1	A	42	GLN	HG2	2.193	0	.
1	A	42	GLN	HG3	2.111	0	.
1	A	44	GLU	HB2	2.345	0.002	.
1	A	44	GLU	HB3	2.117	0.001	.
1	A	44	GLU	HG2	2.42	0.001	.
1	A	44	GLU	HG3	2.42	0.001	.
1	A	45	GLY	HA2	4.29	0.003	.
1	A	46	TYR	HB2	1.526	0.009	.
1	A	46	TYR	HB3	0.692	0.009	.
1	A	46	TYR	HD1	6.248	0.001	.
1	A	46	TYR	HE1	3.686	0.001	.
1	A	46	TYR	HE2	5.115	0.004	.
1	A	47	SER	HB2	3.161	0	.
1	A	47	SER	HB3	3	0	.
1	A	48	TYR	HB2	3.343	0.007	.
1	A	48	TYR	HB3	2.532	0.003	.
1	A	48	TYR	HD1	6.988	0.004	.
1	A	48	TYR	HD2	6.988	0.004	.
1	A	48	TYR	HE1	8.299	0.001	.
1	A	48	TYR	HE2	8.299	0.001	.
1	A	50	ASP	HB2	2.639	0.005	.
1	A	50	ASP	HB3	2.578	0.001	.
1	A	52	ASN	HB2	3.292	0.005	.
1	A	52	ASN	HB3	3.077	0.006	.
1	A	52	ASN	HD21	7.146	0.007	.
1	A	52	ASN	HD22	7.771	0.005	.
1	A	53	ILE	HG12	1.643	0.005	.
1	A	53	ILE	HG13	1.11	0.005	.
1	A	54	LYS	HB2	1.86	0.003	.
1	A	54	LYS	HB3	1.627	0.004	.
1	A	54	LYS	HD2	1.556	0	.
1	A	54	LYS	HD3	1.556	0	.

Continued on next page...

Continued from previous page...

List ID	Chain	Res	Type	Atom	Shift Data		
					Value	Uncertainty	Ambiguity
1	A	54	LYS	HG2	1.479	0	.
1	A	54	LYS	HG3	1.333	0	.
1	A	55	LYS	HB2	1.99	0	.
1	A	55	LYS	HB3	1.895	0.005	.
1	A	55	LYS	HG2	1.218	0.007	.
1	A	55	LYS	HG3	1.218	0.007	.
1	A	56	ASN	HB2	3.027	0.012	.
1	A	56	ASN	HB3	2.29	0.002	.
1	A	56	ASN	HD21	6.499	0	.
1	A	56	ASN	HD22	7.664	0.007	.
1	A	57	VAL	HG11	0.159	0.011	.
1	A	57	VAL	HG12	0.159	0.011	.
1	A	57	VAL	HG13	0.159	0.011	.
1	A	57	VAL	HG21	0.364	0.003	.
1	A	57	VAL	HG22	0.364	0.003	.
1	A	57	VAL	HG23	0.364	0.003	.
1	A	58	LEU	HB2	1.49	0.007	.
1	A	58	LEU	HB3	0.903	0.002	.
1	A	58	LEU	HD11	0.38	0.008	.
1	A	58	LEU	HD12	0.38	0.008	.
1	A	58	LEU	HD13	0.38	0.008	.
1	A	58	LEU	HD21	0.555	0.003	.
1	A	58	LEU	HD22	0.555	0.003	.
1	A	58	LEU	HD23	0.555	0.003	.
1	A	59	TRP	HB2	3.562	0.004	.
1	A	59	TRP	HB3	2.242	0.009	.
1	A	60	ASP	HB2	2.965	0.003	.
1	A	60	ASP	HB3	2.695	0.003	.
1	A	61	GLU	HB2	1.287	0.007	.
1	A	61	GLU	HB3	1.105	0.003	.
1	A	61	GLU	HG2	0.831	0.003	.
1	A	61	GLU	HG3	0.831	0.003	.
1	A	62	ASN	HB2	2.884	0.01	.
1	A	62	ASN	HB3	2.787	0.003	.
1	A	62	ASN	HD21	7.138	0.001	.
1	A	62	ASN	HD22	7.779	0.002	.
1	A	63	ASN	HB2	3.311	0.005	.
1	A	63	ASN	HB3	2.893	0.006	.
1	A	63	ASN	HD21	6.98	0.004	.
1	A	63	ASN	HD22	7.227	0.007	.
1	A	64	MET	HB2	2.447	0.008	.

Continued on next page...

Continued from previous page...

List ID	Chain	Res	Type	Atom	Shift Data		
					Value	Uncertainty	Ambiguity
1	A	64	MET	HB3	1.994	0.004	.
1	A	64	MET	HG2	1.734	0.005	.
1	A	64	MET	HG3	1.734	0.005	.
1	A	65	SER	HB2	4.089	0.014	.
1	A	65	SER	HB3	3.841	0.001	.
1	A	66	GLU	HB2	1.994	0.001	.
1	A	66	GLU	HB3	1.857	0.001	.
1	A	66	GLU	HG2	2.409	0.003	.
1	A	66	GLU	HG3	2.188	0.002	.
1	A	67	HIS	HB2	3.177	0.002	.
1	A	67	HIS	HB3	3.122	0.005	.
1	A	68	LEU	HB2	1.051	0.007	.
1	A	68	LEU	HB3	0.231	0.005	.
1	A	68	LEU	HD11	-3.045	0.011	.
1	A	68	LEU	HD12	-3.045	0.011	.
1	A	68	LEU	HD13	-3.045	0.011	.
1	A	68	LEU	HD21	-1.021	0.006	.
1	A	68	LEU	HD22	-1.021	0.006	.
1	A	68	LEU	HD23	-1.021	0.006	.
1	A	70	ASN	HB2	3.257	0.02	.
1	A	70	ASN	HB3	3.044	0.006	.
1	A	70	ASN	HD21	7.009	0	.
1	A	71	PRO	HB2	5.381	0.007	.
1	A	71	PRO	HB3	4.997	0.004	.
1	A	71	PRO	HD2	3.923	0.011	.
1	A	71	PRO	HD3	2.772	0	.
1	A	71	PRO	HG2	4.542	0.06	.
1	A	73	LYS	HB2	2.187	0.005	.
1	A	73	LYS	HB3	2.098	0.001	.
1	A	73	LYS	HD2	1.93	0.008	.
1	A	73	LYS	HD3	1.93	0.008	.
1	A	73	LYS	HG2	1.679	0.004	.
1	A	73	LYS	HG3	1.679	0.004	.
1	A	74	TYR	HB2	4.279	0.003	.
1	A	74	TYR	HB3	3.954	0.002	.
1	A	74	TYR	HD1	7.635	0.006	.
1	A	74	TYR	HD2	7.635	0.006	.
1	A	74	TYR	HE1	7.032	0.009	.
1	A	74	TYR	HE2	7.032	0.009	.
1	A	75	ILE	HG12	1.498	0.001	.
1	A	75	ILE	HG13	3.212	0.001	.

Continued on next page...

Continued from previous page...

List ID	Chain	Res	Type	Atom	Shift Data		
					Value	Uncertainty	Ambiguity
1	A	76	PRO	HB2	2.561	0.004	.
1	A	76	PRO	HB3	2.089	0.005	.
1	A	76	PRO	HD2	3.729	0.004	.
1	A	76	PRO	HD3	3.729	0.004	.
1	A	76	PRO	HG2	2.274	0.003	.
1	A	76	PRO	HG3	2.274	0.003	.
1	A	77	GLY	HA2	4.587	0.002	.
1	A	77	GLY	HA3	3.901	0.002	.
1	A	79	LYS	HB3	1.565	0.005	.
1	A	79	LYS	HD2	0.692	0.001	.
1	A	79	LYS	HD3	0.692	0.001	.
1	A	79	LYS	HE2	2.354	0.004	.
1	A	79	LYS	HE3	2.136	0.005	.
1	A	79	LYS	HG2	1.041	0	.
1	A	79	LYS	HG3	0.221	0	.
1	A	80	MET	HB2	-27.312	0	.
1	A	80	MET	HB3	-27.312	0	.
1	A	82	PHE	HB2	3.245	0.003	.
1	A	82	PHE	HB3	2.981	0.003	.
1	A	82	PHE	HD1	6.98	0.008	.
1	A	82	PHE	HD2	6.98	0.008	.
1	A	82	PHE	HE1	6.723	0.011	.
1	A	82	PHE	HE2	6.723	0.011	.
1	A	83	GLY	HA2	4.271	0.006	.
1	A	83	GLY	HA3	4.271	0.006	.
1	A	84	GLY	HA3	2.973	0.002	.
1	A	85	LEU	HB2	1.133	0	.
1	A	85	LEU	HB3	0.721	0.002	.
1	A	85	LEU	HD11	0.192	0.011	.
1	A	85	LEU	HD12	0.192	0.011	.
1	A	85	LEU	HD13	0.192	0.011	.
1	A	85	LEU	HD21	0.539	0.009	.
1	A	85	LEU	HD22	0.539	0.009	.
1	A	85	LEU	HD23	0.539	0.009	.
1	A	86	LYS	HB2	1.739	0.005	.
1	A	86	LYS	HB3	1.739	0.005	.
1	A	86	LYS	HE2	2.992	0.006	.
1	A	86	LYS	HE3	2.992	0.006	.
1	A	86	LYS	HG2	1.379	0	.
1	A	86	LYS	HG3	1.379	0	.
1	A	87	LYS	HB2	1.672	0.008	.

Continued on next page...

Continued from previous page...

List ID	Chain	Res	Type	Atom	Shift Data		
					Value	Uncertainty	Ambiguity
1	A	87	LYS	HB3	1.496	0.004	.
1	A	87	LYS	HD2	1.865	0.005	.
1	A	87	LYS	HD3	1.865	0.005	.
1	A	87	LYS	HG2	1.317	0	.
1	A	87	LYS	HG3	1.317	0	.
1	A	88	GLU	HB2	2.13	0.001	.
1	A	88	GLU	HB3	1.866	0	.
1	A	89	LYS	HB2	1.732	0	.
1	A	89	LYS	HB3	1.58	0.004	.
1	A	89	LYS	HD2	1.876	0	.
1	A	89	LYS	HD3	1.876	0	.
1	A	89	LYS	HG2	1.349	0.009	.
1	A	89	LYS	HG3	1.349	0.009	.
1	A	90	ASP	HB2	2.704	0.003	.
1	A	90	ASP	HB3	2.256	0.003	.
1	A	91	ARG	HB2	1.879	0.003	.
1	A	91	ARG	HB3	1.879	0.003	.
1	A	91	ARG	HD2	2.958	0.002	.
1	A	91	ARG	HD3	2.958	0.002	.
1	A	92	ASN	HB2	2.824	0.005	.
1	A	92	ASN	HB3	2.606	0.006	.
1	A	92	ASN	HD21	6.958	0.003	.
1	A	92	ASN	HD22	7.202	0.006	.
1	A	93	ASP	HB2	2.595	0.004	.
1	A	93	ASP	HB3	2.468	0.003	.
1	A	94	LEU	HB2	1.371	0.004	.
1	A	94	LEU	HB3	1.304	0.007	.
1	A	94	LEU	HD11	0.033	0.009	.
1	A	94	LEU	HD12	0.033	0.009	.
1	A	94	LEU	HD13	0.033	0.009	.
1	A	94	LEU	HD21	0.359	0.008	.
1	A	94	LEU	HD22	0.359	0.008	.
1	A	94	LEU	HD23	0.359	0.008	.
1	A	95	ILE	HG13	0.36	0	.
1	A	97	TYR	HB2	3.517	0.008	.
1	A	97	TYR	HB3	2.856	0.001	.
1	A	97	TYR	HD2	6.618	0	.
1	A	98	LEU	HB3	1.308	0	.
1	A	98	LEU	HD11	-0.117	0.004	.
1	A	98	LEU	HD12	-0.117	0.004	.
1	A	98	LEU	HD13	-0.117	0.004	.

Continued on next page...

Continued from previous page...

List ID	Chain	Res	Type	Atom	Shift Data		
					Value	Uncertainty	Ambiguity
1	A	98	LEU	HD21	0.362	0.007	.
1	A	98	LEU	HD22	0.362	0.007	.
1	A	98	LEU	HD23	0.362	0.007	.
1	A	99	LYS	HB2	1.373	0.001	.
1	A	99	LYS	HB3	1.113	0.002	.
1	A	99	LYS	HD2	0.841	0.001	.
1	A	99	LYS	HD3	0.841	0.001	.
1	A	99	LYS	HG2	0.662	0.002	.
1	A	99	LYS	HG3	0.662	0.002	.
1	A	100	LYS	HB3	1.378	0.001	.
1	A	100	LYS	HD2	1.773	0.003	.
1	A	100	LYS	HD3	1.73	0	.
1	A	100	LYS	HG2	1.118	0.006	.
1	A	100	LYS	HG3	1.118	0.006	.
1	A	103	GLU	HB2	2.303	0.003	.
1	A	103	GLU	HB3	1.996	0	.

7.1.2 Chemical shift referencing [i](#)

No chemical shift referencing corrections were calculated (not enough data).

7.1.3 Completeness of resonance assignments [i](#)

The following table shows the completeness of the chemical shift assignments for the well-defined regions of the structure. The overall completeness is 21%, i.e. 298 atoms were assigned a chemical shift out of a possible 1396. 0 out of 11 assigned methyl groups (LEU and VAL) were assigned stereospecifically.

	Total	¹ H	¹³ C	¹⁵ N
Backbone	185/524 (35%)	185/216 (86%)	0/208 (0%)	0/100 (0%)
Sidechain	93/745 (12%)	93/480 (19%)	0/232 (0%)	0/33 (0%)
Aromatic	20/127 (16%)	20/62 (32%)	0/55 (0%)	0/10 (0%)
Overall	298/1396 (21%)	298/758 (39%)	0/495 (0%)	0/143 (0%)

7.1.4 Statistically unusual chemical shifts [i](#)

The following table lists the statistically unusual chemical shifts. These are statistical measures, and large deviations from the mean do not necessarily imply incorrect assignments. Molecules containing paramagnetic centres or hemes are expected to give rise to anomalous chemical shifts.

List Id	Chain	Res	Type	Atom	Shift, ppm	Expected range, ppm	Z-score
1	A	18	HIS	HA	8.84	2.49 – 6.71	10.1
1	A	78	THR	HG21	3.14	0.08 – 2.19	9.5
1	A	78	THR	HG22	3.14	0.08 – 2.19	9.5
1	A	78	THR	HG23	3.14	0.08 – 2.19	9.5
1	A	14	CYS	HA	0.91	1.97 – 7.35	-7.0
1	A	31	ASN	H	11.99	5.28 – 11.36	6.0
1	A	75	ILE	HB	3.39	0.35 – 3.22	5.6
1	A	64	MET	HE1	-0.07	-0.03 – 3.80	-5.1
1	A	64	MET	HE2	-0.07	-0.03 – 3.80	-5.1
1	A	64	MET	HE3	-0.07	-0.03 – 3.80	-5.1

7.1.5 Random Coil Index (RCI) plots [i](#)

The image below reports *random coil index* values for the protein chains in the structure. The height of each bar gives a probability of a given residue to be disordered, as predicted from the available chemical shifts and the amino acid sequence. A value above 0.2 is an indication of significant predicted disorder. The colour of the bar shows whether the residue is in the well-defined core (black) or in the ill-defined residue ranges (cyan), as described in section 2 on ensemble composition. If well-defined core and ill-defined regions are not identified then it is shown as gray bars.

Random coil index (RCI) for chain A:

