



Full wwPDB X-ray Structure Validation Report ⓘ

Aug 5, 2026 – 07:54 AM EDT

PDB ID : 2RF7 / pdb_00002rf7
Title : Crystal structure of the escherichia coli nrfa mutant Q263E
Authors : Clarke, T.A.; Richardson, D.J.; Hemmings, A.M.
Deposited on : 2007-09-28
Resolution : 2.04 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.015 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.50


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.04 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	2260 (2.04-2.04)
Clashscore	190562	2333 (2.04-2.04)
Ramachandran outliers	187476	2318 (2.04-2.04)
Sidechain outliers	187428	2318 (2.04-2.04)
RSRZ outliers	180081	2260 (2.04-2.04)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	441	87% 12% .
1	B	441	87% 11% .
1	C	441	87% 12% .
1	D	441	7% 88% 11% .

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard

residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
3	HEC	A	1	X	-	-	-
3	HEC	A	2	X	-	-	-
3	HEC	A	3	X	-	-	-
3	HEC	A	4	X	-	-	-
3	HEC	A	5	X	-	-	-
3	HEC	B	1	X	-	-	-
3	HEC	B	2	X	-	-	-
3	HEC	B	3	X	-	-	-
3	HEC	B	4	X	-	-	-
3	HEC	B	5	X	-	-	-
3	HEC	C	1	X	-	-	-
3	HEC	C	2	X	-	-	-
3	HEC	C	3	X	-	-	-
3	HEC	C	4	X	-	-	-
3	HEC	C	5	X	-	-	-
3	HEC	D	1	X	-	-	-
3	HEC	D	2	X	-	-	-
3	HEC	D	3	X	-	-	-
3	HEC	D	4	X	-	-	-
3	HEC	D	5	X	-	-	-

2 Entry composition

There are 5 unique types of molecules in this entry. The entry contains 16697 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Cytochrome c-552.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	441	Total	C	N	O	S	0	4	0
			3500	2193	620	665	22			
1	B	441	Total	C	N	O	S	0	4	0
			3500	2196	621	660	23			
1	C	441	Total	C	N	O	S	3	1	0
			3482	2181	619	660	22			
1	D	441	Total	C	N	O	S	0	5	0
			3505	2198	622	663	22			


There are 4 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	263	GLU	GLN	engineered mutation	UNP P0ABK9
B	263	GLU	GLN	engineered mutation	UNP P0ABK9
C	263	GLU	GLN	engineered mutation	UNP P0ABK9
D	263	GLU	GLN	engineered mutation	UNP P0ABK9

- Molecule 2 is CALCIUM ION (CCD ID: CA) (formula: Ca).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	2	Total	Ca	0	0
			2	2		
2	B	2	Total	Ca	0	0
			2	2		
2	C	2	Total	Ca	0	0
			2	2		
2	D	2	Total	Ca	0	0
			2	2		

- Molecule 3 is HEME C (CCD ID: HEC) (formula: C₃₄H₃₆FeN₄O₄).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	A	1	Total 43	C 34	Fe 1	N 4	O 4	0	0
3	A	1	Total 43	C 34	Fe 1	N 4	O 4	0	0
3	A	1	Total 43	C 34	Fe 1	N 4	O 4	0	0
3	A	1	Total 43	C 34	Fe 1	N 4	O 4	0	0
3	A	1	Total 43	C 34	Fe 1	N 4	O 4	0	0
3	B	1	Total 43	C 34	Fe 1	N 4	O 4	0	0
3	B	1	Total 43	C 34	Fe 1	N 4	O 4	0	0
3	B	1	Total 43	C 34	Fe 1	N 4	O 4	0	0
3	B	1	Total 43	C 34	Fe 1	N 4	O 4	0	0
3	B	1	Total 43	C 34	Fe 1	N 4	O 4	0	0
3	C	1	Total 43	C 34	Fe 1	N 4	O 4	0	0
3	C	1	Total 43	C 34	Fe 1	N 4	O 4	0	0
3	C	1	Total 43	C 34	Fe 1	N 4	O 4	0	0
3	C	1	Total 43	C 34	Fe 1	N 4	O 4	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	C	1	Total	C	Fe	N	O	
			43	34	1	4	4	
3	D	1	Total	C	Fe	N	O	
			43	34	1	4	4	
3	D	1	Total	C	Fe	N	O	
			43	34	1	4	4	
3	D	1	Total	C	Fe	N	O	
			43	34	1	4	4	
3	D	1	Total	C	Fe	N	O	
			43	34	1	4	4	
3	D	1	Total	C	Fe	N	O	
			43	34	1	4	4	

- Molecule 4 is 1,2-ETHANEDIOL (CCD ID: EDO) (formula: C₂H₆O₂).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	A	1	Total	C	O		
			4	2	2		
4	A	1	Total	C	O		
			4	2	2		
4	A	1	Total	C	O		
			4	2	2		
4	B	1	Total	C	O		
			4	2	2		
4	B	1	Total	C	O		
			4	2	2		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	B	1	Total C O 4 2 2	0	0
4	B	1	Total C O 4 2 2	0	0
4	B	1	Total C O 4 2 2	0	0
4	B	1	Total C O 4 2 2	0	0
4	B	1	Total C O 4 2 2	0	0
4	C	1	Total C O 4 2 2	0	0
4	C	1	Total C O 4 2 2	0	0
4	C	1	Total C O 4 2 2	0	0
4	D	1	Total C O 4 2 2	0	0
4	D	1	Total C O 4 2 2	0	0


- Molecule 5 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	A	447	Total O 447 447	0	0
5	B	494	Total O 494 494	0	0
5	C	516	Total O 516 516	0	0
5	D	325	Total O 325 325	0	0


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: Cytochrome c-552




• Molecule 1: Cytochrome c-552




• Molecule 1: Cytochrome c-552



• Molecule 1: Cytochrome c-552





4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	82.29Å 91.20Å 295.49Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	79.31 – 2.04 79.31 – 2.04	Depositor EDS
% Data completeness (in resolution range)	96.8 (79.31-2.04) 96.8 (79.31-2.04)	Depositor EDS
R_{merge}	0.10	Depositor
R_{sym}	0.10	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.95 (at 2.03Å)	Xtrriage
Refinement program	REFMAC	Depositor
R, R_{free}	0.171 , 0.226 0.172 , 0.226	Depositor DCC
R_{free} test set	6940 reflections (4.88%)	wwPDB-VP
Wilson B-factor (Å ²)	20.5	Xtrriage
Anisotropy	0.053	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.38 , 56.3	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	16697	wwPDB-VP
Average B, all atoms (Å ²)	22.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 29.48 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 1.5392e-03. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: CA, HEC, EDO

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.96	3/3596 (0.1%)	0.94	3/4862 (0.1%)
1	B	0.98	3/3596 (0.1%)	0.98	7/4859 (0.1%)
1	C	1.00	2/3569 (0.1%)	0.97	2/4826 (0.0%)
1	D	0.84	2/3604 (0.1%)	0.95	2/4871 (0.0%)
All	All	0.95	10/14365 (0.1%)	0.96	14/19418 (0.1%)

All (10) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	463	ILE	CA-CB	10.89	1.59	1.54
1	C	463	ILE	CA-CB	9.28	1.59	1.54
1	A	283	ILE	CA-CB	6.97	1.63	1.54
1	D	463	ILE	CA-CB	6.45	1.57	1.54
1	C	76	VAL	CA-CB	6.14	1.62	1.54
1	B	38	VAL	CA-CB	5.88	1.60	1.54
1	D	313	THR	CA-C	5.67	1.55	1.52
1	A	313	THR	CA-C	5.42	1.55	1.52
1	B	431	ILE	CA-CB	5.15	1.60	1.54
1	B	99	THR	CA-CB	5.11	1.61	1.53

All (14) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	438	GLU	CB-CG-CD	7.31	125.02	112.60
1	D	462	VAL	N-CA-C	6.53	117.32	110.72
1	B	127	SER	CA-C-N	6.03	125.73	119.82
1	B	127	SER	C-N-CA	6.03	125.73	119.82
1	A	42	ASN	N-CA-C	5.97	118.55	111.33
1	B	38	VAL	N-CA-CB	5.82	117.93	110.13
1	C	208	VAL	N-CA-CB	5.76	118.37	110.54

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	D	463	ILE	N-CA-CB	5.70	114.89	110.45
1	A	463	ILE	N-CA-CB	5.66	114.31	110.52
1	B	99	THR	N-CA-CB	5.55	118.28	110.12
1	A	476	LEU	CD1-CG-CD2	-5.10	99.59	110.80
1	B	90	LYS	CA-C-N	-5.07	115.01	120.03
1	B	90	LYS	C-N-CA	-5.07	115.01	120.03
1	B	476	LEU	CD1-CG-CD2	-5.05	99.69	110.80

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3500	0	3389	53	0
1	B	3500	0	3405	44	0
1	C	3482	0	3368	40	0
1	D	3505	0	3406	31	0
2	A	2	0	0	0	0
2	B	2	0	0	0	0
2	C	2	0	0	0	0
2	D	2	0	0	0	0
3	A	215	0	151	15	0
3	B	215	0	150	9	0
3	C	215	0	150	6	0
3	D	215	0	150	7	0
4	A	12	0	18	1	0
4	B	28	0	42	5	0
4	C	12	0	18	2	0
4	D	8	0	12	2	0
5	A	447	0	0	9	0
5	B	494	0	0	11	0
5	C	516	0	0	5	0
5	D	325	0	0	6	0
All	All	16697	0	14259	179	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 6.

All (179) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:309:ASN:OD1	1:A:312:GLN:HG3	1.42	1.19
1:A:125:CYS:SG	3:A:1:HEC:CAC	2.31	1.19
1:A:111:LYS:HG3	5:A:798:HOH:O	1.43	1.16
1:B:338:ASP:HB2	5:B:758:HOH:O	1.63	0.97
1:A:338:ASP:HB2	5:A:851:HOH:O	1.67	0.91
1:A:320:GLN:HE21	1:A:320:GLN:H	1.29	0.81
1:C:338:ASP:HB2	5:C:1095:HOH:O	1.83	0.79
1:B:279:ASN:HB2	5:B:811:HOH:O	1.86	0.76
1:A:309:ASN:CG	1:A:312:GLN:HG3	2.14	0.72
4:D:480:EDO:H12	5:D:786:HOH:O	1.88	0.72
1:B:240:GLN:O	1:B:244:LYS:HG2	1.90	0.71
1:B:456:GLN:O	1:B:460:LYS:HG2	1.92	0.70
1:A:407:ASP:HB2	1:B:406:MET:HE3	1.73	0.69
1:D:320:GLN:HE21	1:D:320:GLN:H	1.39	0.69
1:A:62:GLN:HE21	1:A:302:LYS:HZ3	1.38	0.68
1:A:49:HIS:HD2	5:A:557:HOH:O	1.77	0.68
1:A:62:GLN:HE21	1:A:302:LYS:NZ	1.92	0.68
1:A:125:CYS:SG	3:A:1:HEC:C3C	2.82	0.68
1:B:99:THR:HG22	4:B:8:EDO:H22	1.77	0.67
1:D:52:GLN:H	1:D:52:GLN:NE2	1.92	0.67
1:C:290:VAL:HG12	1:C:312:GLN:HG2	1.77	0.67
1:B:99:THR:HG23	5:B:521:HOH:O	1.94	0.66
4:B:8:EDO:H21	5:B:853:HOH:O	1.95	0.66
1:B:320:GLN:HE21	1:B:320:GLN:H	1.43	0.66
1:D:320:GLN:H	1:D:320:GLN:NE2	1.94	0.65
1:D:311:ALA:H	4:D:480:EDO:H11	1.61	0.65
1:A:292:ASN:C	1:A:292:ASN:HD22	2.05	0.64
1:C:407:ASP:HB2	1:D:406:MET:HE3	1.80	0.64
1:D:52:GLN:H	1:D:52:GLN:HE21	1.44	0.64
1:A:406:MET:HE3	1:B:407:ASP:HB2	1.81	0.63
1:B:320:GLN:H	1:B:320:GLN:NE2	1.96	0.63
1:B:391:HIS:HE1	3:B:4:HEC:O2D	1.81	0.62
1:C:346:GLN:NE2	1:C:413:ARG:HH11	1.96	0.62
1:D:235:VAL:HB	1:D:401:MET:HE3	1.81	0.62
1:C:62:GLN:HE21	1:C:302:LYS:NZ	1.98	0.61
1:A:320:GLN:H	1:A:320:GLN:NE2	1.96	0.61
1:D:252:ASN:ND2	1:D:254:LEU:H	1.98	0.61

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:323:ALA:O	1:B:327[A]:LYS:HG3	2.00	0.61
1:B:62:GLN:HE21	1:B:302:LYS:NZ	1.99	0.61
1:D:57:LYS:HE3	5:D:623:HOH:O	2.00	0.61
1:A:388:HIS:HD2	5:A:796:HOH:O	1.85	0.60
1:C:62:GLN:HE21	1:C:302:LYS:HZ3	1.49	0.60
1:A:391:HIS:HE1	3:A:4:HEC:O2D	1.84	0.60
1:B:397:GLU:HG3	1:B:401[A]:MET:HE2	1.83	0.60
1:A:460:LYS:HG2	5:A:676:HOH:O	2.01	0.59
3:D:3:HEC:HBC3	3:D:3:HEC:HMC1	1.83	0.59
1:D:309:ASN:ND2	1:D:312:GLN:HG2	2.18	0.59
1:B:327[A]:LYS:HE3	5:B:771:HOH:O	2.01	0.59
1:C:235:VAL:HB	1:C:401:MET:HE3	1.85	0.58
1:C:320:GLN:NE2	1:C:320:GLN:H	2.01	0.58
1:D:391:HIS:HE1	3:D:4:HEC:O2D	1.87	0.58
1:A:125:CYS:SG	3:A:1:HEC:CBC	2.92	0.58
1:A:280:VAL:HG13	3:A:5:HEC:HBC2	1.86	0.58
1:C:320:GLN:H	1:C:320:GLN:HE21	1.50	0.58
1:A:52:GLN:NE2	1:A:52:GLN:H	2.01	0.57
3:A:2:HEC:HMC1	3:A:2:HEC:HBC3	1.85	0.57
1:B:388:HIS:HE1	5:B:482:HOH:O	1.88	0.57
1:A:252:ASN:ND2	1:A:254:LEU:H	2.02	0.57
3:D:2:HEC:HMC1	3:D:2:HEC:HBC3	1.87	0.57
1:B:194:LYS:HB3	1:B:207:MET:HE1	1.87	0.56
1:C:340:LYS:HD2	1:C:385:ILE:HG21	1.88	0.56
1:A:235:VAL:HB	1:A:401:MET:HE3	1.87	0.56
1:B:52:GLN:NE2	1:B:52:GLN:H	2.04	0.55
1:A:292:ASN:ND2	1:A:296:LYS:H	2.05	0.55
1:A:125:CYS:SG	3:A:1:HEC:HAC	2.39	0.55
1:D:476:LEU:HG	1:D:477:SER:N	2.22	0.55
3:B:5:HEC:HMB1	3:B:5:HEC:HBB3	1.89	0.54
1:B:346:GLN:NE2	1:B:413:ARG:HH11	2.05	0.54
1:B:397:GLU:O	1:B:401[A]:MET:HG3	2.07	0.54
1:B:291:GLN:HG3	1:B:297:LEU:HD12	1.90	0.53
1:C:49:HIS:HD2	5:C:969:HOH:O	1.92	0.53
1:D:87:ASP:HB2	1:D:105:LEU:HB2	1.90	0.52
1:C:194:LYS:HB3	1:C:207:MET:HE1	1.91	0.52
1:A:388:HIS:HE1	5:A:490:HOH:O	1.92	0.51
1:A:292:ASN:HD21	1:A:296:LYS:H	1.58	0.51
1:B:476:LEU:O	1:B:477:SER:HB2	2.10	0.51
1:A:346:GLN:NE2	1:A:413:ARG:HH11	2.09	0.51
1:C:52:GLN:NE2	1:C:52:GLN:H	2.08	0.51

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:391:HIS:HE1	3:C:4:HEC:O2D	1.93	0.51
3:B:5:HEC:HBC3	4:B:15:EDO:H11	1.92	0.50
1:B:49:HIS:HE1	5:B:594:HOH:O	1.95	0.50
1:C:456:GLN:HE21	1:C:460:LYS:HG3	1.75	0.50
1:B:340:LYS:CE	5:B:606:HOH:O	2.60	0.50
1:A:170:GLU:HA	1:A:173:LYS:HD2	1.94	0.50
1:A:194:LYS:HB3	1:A:207:MET:HE1	1.93	0.50
1:C:418:ARG:HH22	4:C:11:EDO:C1	2.25	0.50
1:C:397:GLU:O	1:C:401:MET:HG3	2.12	0.49
1:A:52:GLN:H	1:A:52:GLN:HE21	1.60	0.49
3:A:3:HEC:HMC1	3:A:3:HEC:HBC3	1.93	0.49
1:B:62:GLN:HE21	1:B:302:LYS:HZ3	1.59	0.49
1:C:418:ARG:HH22	4:C:11:EDO:H11	1.77	0.48
1:C:388:HIS:HE1	5:C:1330:HOH:O	1.97	0.48
1:A:392:MET:HG2	3:A:4:HEC:C2D	2.45	0.47
1:C:252:ASN:ND2	1:C:254:LEU:H	2.12	0.47
3:C:4:HEC:HMC1	3:C:4:HEC:HBC3	1.97	0.47
1:B:457:ASP:O	1:B:461:THR:HG23	2.15	0.47
1:C:406:MET:HE3	1:D:407:ASP:HB2	1.96	0.47
1:D:99:THR:HG23	5:D:535:HOH:O	2.14	0.47
1:B:258:PRO:HG2	4:B:12:EDO:H21	1.97	0.47
3:B:4:HEC:HMC1	3:B:4:HEC:HBC3	1.96	0.47
1:B:284:ASP:OD1	4:B:15:EDO:H12	2.14	0.47
1:C:46:ALA:HB3	1:C:47:PRO:HD3	1.97	0.47
1:D:281:THR:HG22	5:D:565:HOH:O	2.14	0.47
1:D:282:CYS:HA	3:D:4:HEC:CHC	2.45	0.46
1:A:309:ASN:CG	1:A:312:GLN:CG	2.86	0.46
1:A:227:PHE:CD2	1:A:227:PHE:N	2.84	0.46
1:B:244:LYS:HG3	5:B:762:HOH:O	2.15	0.46
1:B:194:LYS:HB3	1:B:207:MET:CE	2.45	0.46
1:A:406:MET:HB3	1:B:406:MET:HG2	1.97	0.46
1:A:213:HIS:HB3	1:A:266:GLU:HB2	1.97	0.45
1:A:214:VAL:HG21	1:A:227:PHE:CZ	2.51	0.45
1:C:278:ASN:O	1:C:279[B]:ASN:CG	2.59	0.45
1:C:213:HIS:HB3	1:C:266:GLU:HB2	1.99	0.45
1:C:292:ASN:HD21	1:C:296:LYS:H	1.64	0.45
1:C:194:LYS:HE3	1:C:207:MET:HE3	1.98	0.45
3:B:2:HEC:HMC1	3:B:2:HEC:HBC3	1.99	0.45
1:D:62:GLN:HE21	1:D:302:LYS:NZ	2.15	0.45
1:D:391:HIS:H	1:D:391:HIS:CD2	2.35	0.45
1:C:234:LYS:H	1:C:237:ASN:HD22	1.64	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:280:VAL:HG13	3:C:5:HEC:HBC2	1.98	0.45
3:B:1:HEC:HMC1	3:B:1:HEC:HBC3	1.99	0.44
1:B:240:GLN:HE21	1:B:244:LYS:HZ3	1.64	0.44
1:C:87:ASP:HB2	1:C:105:LEU:HB2	1.99	0.44
1:A:48:GLN:HB2	5:A:539:HOH:O	2.17	0.44
3:A:5:HEC:HBC3	3:A:5:HEC:HMC1	1.99	0.44
3:C:5:HEC:HBA2	3:D:5:HEC:HBA2	2.00	0.44
1:D:346:GLN:NE2	1:D:413:ARG:HH11	2.16	0.43
1:A:431:ILE:HG22	1:A:432:PRO:O	2.17	0.43
1:D:227:PHE:CD2	1:D:227:PHE:N	2.87	0.43
1:B:157:ASN:O	1:B:158:LEU:C	2.61	0.43
1:A:282:CYS:HA	3:A:4:HEC:CHC	2.48	0.43
1:D:228:PRO:HG3	1:D:242:TYR:OH	2.19	0.43
1:A:391:HIS:H	1:A:391:HIS:CD2	2.37	0.43
1:A:452:LYS:NZ	5:A:919:HOH:O	2.52	0.43
1:D:182:ARG:HA	1:D:183:PRO:HD3	1.89	0.43
1:B:240:GLN:NE2	5:B:762:HOH:O	2.51	0.43
1:B:52:GLN:H	1:B:52:GLN:HE21	1.65	0.43
1:D:194:LYS:O	1:D:207:MET:HE1	2.19	0.43
1:A:410:ALA:HB2	1:B:410:ALA:HB2	2.01	0.42
1:A:159:GLY:O	3:A:2:HEC:HMC3	2.20	0.42
1:B:49:HIS:HD2	5:B:654:HOH:O	2.01	0.42
1:D:168:SER:HA	1:D:169:PRO:HD3	1.91	0.42
1:D:327[A]:LYS:HG3	5:D:560:HOH:O	2.20	0.42
1:A:43:GLU:H	1:A:43:GLU:CD	2.28	0.42
1:C:49:HIS:HE1	5:C:991:HOH:O	2.03	0.42
1:D:151:GLY:HA3	1:D:466:TRP:CE2	2.55	0.42
1:B:123:TRP:CG	1:B:154:ILE:HD13	2.55	0.42
3:A:5:HEC:HBA2	3:B:5:HEC:HBA2	2.01	0.42
1:C:182:ARG:HG3	5:C:908:HOH:O	2.19	0.42
1:A:281:THR:HG22	5:A:580:HOH:O	2.20	0.41
1:D:280:VAL:HG13	3:D:5:HEC:HBC2	2.02	0.41
1:B:72:ASP:OD2	1:B:344:GLU:OE1	2.38	0.41
1:B:176:PRO:O	1:B:177:GLU:C	2.62	0.41
3:B:2:HEC:HBC1	3:B:3:HEC:HHC	2.01	0.41
1:A:234:LYS:H	1:A:237:ASN:HD22	1.67	0.41
1:C:157:ASN:O	1:C:158:LEU:C	2.62	0.41
1:C:282:CYS:HA	3:C:4:HEC:CHC	2.49	0.41
1:A:305:ASN:HA	1:A:306:PRO:HD3	1.95	0.41
1:B:79:TRP:CE3	1:B:84:PHE:HB3	2.55	0.41
1:B:252:ASN:ND2	1:B:254:LEU:H	2.17	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:82:TYR:CD1	1:A:250:TRP:HB3	2.55	0.41
1:C:252:ASN:HD22	1:C:255:SER:H	1.68	0.41
1:C:292:ASN:ND2	1:C:296:LYS:H	2.19	0.41
1:A:472:LYS:N	1:A:472:LYS:HE3	2.35	0.41
1:B:175:LYS:HA	1:B:175:LYS:HD2	1.86	0.41
1:C:309:ASN:ND2	1:C:312:GLN:HE21	2.19	0.41
1:C:391:HIS:CD2	1:C:391:HIS:H	2.38	0.41
1:C:450:GLN:HE21	1:C:450:GLN:HB3	1.72	0.41
1:D:314:CYS:HA	3:D:5:HEC:CHC	2.51	0.41
1:D:388:HIS:HE1	5:D:485:HOH:O	2.04	0.41
1:A:392:MET:HG2	3:A:4:HEC:C1D	2.51	0.40
1:C:309:ASN:HD21	1:C:312:GLN:HE21	1.67	0.40
3:C:1:HEC:HMC1	3:C:1:HEC:HBC3	2.02	0.40
1:A:318:HIS:HB3	1:A:320:GLN:NE2	2.36	0.40
1:D:381:TRP:O	1:D:385:ILE:HG13	2.21	0.40
1:B:282:CYS:HA	3:B:4:HEC:CHC	2.52	0.40
1:A:274:ILE:HG21	3:A:5:HEC:HBA1	2.03	0.40
1:A:309:ASN:HA	4:A:480:EDO:H22	2.02	0.40
1:C:198:LYS:HE3	1:C:198:LYS:HB3	1.78	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	443/441 (100%)	433 (98%)	10 (2%)	0	100	100
1	B	443/441 (100%)	433 (98%)	10 (2%)	0	100	100
1	C	440/441 (100%)	431 (98%)	9 (2%)	0	100	100
1	D	444/441 (101%)	427 (96%)	16 (4%)	1 (0%)	43	37
All	All	1770/1764 (100%)	1724 (97%)	45 (2%)	1 (0%)	48	43

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	D	264	HIS

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	366/362 (101%)	356 (97%)	10 (3%)	39	36
1	B	366/362 (101%)	354 (97%)	12 (3%)	33	28
1	C	363/362 (100%)	353 (97%)	10 (3%)	38	34
1	D	367/362 (101%)	354 (96%)	13 (4%)	32	27
All	All	1462/1448 (101%)	1417 (97%)	45 (3%)	36	30

All (45) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	38	VAL
1	A	52	GLN
1	A	240[A]	GLN
1	A	240[B]	GLN
1	A	274	ILE
1	A	292	ASN
1	A	296	LYS
1	A	320	GLN
1	A	468	GLU
1	A	472	LYS
1	B	38	VAL
1	B	52	GLN
1	B	99	THR
1	B	114	GLU
1	B	175	LYS
1	B	208	VAL
1	B	221	LYS
1	B	320	GLN
1	B	325	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	419	LEU
1	B	461	THR
1	B	477	SER
1	C	52	GLN
1	C	111	LYS
1	C	149	ARG
1	C	221	LYS
1	C	274	ILE
1	C	292	ASN
1	C	294	GLU
1	C	320	GLN
1	C	327	LYS
1	C	450	GLN
1	D	38	VAL
1	D	52	GLN
1	D	64	GLU
1	D	99	THR
1	D	114	GLU
1	D	221	LYS
1	D	244	LYS
1	D	252	ASN
1	D	274	ILE
1	D	320	GLN
1	D	325	LEU
1	D	419	LEU
1	D	461	THR

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (66) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	48	GLN
1	A	49	HIS
1	A	52	GLN
1	A	62	GLN
1	A	237	ASN
1	A	252	ASN
1	A	291	GLN
1	A	292	ASN
1	A	309	ASN
1	A	312	GLN
1	A	320	GLN
1	A	326	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	346	GLN
1	A	371	GLN
1	A	388	HIS
1	A	391	HIS
1	A	427	HIS
1	A	430	GLN
1	A	456	GLN
1	A	469	GLN
1	B	49	HIS
1	B	52	GLN
1	B	62	GLN
1	B	240	GLN
1	B	252	ASN
1	B	291	GLN
1	B	309	ASN
1	B	320	GLN
1	B	346	GLN
1	B	371	GLN
1	B	388	HIS
1	B	391	HIS
1	B	456	GLN
1	C	48	GLN
1	C	49	HIS
1	C	52	GLN
1	C	62	GLN
1	C	156	ASN
1	C	240	GLN
1	C	252	ASN
1	C	291	GLN
1	C	292	ASN
1	C	312	GLN
1	C	320	GLN
1	C	337	ASN
1	C	346	GLN
1	C	371	GLN
1	C	388	HIS
1	C	391	HIS
1	C	427	HIS
1	C	430	GLN
1	C	450	GLN
1	C	456	GLN
1	D	52	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	D	62	GLN
1	D	156	ASN
1	D	237	ASN
1	D	252	ASN
1	D	309	ASN
1	D	320	GLN
1	D	346	GLN
1	D	371	GLN
1	D	388	HIS
1	D	391	HIS
1	D	450	GLN
1	D	456	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 43 ligands modelled in this entry, 8 are monoatomic - leaving 35 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
3	HEC	A	1	1,5	50,50,50	2.01	8 (16%)	68,82,82	1.59	12 (17%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	HEC	B	4	2,1	50,50,50	1.75	10 (20%)	68,82,82	1.35	6 (8%)
4	EDO	B	15	-	3,3,3	0.35	0	2,2,2	0.48	0
3	HEC	C	1	1,5	50,50,50	2.05	9 (18%)	68,82,82	1.64	13 (19%)
4	EDO	A	480	-	3,3,3	0.27	0	2,2,2	1.45	0
3	HEC	C	4	2,1	50,50,50	1.91	11 (22%)	68,82,82	1.31	7 (10%)
3	HEC	D	2	1	50,50,50	2.38	9 (18%)	68,82,82	1.67	12 (17%)
3	HEC	D	4	2,1	50,50,50	1.86	8 (16%)	68,82,82	1.48	10 (14%)
3	HEC	D	5	1	50,50,50	1.94	10 (20%)	68,82,82	1.37	9 (13%)
4	EDO	A	7	-	3,3,3	0.66	0	2,2,2	0.30	0
4	EDO	C	13	-	3,3,3	0.45	0	2,2,2	0.48	0
3	HEC	C	3	2,1	50,50,50	1.83	12 (24%)	68,82,82	1.47	11 (16%)
4	EDO	B	481	-	3,3,3	0.42	0	2,2,2	0.44	0
4	EDO	D	481	-	3,3,3	0.29	0	2,2,2	0.73	0
4	EDO	A	10	-	3,3,3	0.38	0	2,2,2	0.69	0
3	HEC	C	5	1	50,50,50	1.91	7 (14%)	68,82,82	1.31	8 (11%)
4	EDO	B	14	-	3,3,3	0.45	0	2,2,2	0.40	0
4	EDO	B	480	-	3,3,3	0.17	0	2,2,2	1.08	0
3	HEC	A	2	1	50,50,50	2.11	9 (18%)	68,82,82	1.55	11 (16%)
3	HEC	B	2	1	50,50,50	2.14	9 (18%)	68,82,82	1.83	15 (22%)
3	HEC	A	4	2,1	50,50,50	1.87	9 (18%)	68,82,82	1.64	13 (19%)
3	HEC	D	1	1,5	50,50,50	2.16	7 (14%)	68,82,82	1.49	7 (10%)
3	HEC	A	5	1	50,50,50	1.93	10 (20%)	68,82,82	1.52	14 (20%)
3	HEC	B	5	1	50,50,50	3.11	13 (26%)	68,82,82	2.57	14 (20%)
3	HEC	C	2	1	50,50,50	2.05	10 (20%)	68,82,82	1.54	12 (17%)
3	HEC	B	3	2,1	50,50,50	2.95	12 (24%)	68,82,82	2.19	16 (23%)
4	EDO	C	11	-	3,3,3	0.36	0	2,2,2	0.96	0
4	EDO	D	480	-	3,3,3	0.36	0	2,2,2	0.86	0
4	EDO	B	6	-	3,3,3	0.50	0	2,2,2	0.30	0
3	HEC	A	3	2,1	50,50,50	1.94	10 (20%)	68,82,82	1.59	12 (17%)
4	EDO	B	12	-	3,3,3	0.45	0	2,2,2	0.41	0
4	EDO	C	9	-	3,3,3	0.42	0	2,2,2	0.58	0
4	EDO	B	8	-	3,3,3	0.32	0	2,2,2	0.76	0
3	HEC	D	3	2,1	50,50,50	2.02	9 (18%)	68,82,82	1.75	13 (19%)
3	HEC	B	1	1,5	50,50,50	2.01	8 (16%)	68,82,82	1.51	11 (16%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	HEC	A	1	1,5	1/1/3/7	5/14/54/54	-
3	HEC	B	4	2,1	1/1/3/7	5/14/54/54	-
4	EDO	B	15	-	-	1/1/1/1	-
3	HEC	C	1	1,5	1/1/3/7	4/14/54/54	-
4	EDO	A	480	-	-	0/1/1/1	-
3	HEC	C	4	2,1	1/1/3/7	7/14/54/54	-
3	HEC	D	2	1	1/1/3/7	7/14/54/54	-
3	HEC	D	4	2,1	1/1/3/7	4/14/54/54	-
3	HEC	D	5	1	1/1/3/7	9/14/54/54	-
4	EDO	A	7	-	-	0/1/1/1	-
4	EDO	C	13	-	-	1/1/1/1	-
3	HEC	C	3	2,1	1/1/3/7	3/14/54/54	-
4	EDO	B	481	-	-	1/1/1/1	-
4	EDO	D	481	-	-	0/1/1/1	-
4	EDO	A	10	-	-	0/1/1/1	-
3	HEC	C	5	1	1/1/3/7	9/14/54/54	-
4	EDO	B	14	-	-	0/1/1/1	-
4	EDO	B	480	-	-	1/1/1/1	-
3	HEC	A	2	1	1/1/3/7	6/14/54/54	-
3	HEC	B	2	1	1/1/3/7	6/14/54/54	-
3	HEC	A	4	2,1	1/1/3/7	7/14/54/54	-
3	HEC	D	1	1,5	1/1/3/7	5/14/54/54	-
3	HEC	A	5	1	1/1/3/7	8/14/54/54	-
3	HEC	B	5	1	1/1/3/7	9/14/54/54	-
3	HEC	C	2	1	1/1/3/7	6/14/54/54	-
3	HEC	B	3	2,1	1/1/3/7	4/14/54/54	-
4	EDO	C	11	-	-	0/1/1/1	-
4	EDO	D	480	-	-	1/1/1/1	-
4	EDO	B	6	-	-	0/1/1/1	-
3	HEC	A	3	2,1	1/1/3/7	3/14/54/54	-
4	EDO	B	12	-	-	0/1/1/1	-
4	EDO	C	9	-	-	1/1/1/1	-
4	EDO	B	8	-	-	0/1/1/1	-
3	HEC	D	3	2,1	1/1/3/7	2/14/54/54	-
3	HEC	B	1	1,5	1/1/3/7	4/14/54/54	-

All (190) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	B	5	HEC	C1B-NB	13.31	1.65	1.38
3	B	3	HEC	C4B-NB	-12.02	1.19	1.40
3	B	3	HEC	CHC-C4B	10.37	1.59	1.38
3	B	5	HEC	FE-NB	-8.80	1.67	1.94
3	D	2	HEC	C3D-C2D	8.50	1.55	1.36
3	D	2	HEC	FE-ND	8.47	2.21	1.94
3	D	1	HEC	C3D-C2D	8.23	1.54	1.36
3	A	1	HEC	C3D-C2D	8.04	1.54	1.36
3	D	4	HEC	C3D-C2D	8.03	1.54	1.36
3	A	2	HEC	C3D-C2D	7.96	1.53	1.36
3	D	3	HEC	C3D-C2D	7.89	1.53	1.36
3	C	2	HEC	C3D-C2D	7.85	1.53	1.36
3	B	5	HEC	C4B-NB	7.77	1.53	1.40
3	C	1	HEC	C3D-C2D	7.66	1.53	1.36
3	B	5	HEC	C3D-C2D	7.66	1.53	1.36
3	D	5	HEC	C3D-C2D	7.58	1.53	1.36
3	A	3	HEC	C3D-C2D	7.49	1.52	1.36
3	C	5	HEC	C3D-C2D	7.43	1.52	1.36
3	B	2	HEC	C3D-C2D	7.40	1.52	1.36
3	A	4	HEC	C3D-C2D	7.36	1.52	1.36
3	C	4	HEC	C3D-C2D	7.31	1.52	1.36
3	D	1	HEC	FE-NB	7.22	2.17	1.94
3	A	5	HEC	C3D-C2D	7.20	1.52	1.36
3	B	3	HEC	C3D-C2D	7.15	1.52	1.36
3	C	3	HEC	C3D-C2D	7.09	1.52	1.36
3	B	1	HEC	C3D-C2D	7.07	1.52	1.36
3	B	1	HEC	FE-ND	6.68	2.15	1.94
3	D	1	HEC	FE-ND	6.59	2.15	1.94
3	C	2	HEC	FE-ND	6.51	2.14	1.94
3	B	4	HEC	C3D-C2D	6.51	1.50	1.36
3	B	2	HEC	FE-ND	6.36	2.14	1.94
3	D	2	HEC	FE-NC	6.28	2.15	1.95
3	A	1	HEC	FE-ND	5.98	2.13	1.94
3	D	3	HEC	FE-ND	5.96	2.13	1.94
3	A	2	HEC	FE-ND	5.89	2.13	1.94
3	C	1	HEC	FE-NB	5.84	2.12	1.94
3	A	2	HEC	FE-NC	5.70	2.14	1.95
3	A	5	HEC	FE-NA	5.70	2.14	1.95
3	A	3	HEC	FE-ND	5.52	2.11	1.94
3	B	3	HEC	FE-ND	5.42	2.11	1.94
3	C	5	HEC	FE-NC	5.37	2.12	1.95
3	D	2	HEC	FE-NB	5.16	2.10	1.94
3	B	5	HEC	FE-NC	5.15	2.12	1.95

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	D	3	HEC	FE-NC	5.11	2.12	1.95
3	C	1	HEC	FE-ND	5.09	2.10	1.94
3	D	5	HEC	FE-NC	5.07	2.11	1.95
3	B	1	HEC	FE-NB	5.00	2.10	1.94
3	D	3	HEC	FE-NB	5.00	2.10	1.94
3	B	2	HEC	FE-NB	4.99	2.10	1.94
3	B	2	HEC	FE-NA	4.92	2.11	1.95
3	D	5	HEC	FE-NA	4.92	2.11	1.95
3	C	2	HEC	FE-NC	4.90	2.11	1.95
3	B	2	HEC	FE-NC	4.73	2.10	1.95
3	D	2	HEC	FE-NA	4.54	2.10	1.95
3	A	1	HEC	FE-NB	4.50	2.08	1.94
3	D	4	HEC	FE-NC	4.42	2.09	1.95
3	A	4	HEC	FE-ND	4.39	2.08	1.94
3	A	2	HEC	FE-NB	4.33	2.08	1.94
3	D	4	HEC	FE-NA	4.32	2.09	1.95
3	C	3	HEC	FE-NC	4.24	2.09	1.95
3	C	4	HEC	FE-ND	4.22	2.07	1.94
3	C	5	HEC	FE-NA	4.22	2.09	1.95
3	A	2	HEC	FE-NA	4.21	2.09	1.95
3	A	5	HEC	FE-NC	4.17	2.08	1.95
3	B	1	HEC	FE-NA	4.12	2.08	1.95
3	A	3	HEC	FE-NC	4.11	2.08	1.95
3	C	1	HEC	FE-NC	4.04	2.08	1.95
3	B	4	HEC	FE-ND	4.00	2.07	1.94
3	A	4	HEC	FE-NA	3.93	2.08	1.95
3	C	1	HEC	FE-NA	3.91	2.08	1.95
3	A	1	HEC	FE-NC	3.78	2.07	1.95
3	C	3	HEC	FE-NA	3.77	2.07	1.95
3	A	3	HEC	FE-NB	3.75	2.06	1.94
3	B	3	HEC	FE-NC	3.73	2.07	1.95
3	C	3	HEC	CMA-C3A	3.72	1.58	1.50
3	B	4	HEC	CMB-C2B	3.68	1.58	1.50
3	B	3	HEC	FE-NB	3.63	2.06	1.94
3	B	5	HEC	FE-NA	3.56	2.06	1.95
3	A	3	HEC	CMA-C3A	3.45	1.57	1.50
3	B	3	HEC	C4B-C3B	3.43	1.50	1.45
3	C	4	HEC	CMD-C2D	3.39	1.57	1.50
3	C	2	HEC	FE-NB	3.31	2.05	1.94
3	C	4	HEC	FE-NC	3.31	2.06	1.95
3	B	4	HEC	FE-NC	3.22	2.05	1.95
3	A	4	HEC	CMA-C3A	3.19	1.57	1.50

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	C	4	HEC	CMB-C2B	3.19	1.57	1.50
3	A	5	HEC	FE-ND	3.17	2.04	1.94
3	C	5	HEC	CAB-C3B	3.11	1.59	1.51
3	A	4	HEC	FE-NC	3.09	2.05	1.95
3	A	4	HEC	FE-NB	3.00	2.04	1.94
3	C	2	HEC	FE-NA	2.96	2.04	1.95
3	B	5	HEC	FE-ND	2.95	2.04	1.94
3	C	5	HEC	CMC-C2C	2.93	1.56	1.50
3	D	5	HEC	CAC-C3C	2.93	1.58	1.51
3	A	4	HEC	CAC-C3C	2.92	1.58	1.51
3	B	1	HEC	CMC-C2C	2.91	1.56	1.50
3	B	4	HEC	FE-NB	2.89	2.03	1.94
3	D	3	HEC	CMA-C3A	2.88	1.56	1.50
3	D	4	HEC	CMB-C2B	2.87	1.56	1.50
3	B	5	HEC	CAB-C3B	2.86	1.58	1.51
3	C	4	HEC	FE-NB	2.85	2.03	1.94
3	C	2	HEC	CMA-C3A	2.85	1.56	1.50
3	C	4	HEC	CAC-C3C	2.85	1.58	1.51
3	C	3	HEC	CMC-C2C	2.84	1.56	1.50
3	C	3	HEC	FE-ND	2.78	2.03	1.94
3	A	3	HEC	CMD-C2D	2.78	1.56	1.50
3	C	4	HEC	CMA-C3A	2.76	1.56	1.50
3	A	3	HEC	CMC-C2C	2.76	1.56	1.50
3	C	5	HEC	CMD-C2D	2.75	1.56	1.50
3	A	5	HEC	CMC-C2C	2.75	1.56	1.50
3	C	4	HEC	CMC-C2C	2.75	1.56	1.50
3	C	4	HEC	C4B-NB	-2.70	1.35	1.40
3	B	2	HEC	CAB-C3B	2.69	1.58	1.51
3	B	2	HEC	CMA-C3A	2.69	1.56	1.50
3	B	4	HEC	CAC-C3C	2.68	1.57	1.51
3	C	3	HEC	CMB-C2B	2.67	1.56	1.50
3	D	1	HEC	CAC-C3C	2.66	1.57	1.51
3	A	3	HEC	CAC-C3C	2.64	1.57	1.51
3	A	5	HEC	FE-NB	2.62	2.03	1.94
3	D	4	HEC	CAC-C3C	2.61	1.57	1.51
3	D	2	HEC	CMB-C2B	2.57	1.56	1.50
3	C	3	HEC	CMD-C2D	2.57	1.56	1.50
3	B	4	HEC	CAB-C3B	2.56	1.57	1.51
3	B	5	HEC	CMA-C3A	2.56	1.56	1.50
3	A	1	HEC	CAC-C3C	2.52	1.57	1.51
3	D	5	HEC	FE-ND	2.52	2.02	1.94
3	D	1	HEC	CMC-C2C	2.50	1.55	1.50

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	B	2	HEC	CAC-C3C	2.48	1.57	1.51
3	C	2	HEC	CAB-C3B	2.47	1.57	1.51
3	B	1	HEC	CAB-C3B	2.46	1.57	1.51
3	B	3	HEC	CMD-C2D	2.46	1.55	1.50
3	C	1	HEC	CMC-C2C	2.45	1.55	1.50
3	A	1	HEC	CAD-C3D	2.44	1.57	1.51
3	C	5	HEC	FE-ND	2.44	2.02	1.94
3	C	4	HEC	CAB-C3B	2.42	1.57	1.51
3	D	4	HEC	CMA-C3A	2.42	1.55	1.50
3	B	3	HEC	CMB-C2B	2.41	1.55	1.50
3	A	5	HEC	CAC-C3C	2.41	1.57	1.51
3	B	3	HEC	CAC-C3C	2.41	1.57	1.51
3	A	4	HEC	CMB-C2B	2.41	1.55	1.50
3	A	2	HEC	CMA-C3A	2.40	1.55	1.50
3	A	1	HEC	FE-NA	2.38	2.03	1.95
3	D	5	HEC	CMD-C2D	2.38	1.55	1.50
3	D	3	HEC	CMC-C2C	2.38	1.55	1.50
3	B	5	HEC	CAC-C3C	2.37	1.57	1.51
3	D	1	HEC	CAB-C3B	2.37	1.57	1.51
3	D	1	HEC	CMB-C2B	2.33	1.55	1.50
3	D	2	HEC	CMA-C3A	2.32	1.55	1.50
3	B	3	HEC	CMA-C3A	2.31	1.55	1.50
3	A	2	HEC	CMB-C2B	2.31	1.55	1.50
3	A	2	HEC	CAB-C3B	2.29	1.56	1.51
3	B	4	HEC	CMC-C2C	2.29	1.55	1.50
3	A	3	HEC	FE-NA	2.28	2.02	1.95
3	D	3	HEC	CAC-C3C	2.27	1.56	1.51
3	C	3	HEC	CAC-C3C	2.25	1.56	1.51
3	A	4	HEC	CAB-C3B	2.23	1.56	1.51
3	B	4	HEC	CMD-C2D	2.23	1.55	1.50
3	B	5	HEC	CMC-C2C	2.23	1.55	1.50
3	D	5	HEC	CAB-C3B	2.23	1.56	1.51
3	A	1	HEC	CMB-C2B	2.21	1.55	1.50
3	D	3	HEC	CMB-C2B	2.21	1.55	1.50
3	D	5	HEC	CMB-C2B	2.20	1.55	1.50
3	D	3	HEC	FE-NA	2.19	2.02	1.95
3	D	5	HEC	CMA-C3A	2.18	1.55	1.50
3	D	4	HEC	CMD-C2D	2.18	1.55	1.50
3	B	5	HEC	CMD-C2D	2.16	1.55	1.50
3	A	5	HEC	CAB-C3B	2.15	1.56	1.51
3	B	5	HEC	O2D-CGD	-2.15	1.23	1.30
3	D	2	HEC	CMC-C2C	2.15	1.55	1.50

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	5	HEC	CMD-C2D	2.13	1.55	1.50
3	D	4	HEC	FE-ND	2.12	2.01	1.94
3	C	1	HEC	CAB-C3B	2.12	1.56	1.51
3	A	3	HEC	CAB-C3B	2.12	1.56	1.51
3	C	2	HEC	CMB-C2B	2.12	1.55	1.50
3	C	2	HEC	CMC-C2C	2.11	1.55	1.50
3	B	1	HEC	CMB-C2B	2.11	1.55	1.50
3	C	3	HEC	CAB-C3B	2.09	1.56	1.51
3	A	5	HEC	CMB-C2B	2.09	1.55	1.50
3	C	2	HEC	CAC-C3C	2.09	1.56	1.51
3	C	1	HEC	CAA-C2A	2.07	1.56	1.51
3	C	1	HEC	C1C-C2C	2.07	1.48	1.43
3	D	5	HEC	CAD-C3D	2.07	1.56	1.51
3	C	3	HEC	C4D-ND	2.07	1.42	1.38
3	B	2	HEC	CMB-C2B	2.06	1.55	1.50
3	B	3	HEC	CMC-C2C	2.03	1.54	1.50
3	B	1	HEC	CMA-C3A	2.03	1.54	1.50
3	D	2	HEC	CAB-C3B	2.03	1.56	1.51
3	A	2	HEC	CMC-C2C	2.02	1.54	1.50
3	C	3	HEC	CAD-C3D	2.01	1.56	1.51
3	B	4	HEC	CMA-C3A	2.00	1.54	1.50

All (226) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	B	5	HEC	C4B-NB-C1B	-13.87	88.79	105.21
3	B	3	HEC	CHC-C4B-C3B	-9.16	108.34	125.23
3	B	5	HEC	C3B-C4B-NB	8.64	119.64	110.17
3	D	3	HEC	C1D-ND-C4D	7.22	113.76	105.21
3	D	1	HEC	C1D-ND-C4D	6.89	113.36	105.21
3	D	2	HEC	C1D-ND-C4D	6.82	113.28	105.21
3	A	4	HEC	C1D-ND-C4D	6.51	112.91	105.21
3	C	2	HEC	C1D-ND-C4D	6.48	112.88	105.21
3	B	5	HEC	CHC-C4B-NB	-6.36	116.49	124.37
3	A	3	HEC	C1D-ND-C4D	6.35	112.73	105.21
3	B	3	HEC	C4B-C3B-C2B	-6.02	98.12	106.89
3	B	2	HEC	C1D-ND-C4D	5.89	112.18	105.21
3	D	4	HEC	C1D-ND-C4D	5.69	111.94	105.21
3	A	2	HEC	C1D-ND-C4D	5.66	111.91	105.21
3	B	3	HEC	C1D-ND-C4D	5.63	111.87	105.21
3	C	1	HEC	C1D-ND-C4D	5.53	111.76	105.21
3	A	1	HEC	C1D-ND-C4D	5.50	111.72	105.21

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	C	4	HEC	C1D-ND-C4D	5.35	111.54	105.21
3	B	1	HEC	C1D-ND-C4D	5.05	111.18	105.21
3	B	3	HEC	C1C-CHC-C4B	-4.70	115.20	126.25
3	B	2	HEC	C4B-NB-C1B	4.55	110.60	105.21
3	D	2	HEC	C2A-C1A-NA	-4.52	105.96	110.32
3	A	5	HEC	C1D-ND-C4D	4.43	110.45	105.21
3	B	3	HEC	CAB-C3B-C4B	4.38	130.49	124.79
3	B	4	HEC	C1D-ND-C4D	4.23	110.21	105.21
3	B	4	HEC	CBA-CAA-C2A	-4.14	101.09	112.53
3	D	3	HEC	C4B-NB-C1B	4.12	110.08	105.21
3	A	2	HEC	C2A-C1A-NA	-3.89	106.57	110.32
3	C	1	HEC	C2A-C1A-NA	-3.75	106.70	110.32
3	C	3	HEC	C1D-ND-C4D	3.73	109.62	105.21
3	B	5	HEC	C1D-ND-C4D	3.72	109.61	105.21
3	B	2	HEC	C2B-C1B-NB	-3.71	105.61	109.90
3	B	3	HEC	C3B-C4B-NB	3.68	114.21	110.17
3	C	3	HEC	CMC-C2C-C1C	-3.67	119.83	125.42
3	C	5	HEC	C1D-ND-C4D	3.66	109.55	105.21
3	C	3	HEC	CHA-C4D-ND	3.66	128.36	124.42
3	D	5	HEC	C1D-ND-C4D	3.65	109.53	105.21
3	B	5	HEC	CHB-C1B-NB	-3.65	120.50	124.42
3	B	2	HEC	C2A-C1A-NA	-3.64	106.81	110.32
3	D	1	HEC	C4B-NB-C1B	3.63	109.51	105.21
3	C	1	HEC	CAB-C3B-C4B	3.57	129.44	124.79
3	A	4	HEC	CBA-CAA-C2A	-3.57	102.66	112.53
3	B	2	HEC	CMB-C2B-C1B	-3.51	119.55	125.03
3	D	3	HEC	CHB-C1B-NB	3.48	128.17	124.42
3	B	2	HEC	CMC-C2C-C1C	-3.44	120.18	125.42
3	D	3	HEC	C3D-C4D-ND	-3.35	107.12	110.35
3	A	1	HEC	C4B-NB-C1B	3.31	109.12	105.21
3	A	1	HEC	CAC-C3C-C4C	-3.27	120.41	124.91
3	B	1	HEC	C2A-C1A-NA	-3.27	107.17	110.32
3	D	2	HEC	C3C-C4C-NC	-3.25	106.55	110.15
3	A	3	HEC	C2A-C1A-NA	-3.23	107.21	110.32
3	A	1	HEC	CAB-C3B-C4B	-3.22	120.60	124.79
3	D	2	HEC	C4B-NB-C1B	3.21	109.01	105.21
3	B	2	HEC	C1B-C2B-C3B	3.21	110.36	106.98
3	D	4	HEC	CMC-C2C-C1C	-3.20	120.54	125.42
3	D	3	HEC	C3B-C4B-NB	-3.18	106.68	110.17
3	D	4	HEC	CBA-CAA-C2A	-3.17	103.77	112.53
3	A	5	HEC	CHA-C4D-ND	3.15	127.81	124.42
3	C	2	HEC	C4B-NB-C1B	3.15	108.94	105.21

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	4	HEC	C4B-NB-C1B	3.14	108.92	105.21
3	B	1	HEC	C4B-NB-C1B	3.13	108.92	105.21
3	A	4	HEC	C2A-C1A-NA	-3.13	107.31	110.32
3	A	2	HEC	C4B-NB-C1B	3.13	108.91	105.21
3	B	5	HEC	CAA-CBA-CGA	-3.11	105.41	113.67
3	D	3	HEC	CBA-CAA-C2A	-3.10	103.97	112.53
3	A	3	HEC	CBA-CAA-C2A	-3.09	103.98	112.53
3	A	5	HEC	C2B-C1B-NB	-3.08	106.35	109.90
3	C	5	HEC	C1B-C2B-C3B	3.05	110.19	106.98
3	A	2	HEC	CMC-C2C-C1C	-3.04	120.78	125.42
3	D	3	HEC	C2A-C1A-NA	-3.04	107.39	110.32
3	B	5	HEC	C2A-C1A-NA	-3.03	107.40	110.32
3	C	5	HEC	CAA-CBA-CGA	-3.02	105.65	113.67
3	C	1	HEC	CHA-C1A-NA	3.01	127.73	124.45
3	A	1	HEC	CAC-C3C-C2C	3.01	131.65	126.89
3	B	2	HEC	CHA-C1A-C2A	3.00	129.59	124.86
3	C	3	HEC	CHB-C1B-NB	2.98	127.63	124.42
3	A	5	HEC	C4A-NA-C1A	2.97	110.66	105.82
3	A	5	HEC	C4B-NB-C1B	2.96	108.71	105.21
3	C	1	HEC	CAD-C3D-C4D	2.95	129.84	124.70
3	D	5	HEC	C2A-C1A-NA	-2.93	107.50	110.32
3	C	3	HEC	C2A-C1A-NA	-2.90	107.52	110.32
3	B	3	HEC	CHB-C4A-NA	2.86	127.57	124.45
3	A	1	HEC	C3B-C4B-NB	-2.86	107.03	110.17
3	C	5	HEC	CHC-C4B-NB	2.86	127.90	124.37
3	C	3	HEC	C3C-C4C-NC	-2.85	106.99	110.15
3	A	4	HEC	C3D-C4D-ND	-2.83	107.61	110.35
3	A	3	HEC	C4B-NB-C1B	2.82	108.54	105.21
3	A	2	HEC	CHD-C1D-ND	2.79	127.81	124.37
3	B	2	HEC	C3D-C4D-ND	-2.77	107.67	110.35
3	D	3	HEC	CHA-C4D-ND	2.77	127.40	124.42
3	C	4	HEC	CAD-CBD-CGD	-2.77	106.32	113.67
3	B	4	HEC	CMC-C2C-C1C	-2.76	121.21	125.42
3	D	2	HEC	C4A-NA-C1A	2.76	110.33	105.82
3	C	2	HEC	C3D-C4D-ND	-2.75	107.69	110.35
3	D	1	HEC	CHB-C1B-C2B	2.75	129.36	125.03
3	B	5	HEC	C2B-C1B-NB	2.74	113.07	109.90
3	D	4	HEC	C2D-C1D-ND	-2.71	106.72	109.84
3	C	2	HEC	CMC-C2C-C1C	-2.71	121.29	125.42
3	A	5	HEC	C2A-C1A-NA	-2.71	107.71	110.32
3	D	5	HEC	CMC-C2C-C1C	-2.70	121.30	125.42
3	A	3	HEC	C3D-C4D-ND	-2.70	107.74	110.35

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	B	3	HEC	C2B-C1B-NB	-2.69	106.79	109.90
3	B	3	HEC	C2A-C1A-NA	-2.69	107.72	110.32
3	A	4	HEC	C2B-C1B-NB	-2.68	106.81	109.90
3	A	5	HEC	CHB-C1B-NB	2.64	127.27	124.42
3	D	4	HEC	C2A-C1A-NA	-2.63	107.78	110.32
3	D	2	HEC	C3D-C4D-ND	-2.62	107.82	110.35
3	D	1	HEC	CHB-C4A-NA	2.61	127.30	124.45
3	A	2	HEC	C4A-NA-C1A	2.60	110.07	105.82
3	C	1	HEC	C4A-NA-C1A	2.60	110.06	105.82
3	C	4	HEC	CMC-C2C-C1C	-2.59	121.47	125.42
3	D	3	HEC	C2B-C1B-NB	-2.59	106.91	109.90
3	A	1	HEC	CMC-C2C-C1C	-2.58	121.49	125.42
3	B	5	HEC	CHA-C4D-ND	2.56	127.18	124.42
3	C	5	HEC	C2A-C1A-NA	-2.53	107.89	110.32
3	A	4	HEC	CHA-C4D-ND	2.52	127.14	124.42
3	D	5	HEC	CBA-CAA-C2A	-2.52	105.57	112.53
3	C	2	HEC	C2A-C1A-NA	-2.49	107.92	110.32
3	B	3	HEC	CBB-CAB-C3B	-2.49	105.66	112.42
3	B	1	HEC	CMD-C2D-C1D	2.49	128.93	125.03
3	A	1	HEC	C2A-C1A-NA	-2.49	107.92	110.32
3	B	4	HEC	C2A-C1A-NA	-2.48	107.93	110.32
3	B	5	HEC	CBC-CAC-C3C	2.48	119.14	112.42
3	A	3	HEC	CMC-C2C-C1C	-2.47	121.66	125.42
3	A	5	HEC	CMC-C2C-C1C	-2.47	121.66	125.42
3	A	4	HEC	CMC-C2C-C1C	-2.45	121.68	125.42
3	B	5	HEC	C1B-C2B-C3B	2.45	109.56	106.98
3	D	1	HEC	C2B-C1B-NB	-2.45	107.08	109.90
3	D	1	HEC	C3D-C4D-ND	-2.43	108.00	110.35
3	A	2	HEC	CHA-C1A-C2A	2.43	128.70	124.86
3	A	1	HEC	CBC-CAC-C3C	2.43	119.01	112.42
3	D	5	HEC	CAC-C3C-C2C	2.43	130.73	126.89
3	B	1	HEC	C2B-C1B-NB	-2.43	107.10	109.90
3	A	2	HEC	C3D-C4D-ND	-2.43	108.01	110.35
3	B	5	HEC	CHD-C1D-ND	2.43	127.37	124.37
3	D	5	HEC	CAD-CBD-CGD	-2.42	107.25	113.67
3	A	3	HEC	O2A-CGA-CBA	2.41	121.63	114.00
3	A	3	HEC	CMD-C2D-C1D	2.41	128.80	125.03
3	B	2	HEC	CHA-C4D-ND	2.41	127.01	124.42
3	D	4	HEC	CHD-C1D-ND	2.41	127.34	124.37
3	B	2	HEC	O2A-CGA-CBA	2.39	121.56	114.00
3	A	2	HEC	C3C-C4C-NC	-2.39	107.50	110.15
3	A	1	HEC	CHB-C4A-NA	2.39	127.05	124.45

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	B	2	HEC	CBC-CAC-C3C	2.36	118.82	112.42
3	B	3	HEC	CHA-C4D-ND	2.36	126.96	124.42
3	B	3	HEC	C3D-C4D-ND	-2.36	108.07	110.35
3	A	4	HEC	C1B-C2B-C3B	2.34	109.44	106.98
3	A	1	HEC	CAD-C3D-C4D	2.33	128.76	124.70
3	A	3	HEC	C2B-C1B-NB	-2.33	107.21	109.90
3	A	1	HEC	C4D-C3D-C2D	-2.32	103.51	106.89
3	C	3	HEC	CMD-C2D-C1D	2.32	128.66	125.03
3	B	4	HEC	CMD-C2D-C1D	2.32	128.66	125.03
3	C	1	HEC	C1B-C2B-C3B	2.30	109.40	106.98
3	A	2	HEC	C2B-C1B-NB	-2.30	107.24	109.90
3	D	3	HEC	C3C-C4C-NC	-2.29	107.62	110.15
3	C	3	HEC	CHD-C1D-ND	2.28	127.19	124.37
3	A	4	HEC	C2D-C1D-ND	-2.28	107.22	109.84
3	D	2	HEC	C4C-NC-C1C	2.28	109.54	105.82
3	D	5	HEC	C4A-NA-C1A	2.28	109.54	105.82
3	C	2	HEC	CMB-C2B-C1B	-2.28	121.47	125.03
3	D	2	HEC	CHA-C1A-C2A	2.27	128.45	124.86
3	A	3	HEC	C3C-C4C-NC	-2.26	107.64	110.15
3	C	3	HEC	C1B-C2B-C3B	2.26	109.35	106.98
3	C	4	HEC	CBA-CAA-C2A	-2.26	106.29	112.53
3	A	4	HEC	CHD-C1D-ND	2.25	127.16	124.37
3	C	4	HEC	C4B-NB-C1B	2.25	107.87	105.21
3	A	5	HEC	CBC-CAC-C3C	2.25	118.51	112.42
3	A	4	HEC	CMB-C2B-C1B	-2.23	121.54	125.03
3	D	2	HEC	C2B-C1B-NB	-2.23	107.32	109.90
3	B	1	HEC	CHB-C4A-NA	2.23	126.88	124.45
3	B	1	HEC	CHB-C1B-C2B	2.22	128.54	125.03
3	A	5	HEC	C1B-C2B-C3B	2.22	109.31	106.98
3	D	3	HEC	C2D-C1D-ND	-2.22	107.29	109.84
3	D	2	HEC	C3B-C4B-NB	-2.21	107.74	110.17
3	A	5	HEC	C3C-C4C-NC	-2.20	107.71	110.15
3	C	1	HEC	CHC-C4B-NB	-2.20	121.64	124.37
3	C	2	HEC	CHA-C1A-C2A	2.19	128.33	124.86
3	D	2	HEC	CBA-CAA-C2A	-2.19	106.47	112.53
3	D	3	HEC	CBD-CAD-C3D	-2.19	106.49	112.53
3	C	3	HEC	CHC-C1C-NC	2.17	127.80	123.86
3	C	5	HEC	CHC-C4B-C3B	-2.17	121.22	125.23
3	C	2	HEC	C2D-C1D-ND	-2.17	107.34	109.84
3	D	4	HEC	CMC-C2C-C3C	2.16	130.21	125.62
3	D	4	HEC	CBC-CAC-C3C	2.16	118.28	112.42
3	C	1	HEC	C3C-C4C-NC	-2.15	107.77	110.15

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	C	4	HEC	C1D-C2D-C3D	-2.14	104.73	106.98
3	C	4	HEC	CMD-C2D-C1D	2.14	128.38	125.03
3	B	2	HEC	C4A-NA-C1A	2.14	109.31	105.82
3	B	1	HEC	CBA-CAA-C2A	-2.14	106.62	112.53
3	A	5	HEC	CHC-C4B-NB	2.13	127.00	124.37
3	B	4	HEC	O1A-CGA-CBA	-2.12	116.36	123.09
3	D	5	HEC	CBC-CAC-C3C	2.12	118.17	112.42
3	C	1	HEC	CMD-C2D-C1D	2.11	128.34	125.03
3	A	5	HEC	CMD-C2D-C1D	2.11	128.33	125.03
3	C	2	HEC	O2A-CGA-CBA	2.10	120.65	114.00
3	C	5	HEC	CAD-C3D-C4D	2.10	128.36	124.70
3	B	1	HEC	CAD-C3D-C4D	2.10	128.36	124.70
3	A	3	HEC	C1B-C2B-C3B	2.10	109.19	106.98
3	C	5	HEC	CHB-C1B-NB	2.09	126.67	124.42
3	A	2	HEC	CAB-C3B-C4B	2.09	127.51	124.79
3	B	1	HEC	C1B-C2B-C3B	2.07	109.16	106.98
3	C	1	HEC	CMB-C2B-C1B	-2.07	121.80	125.03
3	D	4	HEC	C3C-C4C-NC	-2.07	107.86	110.15
3	B	5	HEC	CBA-CAA-C2A	-2.06	106.83	112.53
3	B	3	HEC	CMD-C2D-C1D	2.06	128.25	125.03
3	C	1	HEC	C4B-NB-C1B	2.06	107.64	105.21
3	C	2	HEC	C1B-C2B-C3B	2.05	109.14	106.98
3	C	2	HEC	CAD-C3D-C4D	2.04	128.26	124.70
3	B	2	HEC	C3B-C4B-NB	-2.04	107.93	110.17
3	D	5	HEC	CAD-C3D-C4D	2.04	128.25	124.70
3	B	3	HEC	O2A-CGA-CBA	2.04	120.44	114.00
3	D	3	HEC	CMB-C2B-C1B	-2.04	121.85	125.03
3	A	3	HEC	CHB-C1B-NB	2.03	126.61	124.42
3	D	1	HEC	C2A-C1A-NA	-2.03	108.36	110.32
3	D	2	HEC	C2D-C1D-ND	-2.03	107.50	109.84
3	B	3	HEC	C3C-C4C-NC	-2.03	107.90	110.15
3	A	4	HEC	CMD-C2D-C1D	2.02	128.18	125.03
3	D	4	HEC	CMD-C2D-C1D	2.01	128.18	125.03
3	B	5	HEC	CAD-CBD-CGD	-2.01	108.32	113.67
3	B	3	HEC	CBA-CAA-C2A	-2.01	106.97	112.53
3	C	3	HEC	CHA-C1A-C2A	2.01	128.04	124.86
3	C	1	HEC	C2B-C1B-NB	-2.01	107.58	109.90
3	C	2	HEC	CMD-C2D-C1D	2.01	128.17	125.03
3	B	2	HEC	O2A-CGA-O1A	-2.01	118.17	123.33
3	A	5	HEC	C3A-C4A-NA	-2.00	105.93	109.64
3	B	1	HEC	CHC-C4B-C3B	2.00	128.92	125.23

All (20) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
3	A	1	HEC	NA
3	A	2	HEC	NA
3	A	3	HEC	NA
3	A	4	HEC	NA
3	A	5	HEC	NA
3	B	1	HEC	NA
3	B	2	HEC	NA
3	B	3	HEC	NA
3	B	4	HEC	NA
3	B	5	HEC	NA
3	C	1	HEC	NA
3	C	2	HEC	NA
3	C	3	HEC	NA
3	C	4	HEC	NA
3	C	5	HEC	NA
3	D	1	HEC	NA
3	D	2	HEC	NA
3	D	3	HEC	NA
3	D	4	HEC	NA
3	D	5	HEC	NA

All (119) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	B	4	HEC	C2C-C3C-CAC-CBC
3	C	1	HEC	C2C-C3C-CAC-CBC
3	C	4	HEC	C2C-C3C-CAC-CBC
3	D	1	HEC	C2C-C3C-CAC-CBC
3	D	5	HEC	C2C-C3C-CAC-CBC
3	A	1	HEC	C2C-C3C-CAC-CBC
3	D	3	HEC	C2C-C3C-CAC-CBC
3	A	1	HEC	C4C-C3C-CAC-CBC
3	D	5	HEC	C4C-C3C-CAC-CBC
3	A	4	HEC	C2C-C3C-CAC-CBC
3	D	4	HEC	C2C-C3C-CAC-CBC
3	B	1	HEC	C4C-C3C-CAC-CBC
3	B	4	HEC	C4C-C3C-CAC-CBC
3	C	1	HEC	C4C-C3C-CAC-CBC
3	C	4	HEC	C4C-C3C-CAC-CBC
3	A	5	HEC	C2C-C3C-CAC-CBC
3	B	1	HEC	C2C-C3C-CAC-CBC
3	B	2	HEC	C2C-C3C-CAC-CBC
3	D	1	HEC	C4C-C3C-CAC-CBC

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
3	D	4	HEC	C4C-C3C-CAC-CBC
3	A	2	HEC	C2C-C3C-CAC-CBC
3	C	5	HEC	C2B-C3B-CAB-CBB
3	A	3	HEC	C2C-C3C-CAC-CBC
3	A	5	HEC	C4C-C3C-CAC-CBC
3	D	2	HEC	C2C-C3C-CAC-CBC
3	A	4	HEC	C2B-C3B-CAB-CBB
3	A	4	HEC	C4C-C3C-CAC-CBC
3	C	4	HEC	C2B-C3B-CAB-CBB
3	B	5	HEC	C2B-C3B-CAB-CBB
3	C	3	HEC	C2C-C3C-CAC-CBC
3	B	3	HEC	C2C-C3C-CAC-CBC
3	C	2	HEC	C2C-C3C-CAC-CBC
3	B	4	HEC	C2B-C3B-CAB-CBB
3	D	3	HEC	C4C-C3C-CAC-CBC
3	C	2	HEC	C4C-C3C-CAC-CBC
3	A	4	HEC	C2A-CAA-CBA-CGA
3	B	3	HEC	C4C-C3C-CAC-CBC
3	B	2	HEC	C4C-C3C-CAC-CBC
3	C	5	HEC	C4B-C3B-CAB-CBB
3	A	5	HEC	C2B-C3B-CAB-CBB
3	B	2	HEC	C2B-C3B-CAB-CBB
3	C	3	HEC	C4C-C3C-CAC-CBC
3	C	5	HEC	C4C-C3C-CAC-CBC
3	D	4	HEC	C2B-C3B-CAB-CBB
3	A	3	HEC	C4C-C3C-CAC-CBC
3	C	2	HEC	C2B-C3B-CAB-CBB
3	B	5	HEC	C2C-C3C-CAC-CBC
3	C	5	HEC	C2C-C3C-CAC-CBC
3	A	2	HEC	C4C-C3C-CAC-CBC
3	D	2	HEC	C4C-C3C-CAC-CBC
3	B	5	HEC	C4B-C3B-CAB-CBB
3	A	4	HEC	C4B-C3B-CAB-CBB
4	C	13	EDO	O1-C1-C2-O2
3	B	3	HEC	C4B-C3B-CAB-CBB
3	B	5	HEC	C4C-C3C-CAC-CBC
3	B	5	HEC	C2A-CAA-CBA-CGA
3	D	5	HEC	C2A-CAA-CBA-CGA
3	C	4	HEC	C4B-C3B-CAB-CBB
3	B	4	HEC	C4B-C3B-CAB-CBB
4	B	481	EDO	O1-C1-C2-O2
3	C	5	HEC	C2A-CAA-CBA-CGA

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
3	D	4	HEC	C4B-C3B-CAB-CBB
3	A	2	HEC	C2B-C3B-CAB-CBB
3	D	5	HEC	C2B-C3B-CAB-CBB
3	D	1	HEC	C3D-CAD-CBD-CGD
3	A	5	HEC	C4B-C3B-CAB-CBB
3	B	2	HEC	C4B-C3B-CAB-CBB
4	C	9	EDO	O1-C1-C2-O2
3	B	5	HEC	CAD-CBD-CGD-O2D
3	C	2	HEC	C4B-C3B-CAB-CBB
3	A	5	HEC	CAD-CBD-CGD-O2D
3	C	1	HEC	CAA-CBA-CGA-O2A
3	B	1	HEC	CAA-CBA-CGA-O2A
3	A	4	HEC	CAA-CBA-CGA-O1A
3	B	1	HEC	CAA-CBA-CGA-O1A
3	A	5	HEC	CAD-CBD-CGD-O1D
3	C	5	HEC	CAD-CBD-CGD-O1D
3	D	5	HEC	CAA-CBA-CGA-O1A
3	B	2	HEC	CAA-CBA-CGA-O1A
3	D	5	HEC	CAD-CBD-CGD-O1D
4	B	480	EDO	O1-C1-C2-O2
3	A	2	HEC	CAA-CBA-CGA-O2A
3	C	1	HEC	CAA-CBA-CGA-O1A
3	D	1	HEC	CAA-CBA-CGA-O1A
3	B	5	HEC	CAD-CBD-CGD-O1D
3	C	5	HEC	CAD-CBD-CGD-O2D
3	C	2	HEC	CAA-CBA-CGA-O2A
3	C	5	HEC	CAA-CBA-CGA-O1A
3	D	5	HEC	CAA-CBA-CGA-O2A
3	D	1	HEC	CAA-CBA-CGA-O2A
3	D	2	HEC	CAA-CBA-CGA-O1A
3	D	5	HEC	CAD-CBD-CGD-O2D
3	A	5	HEC	CAA-CBA-CGA-O1A
3	B	5	HEC	CAA-CBA-CGA-O1A
3	A	2	HEC	CAA-CBA-CGA-O1A
3	A	4	HEC	CAA-CBA-CGA-O2A
3	A	1	HEC	CAA-CBA-CGA-O2A
3	A	5	HEC	CAA-CBA-CGA-O2A
3	C	2	HEC	CAA-CBA-CGA-O1A
3	C	3	HEC	C2B-C3B-CAB-CBB
3	C	5	HEC	CAA-CBA-CGA-O2A
3	B	5	HEC	CAA-CBA-CGA-O2A
3	D	2	HEC	CAA-CBA-CGA-O2A

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
3	B	2	HEC	CAA-CBA-CGA-O2A
3	A	1	HEC	CAA-CBA-CGA-O1A
3	A	2	HEC	C4B-C3B-CAB-CBB
4	D	480	EDO	O1-C1-C2-O2
3	A	3	HEC	C2B-C3B-CAB-CBB
3	D	5	HEC	C4B-C3B-CAB-CBB
4	B	15	EDO	O1-C1-C2-O2
3	B	3	HEC	C2B-C3B-CAB-CBB
3	C	4	HEC	CAD-CBD-CGD-O2D
3	A	1	HEC	C2B-C3B-CAB-CBB
3	B	4	HEC	CAA-CBA-CGA-O2A
3	D	2	HEC	C2B-C3B-CAB-CBB
3	D	2	HEC	CAD-CBD-CGD-O2D
3	D	2	HEC	CAD-CBD-CGD-O1D
3	C	4	HEC	CAA-CBA-CGA-O2A
3	C	4	HEC	CAA-CBA-CGA-O1A

There are no ring outliers.

23 monomers are involved in 44 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	1	HEC	4	0
3	B	4	HEC	3	0
4	B	15	EDO	2	0
3	C	1	HEC	1	0
4	A	480	EDO	1	0
3	C	4	HEC	3	0
3	D	2	HEC	1	0
3	D	4	HEC	2	0
3	D	5	HEC	3	0
3	C	5	HEC	2	0
3	A	2	HEC	2	0
3	B	2	HEC	2	0
3	A	4	HEC	4	0
3	A	5	HEC	4	0
3	B	5	HEC	3	0
3	B	3	HEC	1	0
4	C	11	EDO	2	0
4	D	480	EDO	2	0
3	A	3	HEC	1	0
4	B	12	EDO	1	0
4	B	8	EDO	2	0

Continued on next page...


Continued from previous page...

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	D	3	HEC	1	0
3	B	1	HEC	1	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.




Ligand HEC B 4



Bond lengths



Bond angles




Torsions




Rings


Ligand HEC C 1



Bond lengths



Bond angles




Torsions




Rings


Ligand HEC C 4



Bond lengths



Bond angles




Torsions




Rings


Ligand HEC D 2



Bond lengths



Bond angles




Torsions




Rings


Ligand HEC D 4




Bond lengths



Bond angles




Torsions




Rings


Ligand HEC D 5



Bond lengths



Bond angles




Torsions




Rings


Ligand HEC C 3




Bond lengths



Bond angles




Torsions




Rings


Ligand HEC C 5




Bond lengths



Bond angles




Torsions




Rings


Ligand HEC A 2



Bond lengths



Bond angles




Torsions




Rings


Ligand HEC B 2



Bond lengths



Bond angles




Torsions




Rings


Ligand HEC A 4




Bond lengths



Bond angles




Torsions




Rings


Ligand HEC D 1




Bond lengths



Bond angles




Torsions




Rings


Ligand HEC A 5




Bond lengths



Bond angles




Torsions




Rings


Ligand HEC B 5




Bond lengths



Bond angles




Torsions




Rings


Ligand HEC C 2




Bond lengths



Bond angles




Torsions




Rings


Ligand HEC B 3




Bond lengths



Bond angles




Torsions




Rings


Ligand HEC A 3




Bond lengths



Bond angles




Torsions




Rings


Ligand HEC D 3




Bond lengths




Bond angles



Torsions



Rings



5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	441/441 (100%)	-0.21	4 (0%) 81 83	9, 19, 35, 45	14 (3%)
1	B	441/441 (100%)	-0.42	4 (0%) 81 83	7, 17, 29, 37	15 (3%)
1	C	441/441 (100%)	-0.49	1 (0%) 91 93	9, 16, 28, 43	7 (1%)
1	D	441/441 (100%)	0.33	30 (6%) 23 23	11, 26, 46, 54	17 (3%)
All	All	1764/1764 (100%)	-0.20	39 (2%) 62 64	7, 19, 37, 54	53 (3%)

All (39) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	C	37	THR	6.2
1	B	442	GLN	5.1
1	D	114	GLU	4.5
1	D	174	GLY	3.5
1	B	190	GLU	3.4
1	D	474	GLY	3.4
1	B	477	SER	3.2
1	A	477	SER	3.1
1	D	297	LEU	3.1
1	D	37	THR	3.0
1	D	168	SER	2.9
1	D	167	ALA	2.7
1	D	170	GLU	2.7
1	D	172	ALA	2.7
1	D	44	THR	2.7
1	D	176	PRO	2.7
1	A	37	THR	2.7
1	D	175	LYS	2.5
1	D	50	PRO	2.5
1	B	476	LEU	2.5
1	A	312	GLN	2.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	D	468	GLU	2.4
1	D	471	ARG	2.4
1	D	171	PHE	2.3
1	D	41	LYS	2.2
1	D	299	THR	2.2
1	D	40	ALA	2.2
1	D	48	GLN	2.2
1	D	38	VAL	2.1
1	D	165	ASN	2.1
1	A	461	THR	2.1
1	D	49	HIS	2.1
1	D	470	ALA	2.1
1	D	298	TYR	2.1
1	D	138	GLY	2.1
1	D	158	LEU	2.0
1	D	288	PRO	2.0
1	D	222	ASN	2.0
1	D	166	THR	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
2	CA	D	1502	1/1	0.71	0.21	87,87,87,87	0
2	CA	C	1502	1/1	0.77	0.20	61,61,61,61	0
4	EDO	A	480	4/4	0.77	0.17	33,34,34,36	0
4	EDO	C	13	4/4	0.78	0.16	40,40,40,43	0
2	CA	B	1502	1/1	0.82	0.14	64,64,64,64	0

Continued on next page...




Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
4	EDO	C	11	4/4	0.83	0.13	29,32,33,38	0
2	CA	A	1502	1/1	0.83	0.16	64,64,64,64	0
4	EDO	B	15	4/4	0.85	0.23	42,43,44,46	0
4	EDO	D	480	4/4	0.85	0.17	35,35,39,40	0
4	EDO	B	14	4/4	0.86	0.19	35,38,40,44	0
4	EDO	B	12	4/4	0.89	0.12	46,46,47,47	0
4	EDO	B	480	4/4	0.89	0.15	26,26,29,32	0
4	EDO	B	481	4/4	0.90	0.18	36,36,37,37	0
4	EDO	B	8	4/4	0.90	0.12	36,37,39,40	0
4	EDO	D	481	4/4	0.90	0.12	28,29,30,33	0
3	HEC	D	2	43/43	0.92	0.12	25,34,37,38	0
4	EDO	A	10	4/4	0.93	0.09	27,29,29,31	0
4	EDO	A	7	4/4	0.95	0.07	17,19,20,23	0
3	HEC	D	4	43/43	0.96	0.08	15,21,31,38	0
4	EDO	C	9	4/4	0.96	0.08	17,19,21,26	0
3	HEC	A	5	43/43	0.97	0.07	14,17,26,35	0
3	HEC	D	5	43/43	0.97	0.08	19,23,31,34	0
4	EDO	B	6	4/4	0.97	0.07	17,21,23,29	0
3	HEC	D	1	43/43	0.97	0.07	17,20,23,24	0
3	HEC	A	2	43/43	0.97	0.08	12,21,23,23	0
3	HEC	D	3	43/43	0.97	0.07	18,23,26,27	0
2	CA	D	1501	1/1	0.98	0.03	22,22,22,22	0
3	HEC	A	3	43/43	0.98	0.06	10,15,18,24	0
3	HEC	A	4	43/43	0.98	0.07	10,14,27,35	0
3	HEC	A	1	43/43	0.98	0.06	8,13,15,16	0
3	HEC	B	1	43/43	0.98	0.05	4,10,14,17	0
3	HEC	B	2	43/43	0.98	0.06	7,11,13,15	0
3	HEC	B	4	43/43	0.98	0.06	6,10,24,34	0
3	HEC	B	5	43/43	0.98	0.07	8,13,26,30	0
3	HEC	C	4	43/43	0.98	0.07	6,11,23,33	0
3	HEC	C	5	43/43	0.98	0.07	12,15,29,34	0
3	HEC	C	2	43/43	0.99	0.05	7,11,15,17	0
3	HEC	C	3	43/43	0.99	0.05	5,8,11,19	0
3	HEC	B	3	43/43	0.99	0.05	5,9,15,22	0
2	CA	B	1501	1/1	0.99	0.01	16,16,16,16	0
2	CA	A	1501	1/1	0.99	0.02	17,17,17,17	0
3	HEC	C	1	43/43	0.99	0.05	5,8,11,14	0
2	CA	C	1501	1/1	1.00	0.01	13,13,13,13	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around HEC D 2:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around HEC D 4:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around HEC A 5:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around HEC D 5:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around HEC D 1:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around HEC A 2:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around HEC D 3:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around HEC A 3:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around HEC A 4:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around HEC A 1:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around HEC B 1:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around HEC B 2:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around HEC B 4:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around HEC B 5:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around HEC C 4:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around HEC C 5:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around HEC C 2:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around HEC C 3:


$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around HEC B 3:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.5 Other polymers [i](#)

There are no such residues in this entry.