



wwPDB EM Validation Summary Report ⓘ

Aug 19, 2026 – 07:21 am BST

PDB ID : 9SRU / pdb_00009sru
EMDB ID : EMD-55156
Title : Cryo-EM structure of Mlc in complex with ptsG operator DNA
Authors : Roth, P.; Fotiadis, D.
Deposited on : 2025-09-25
Resolution : 2.47 Å(reported)

This is a wwPDB EM Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:



EMDB validation analysis : 0.0.1.dev133
MolProbity : 4-5-2 with Phenix2.0
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
EM percentile statistics : 202505.v01 (Using data in the EMDB archive up until May 2025)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.50

1 Overall quality at a glance

The following experimental techniques were used to determine the structure:
ELECTRON MICROSCOPY


The reported resolution of this entry is 2.47 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)	Similar EM resolution (#Entries, resolution range(Å))
Clashscore	229148	23984	-
Ramachandran outliers	224038	23583	-
Sidechain outliers	223484	23102	-
Q-score	-	25397	6086 (1.98 - 2.97)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	455	
1	B	455	
1	C	455	
1	D	455	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
2	E	29	 62%31%7%
2	H	29	 66%28%7%
3	F	29	 72%21%7%
3	G	29	 72%21%7%

2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 28200 atoms, of which 13734 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called DNA-binding transcriptional repressor Mlc.

Mol	Chain	Residues	Atoms						AltConf	Trace
1	A	399	Total	C	H	N	O	S	0	0
			6187	1934	3125	542	573	13		
1	B	399	Total	C	H	N	O	S	0	0
			6187	1934	3125	542	573	13		
1	C	399	Total	C	H	N	O	S	0	0
			6187	1934	3125	542	573	13		
1	D	399	Total	C	H	N	O	S	0	0
			6187	1934	3125	542	573	13		

There are 196 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-46	MET	-	initiating methionine	UNP P50456
A	-45	GLY	-	expression tag	UNP P50456
A	-44	GLY	-	expression tag	UNP P50456
A	-43	SER	-	expression tag	UNP P50456
A	-42	HIS	-	expression tag	UNP P50456
A	-41	HIS	-	expression tag	UNP P50456
A	-40	HIS	-	expression tag	UNP P50456
A	-39	HIS	-	expression tag	UNP P50456
A	-38	HIS	-	expression tag	UNP P50456
A	-37	HIS	-	expression tag	UNP P50456
A	-36	GLY	-	expression tag	UNP P50456
A	-35	MET	-	expression tag	UNP P50456
A	-34	ALA	-	expression tag	UNP P50456
A	-33	SER	-	expression tag	UNP P50456
A	-32	MET	-	expression tag	UNP P50456
A	-31	THR	-	expression tag	UNP P50456
A	-30	GLY	-	expression tag	UNP P50456
A	-29	GLY	-	expression tag	UNP P50456
A	-28	GLN	-	expression tag	UNP P50456
A	-27	GLN	-	expression tag	UNP P50456
A	-26	MET	-	expression tag	UNP P50456
A	-25	GLY	-	expression tag	UNP P50456

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
A	-24	ARG	-	expression tag	UNP P50456
A	-23	ASP	-	expression tag	UNP P50456
A	-22	LEU	-	expression tag	UNP P50456
A	-21	TYR	-	expression tag	UNP P50456
A	-20	ASP	-	expression tag	UNP P50456
A	-19	ASP	-	expression tag	UNP P50456
A	-18	ASP	-	expression tag	UNP P50456
A	-17	ASP	-	expression tag	UNP P50456
A	-16	LYS	-	expression tag	UNP P50456
A	-15	ASP	-	expression tag	UNP P50456
A	-14	ARG	-	expression tag	UNP P50456
A	-13	TRP	-	expression tag	UNP P50456
A	-12	GLY	-	expression tag	UNP P50456
A	-11	SER	-	expression tag	UNP P50456
A	-10	GLU	-	expression tag	UNP P50456
A	-9	LEU	-	expression tag	UNP P50456
A	-8	GLU	-	expression tag	UNP P50456
A	-7	VAL	-	expression tag	UNP P50456
A	-6	LEU	-	expression tag	UNP P50456
A	-5	PHE	-	expression tag	UNP P50456
A	-4	GLN	-	expression tag	UNP P50456
A	-3	GLY	-	expression tag	UNP P50456
A	-2	PRO	-	expression tag	UNP P50456
A	-1	LYS	-	expression tag	UNP P50456
A	0	LEU	-	expression tag	UNP P50456
A	407	LEU	-	expression tag	UNP P50456
A	408	GLU	-	expression tag	UNP P50456
B	-46	MET	-	initiating methionine	UNP P50456
B	-45	GLY	-	expression tag	UNP P50456
B	-44	GLY	-	expression tag	UNP P50456
B	-43	SER	-	expression tag	UNP P50456
B	-42	HIS	-	expression tag	UNP P50456
B	-41	HIS	-	expression tag	UNP P50456
B	-40	HIS	-	expression tag	UNP P50456
B	-39	HIS	-	expression tag	UNP P50456
B	-38	HIS	-	expression tag	UNP P50456
B	-37	HIS	-	expression tag	UNP P50456
B	-36	GLY	-	expression tag	UNP P50456
B	-35	MET	-	expression tag	UNP P50456
B	-34	ALA	-	expression tag	UNP P50456
B	-33	SER	-	expression tag	UNP P50456
B	-32	MET	-	expression tag	UNP P50456

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
B	-31	THR	-	expression tag	UNP P50456
B	-30	GLY	-	expression tag	UNP P50456
B	-29	GLY	-	expression tag	UNP P50456
B	-28	GLN	-	expression tag	UNP P50456
B	-27	GLN	-	expression tag	UNP P50456
B	-26	MET	-	expression tag	UNP P50456
B	-25	GLY	-	expression tag	UNP P50456
B	-24	ARG	-	expression tag	UNP P50456
B	-23	ASP	-	expression tag	UNP P50456
B	-22	LEU	-	expression tag	UNP P50456
B	-21	TYR	-	expression tag	UNP P50456
B	-20	ASP	-	expression tag	UNP P50456
B	-19	ASP	-	expression tag	UNP P50456
B	-18	ASP	-	expression tag	UNP P50456
B	-17	ASP	-	expression tag	UNP P50456
B	-16	LYS	-	expression tag	UNP P50456
B	-15	ASP	-	expression tag	UNP P50456
B	-14	ARG	-	expression tag	UNP P50456
B	-13	TRP	-	expression tag	UNP P50456
B	-12	GLY	-	expression tag	UNP P50456
B	-11	SER	-	expression tag	UNP P50456
B	-10	GLU	-	expression tag	UNP P50456
B	-9	LEU	-	expression tag	UNP P50456
B	-8	GLU	-	expression tag	UNP P50456
B	-7	VAL	-	expression tag	UNP P50456
B	-6	LEU	-	expression tag	UNP P50456
B	-5	PHE	-	expression tag	UNP P50456
B	-4	GLN	-	expression tag	UNP P50456
B	-3	GLY	-	expression tag	UNP P50456
B	-2	PRO	-	expression tag	UNP P50456
B	-1	LYS	-	expression tag	UNP P50456
B	0	LEU	-	expression tag	UNP P50456
B	407	LEU	-	expression tag	UNP P50456
B	408	GLU	-	expression tag	UNP P50456
C	-46	MET	-	initiating methionine	UNP P50456
C	-45	GLY	-	expression tag	UNP P50456
C	-44	GLY	-	expression tag	UNP P50456
C	-43	SER	-	expression tag	UNP P50456
C	-42	HIS	-	expression tag	UNP P50456
C	-41	HIS	-	expression tag	UNP P50456
C	-40	HIS	-	expression tag	UNP P50456
C	-39	HIS	-	expression tag	UNP P50456

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
C	-38	HIS	-	expression tag	UNP P50456
C	-37	HIS	-	expression tag	UNP P50456
C	-36	GLY	-	expression tag	UNP P50456
C	-35	MET	-	expression tag	UNP P50456
C	-34	ALA	-	expression tag	UNP P50456
C	-33	SER	-	expression tag	UNP P50456
C	-32	MET	-	expression tag	UNP P50456
C	-31	THR	-	expression tag	UNP P50456
C	-30	GLY	-	expression tag	UNP P50456
C	-29	GLY	-	expression tag	UNP P50456
C	-28	GLN	-	expression tag	UNP P50456
C	-27	GLN	-	expression tag	UNP P50456
C	-26	MET	-	expression tag	UNP P50456
C	-25	GLY	-	expression tag	UNP P50456
C	-24	ARG	-	expression tag	UNP P50456
C	-23	ASP	-	expression tag	UNP P50456
C	-22	LEU	-	expression tag	UNP P50456
C	-21	TYR	-	expression tag	UNP P50456
C	-20	ASP	-	expression tag	UNP P50456
C	-19	ASP	-	expression tag	UNP P50456
C	-18	ASP	-	expression tag	UNP P50456
C	-17	ASP	-	expression tag	UNP P50456
C	-16	LYS	-	expression tag	UNP P50456
C	-15	ASP	-	expression tag	UNP P50456
C	-14	ARG	-	expression tag	UNP P50456
C	-13	TRP	-	expression tag	UNP P50456
C	-12	GLY	-	expression tag	UNP P50456
C	-11	SER	-	expression tag	UNP P50456
C	-10	GLU	-	expression tag	UNP P50456
C	-9	LEU	-	expression tag	UNP P50456
C	-8	GLU	-	expression tag	UNP P50456
C	-7	VAL	-	expression tag	UNP P50456
C	-6	LEU	-	expression tag	UNP P50456
C	-5	PHE	-	expression tag	UNP P50456
C	-4	GLN	-	expression tag	UNP P50456
C	-3	GLY	-	expression tag	UNP P50456
C	-2	PRO	-	expression tag	UNP P50456
C	-1	LYS	-	expression tag	UNP P50456
C	0	LEU	-	expression tag	UNP P50456
C	407	LEU	-	expression tag	UNP P50456
C	408	GLU	-	expression tag	UNP P50456
D	-46	MET	-	initiating methionine	UNP P50456

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
D	-45	GLY	-	expression tag	UNP P50456
D	-44	GLY	-	expression tag	UNP P50456
D	-43	SER	-	expression tag	UNP P50456
D	-42	HIS	-	expression tag	UNP P50456
D	-41	HIS	-	expression tag	UNP P50456
D	-40	HIS	-	expression tag	UNP P50456
D	-39	HIS	-	expression tag	UNP P50456
D	-38	HIS	-	expression tag	UNP P50456
D	-37	HIS	-	expression tag	UNP P50456
D	-36	GLY	-	expression tag	UNP P50456
D	-35	MET	-	expression tag	UNP P50456
D	-34	ALA	-	expression tag	UNP P50456
D	-33	SER	-	expression tag	UNP P50456
D	-32	MET	-	expression tag	UNP P50456
D	-31	THR	-	expression tag	UNP P50456
D	-30	GLY	-	expression tag	UNP P50456
D	-29	GLY	-	expression tag	UNP P50456
D	-28	GLN	-	expression tag	UNP P50456
D	-27	GLN	-	expression tag	UNP P50456
D	-26	MET	-	expression tag	UNP P50456
D	-25	GLY	-	expression tag	UNP P50456
D	-24	ARG	-	expression tag	UNP P50456
D	-23	ASP	-	expression tag	UNP P50456
D	-22	LEU	-	expression tag	UNP P50456
D	-21	TYR	-	expression tag	UNP P50456
D	-20	ASP	-	expression tag	UNP P50456
D	-19	ASP	-	expression tag	UNP P50456
D	-18	ASP	-	expression tag	UNP P50456
D	-17	ASP	-	expression tag	UNP P50456
D	-16	LYS	-	expression tag	UNP P50456
D	-15	ASP	-	expression tag	UNP P50456
D	-14	ARG	-	expression tag	UNP P50456
D	-13	TRP	-	expression tag	UNP P50456
D	-12	GLY	-	expression tag	UNP P50456
D	-11	SER	-	expression tag	UNP P50456
D	-10	GLU	-	expression tag	UNP P50456
D	-9	LEU	-	expression tag	UNP P50456
D	-8	GLU	-	expression tag	UNP P50456
D	-7	VAL	-	expression tag	UNP P50456
D	-6	LEU	-	expression tag	UNP P50456
D	-5	PHE	-	expression tag	UNP P50456
D	-4	GLN	-	expression tag	UNP P50456

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
D	-3	GLY	-	expression tag	UNP P50456
D	-2	PRO	-	expression tag	UNP P50456
D	-1	LYS	-	expression tag	UNP P50456
D	0	LEU	-	expression tag	UNP P50456
D	407	LEU	-	expression tag	UNP P50456
D	408	GLU	-	expression tag	UNP P50456

- Molecule 2 is a DNA chain called DNA (27-MER).

Mol	Chain	Residues	Atoms						AltConf	Trace
2	E	27	Total	C	H	N	O	P	0	0
			861	267	308	99	160	27		
2	H	27	Total	C	H	N	O	P	0	0
			861	267	308	99	160	27		

- Molecule 3 is a DNA chain called DNA (27-MER).

Mol	Chain	Residues	Atoms						AltConf	Trace
3	F	27	Total	C	H	N	O	P	0	0
			863	268	309	95	164	27		
3	G	27	Total	C	H	N	O	P	0	0
			863	268	309	95	164	27		


- Molecule 4 is ZINC ION (CCD ID: ZN) (formula: Zn) (labeled as "Ligand of Interest" by depositor).

Mol	Chain	Residues	Atoms		AltConf
4	A	1	Total	Zn	0
			1	1	
4	B	1	Total	Zn	0
			1	1	
4	C	1	Total	Zn	0
			1	1	
4	D	1	Total	Zn	0
			1	1	


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: DNA-binding transcriptional repressor Mlc



- Molecule 1: DNA-binding transcriptional repressor Mlc





- Molecule 1: DNA-binding transcriptional repressor Mlc




GLY
LEU
GLU

- Molecule 1: DNA-binding transcriptional repressor Mlc




- Molecule 2: DNA (27-MER)




- Molecule 2: DNA (27-MER)



- Molecule 3: DNA (27-MER)



- Molecule 3: DNA (27-MER)



4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, C2	Depositor
Number of particles used	322270	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	TFS KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	35	Depositor
Minimum defocus (nm)	800	Depositor
Maximum defocus (nm)	2200	Depositor
Magnification	Not provided	
Image detector	FEI FALCON IV (4k x 4k)	Depositor
Maximum map value	1.931	Depositor
Minimum map value	-0.105	Depositor
Average map value	0.001	Depositor
Map value standard deviation	0.021	Depositor
Recommended contour level	0.05	Depositor
Map size (Å)	300.032, 300.032, 300.032	wwPDB
Map dimensions	320, 320, 320	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	0.9376, 0.9376, 0.9376	Depositor

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: ZN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.45	0/3112	0.52	5/4218 (0.1%)
1	B	0.36	0/3112	0.41	0/4218
1	C	0.24	0/3112	0.34	0/4218
1	D	0.19	0/3112	0.33	0/4218
2	E	0.25	0/620	0.50	0/954
2	H	0.25	0/620	0.50	0/954
3	F	0.19	0/620	0.47	0/955
3	G	0.19	0/620	0.47	0/955
All	All	0.31	0/14928	0.42	5/20690 (0.0%)

There are no bond length outliers.

All (5) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	312	LYS	CA-C-O	-6.97	113.50	120.82
1	A	282	LEU	N-CA-C	-6.35	104.80	112.54
1	A	286	MET	N-CA-C	-5.90	104.74	112.41
1	A	250	VAL	N-CA-C	-5.67	107.25	113.43
1	A	312	LYS	O-C-N	5.19	127.42	122.07

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3062	3125	3125	22	0
1	B	3062	3125	3125	20	0
1	C	3062	3125	3125	19	0
1	D	3062	3125	3125	22	0
2	E	553	308	308	7	0
2	H	553	308	308	6	0
3	F	554	309	310	3	0
3	G	554	309	310	5	0
4	A	1	0	0	0	0
4	B	1	0	0	0	0
4	C	1	0	0	0	0
4	D	1	0	0	0	0
All	All	14466	13734	13736	98	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

The worst 5 of 98 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:337:LYS:NZ	1:B:374:GLU:OE1	2.18	0.77
1:C:337:LYS:NZ	1:C:374:GLU:OE1	2.17	0.76
1:B:117:ALA:O	1:B:127:ARG:NH2	2.19	0.76
1:C:117:ALA:O	1:C:127:ARG:NH2	2.19	0.75
1:D:117:ALA:O	1:D:127:ARG:NH2	2.20	0.74

There are no symmetry-related clashes.

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	397/455 (87%)	377 (95%)	20 (5%)	0	100 100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	B	397/455 (87%)	382 (96%)	15 (4%)	0	100	100
1	C	397/455 (87%)	380 (96%)	17 (4%)	0	100	100
1	D	397/455 (87%)	380 (96%)	17 (4%)	0	100	100
All	All	1588/1820 (87%)	1519 (96%)	69 (4%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	334/379 (88%)	332 (99%)	2 (1%)	78	90
1	B	334/379 (88%)	334 (100%)	0	100	100
1	C	334/379 (88%)	334 (100%)	0	100	100
1	D	334/379 (88%)	332 (99%)	2 (1%)	78	90
All	All	1336/1516 (88%)	1332 (100%)	4 (0%)	84	93

All (4) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	14	LYS
1	A	255	LYS
1	D	284	GLN
1	D	286	MET

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 16 such sidechains are listed below:

Mol	Chain	Res	Type
1	D	279	GLN
1	D	41	GLN
1	C	114	GLN
1	C	370	HIS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	370	HIS

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 4 ligands modelled in this entry, 4 are monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-55156. These allow visual inspection of the internal detail of the map and identification of artifacts.


No raw map or half-maps were deposited for this entry and therefore no images, graphs, etc. pertaining to the raw map can be shown.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X



Y




Z

The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)

6.2.1 Primary map



X Index: 160



Y Index: 160




Z Index: 160

The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)

6.3.1 Primary map



X Index: 133



Y Index: 149




Z Index: 145


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)


6.4.1 Primary map



X



Y



Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.

6.5 Orthogonal surface views [i](#)

6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.05. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.


6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 94 nm^3 ; this corresponds to an approximate mass of 85 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum ⓘ



*Reported resolution corresponds to spatial frequency of 0.405 Å⁻¹


8 Fourier-Shell correlation

This section was not generated. No FSC curve or half-maps provided.


9 Map-model fit [i](#)

This section contains information regarding the fit between EMDB map EMD-55156 and PDB model 9SRU. Per-residue inclusion information can be found in section [3](#) on page [10](#).


9.1 Map-model overlay [i](#)



X




Y



Z


The images above show the 3D surface view of the map at the recommended contour level 0.05 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.05).

9.4 Atom inclusion [i](#)



At the recommended contour level, 92% of all backbone atoms, 92% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary ⓘ

The table lists the average atom inclusion at the recommended contour level (0.05) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	0.9220	0.5680
A	0.9200	0.5680
B	0.9140	0.5610
C	0.9240	0.5910
D	0.9250	0.5910
E	0.9420	0.5030
F	0.9420	0.5030
G	0.9300	0.5270
H	0.9280	0.5230

1.0

0.0

<0.0