



wwPDB EM Validation Summary Report ⓘ

Aug 6, 2026 – 09:35 PM JST

PDB ID : 8WAL / pdb_00008wal
EMDB ID : EMD-37396
Title : Structure of transcribing complex 3 (TC3), the initially transcribing complex with Pol II positioned 3nt downstream of TSS.
Authors : Chen, X.; Liu, W.; Wang, Q.; Wang, X.; Ren, Y.; Qu, X.; Li, W.; Xu, Y.
Deposited on : 2023-09-07
Resolution : 8.52 Å(reported)

This is a wwPDB EM Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

EMDB validation analysis : 0.0.1.dev133
Mogul : 1.8.5 (274361), CSD as541be (2020)
MolProbity : 4-5-2 with Phenix2.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
EM percentile statistics : 202505.v01 (Using data in the EMDb archive up until May 2025)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.50



1 Overall quality at a glance ⓘ

The following experimental techniques were used to determine the structure:

ELECTRON MICROSCOPY

The reported resolution of this entry is 8.52 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)	Similar EM resolution (#Entries, resolution range(Å))
Clashscore	229148	23984	-
Ramachandran outliers	224038	23583	-
Sidechain outliers	223484	23102	-
RNA backbone	8273	3508	-
Q-score	-	25397	270 (8.04 - 9.02)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	0	309	12% 38% 16% • 45%
2	1	548	6% 40% 8% 52%
3	2	395	• 66% 17% 17%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
4	3	308	
5	4	462	
6	5	71	
7	6	782	
8	7	760	
9	N	8	
10	Z	3	
11	A	1872	
12	B	1199	
13	D	1085	
13	d	1085	
14	E	800	
14	e	800	
15	F	677	
15	f	677	
16	G	349	
17	H	310	
18	I	264	
18	i	264	
19	J	218	
19	j	218	
20	L	161	
20	l	161	
21	O	109	
22	P	339	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
23	Q	376	
24	R	316	
25	S	517	
26	T	249	
27	U	439	
28	V	291	
29	X	99	
30	Y	99	
31	c	929	
32	k	211	
33	m	124	
34	o	1970	
35	p	1174	
36	q	275	
37	r	142	
38	s	210	
39	t	127	
40	u	172	
41	v	150	
42	w	125	
43	x	67	
44	y	117	
45	z	58	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
48	W0F	Z	2500	-	-	X	-

2 Entry composition [i](#)

There are 49 unique types of molecules in this entry. The entry contains 108683 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called CDK-activating kinase assembly factor MAT1.

Mol	Chain	Residues	Atoms					AltConf	Trace
1	0	171	Total	C	N	O	S	0	0
			1420	882	249	279	10		

- Molecule 2 is a protein called General transcription factor IIH subunit 1.

Mol	Chain	Residues	Atoms					AltConf	Trace
2	1	265	Total	C	N	O	S	0	0
			2167	1382	378	395	12		

- Molecule 3 is a protein called General transcription factor IIH subunit 2.

Mol	Chain	Residues	Atoms					AltConf	Trace
3	2	329	Total	C	N	O	S	0	0
			2567	1621	440	479	27		

- Molecule 4 is a protein called General transcription factor IIH subunit 3.

Mol	Chain	Residues	Atoms					AltConf	Trace
4	3	263	Total	C	N	O	S	0	0
			2066	1323	344	380	19		

- Molecule 5 is a protein called General transcription factor IIH subunit 4.

Mol	Chain	Residues	Atoms					AltConf	Trace
5	4	394	Total	C	N	O	S	0	0
			3189	2068	552	557	12		

- Molecule 6 is a protein called General transcription factor IIH subunit 5.

Mol	Chain	Residues	Atoms					AltConf	Trace
6	5	54	Total	C	N	O	S	0	0
			428	277	67	82	2		

- Molecule 7 is a protein called General transcription and DNA repair factor IIIH helicase subunit XPB.

Mol	Chain	Residues	Atoms					AltConf	Trace
7	6	605	Total	C	N	O	S	0	0
			4890	3127	848	885	30		

- Molecule 8 is a protein called General transcription and DNA repair factor IIIH helicase subunit XPD.

Mol	Chain	Residues	Atoms					AltConf	Trace
8	7	714	Total	C	N	O	S	0	0
			5751	3683	999	1040	29		

- Molecule 9 is a protein called Alpha-amanitin.

Mol	Chain	Residues	Atoms					AltConf	Trace
9	N	8	Total	C	N	O	S	0	0
			64	39	10	14	1		

- Molecule 10 is a RNA chain called RNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
10	Z	3	Total	C	N	O	P	0	0
			75	30	12	28	5		

- Molecule 11 is a protein called Transcription initiation factor TFIID subunit 1.

Mol	Chain	Residues	Atoms					AltConf	Trace
11	A	559	Total	C	N	O	S	0	0
			4580	2924	795	834	27		

- Molecule 12 is a protein called Transcription initiation factor TFIID subunit 2.

Mol	Chain	Residues	Atoms					AltConf	Trace
12	B	963	Total	C	N	O	S	0	0
			7796	5011	1315	1412	58		

- Molecule 13 is a protein called Transcription initiation factor TFIID subunit 4.

Mol	Chain	Residues	Atoms					AltConf	Trace
13	D	164	Total	C	N	O	S	0	0
			1366	851	256	255	4		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					AltConf	Trace
13	d	158	Total	C	N	O	S	0	0
			1307	814	238	252	3		

- Molecule 14 is a protein called Transcription initiation factor TFIID subunit 5.

Mol	Chain	Residues	Atoms					AltConf	Trace
14	E	547	Total	C	N	O	S	0	0
			4376	2774	759	822	21		
14	e	539	Total	C	N	O	S	0	0
			4327	2746	748	814	19		

- Molecule 15 is a protein called Transcription initiation factor TFIID subunit 6.

Mol	Chain	Residues	Atoms					AltConf	Trace
15	F	412	Total	C	N	O	S	0	0
			3143	1994	548	583	18		
15	f	403	Total	C	N	O	S	0	0
			3081	1954	533	576	18		

- Molecule 16 is a protein called Transcription initiation factor TFIID subunit 7.

Mol	Chain	Residues	Atoms					AltConf	Trace
16	G	144	Total	C	N	O	S	0	0
			1171	742	215	210	4		

- Molecule 17 is a protein called Transcription initiation factor TFIID subunit 8.

Mol	Chain	Residues	Atoms					AltConf	Trace
17	H	209	Total	C	N	O	S	0	0
			1633	1034	283	311	5		

- Molecule 18 is a protein called Transcription initiation factor TFIID subunit 9.

Mol	Chain	Residues	Atoms					AltConf	Trace
18	I	120	Total	C	N	O	S	0	0
			959	610	166	177	6		
18	i	121	Total	C	N	O	S	0	0
			967	615	167	178	7		

- Molecule 19 is a protein called Transcription initiation factor TFIID subunit 10.

Mol	Chain	Residues	Atoms					AltConf	Trace
19	J	90	Total	C	N	O	S	0	0
			720	466	115	135	4		
19	j	95	Total	C	N	O	S	0	0
			759	488	124	143	4		

- Molecule 20 is a protein called Transcription initiation factor TFIID subunit 12.

Mol	Chain	Residues	Atoms					AltConf	Trace
20	L	76	Total	C	N	O	S	0	0
			622	388	109	122	3		
20	l	107	Total	C	N	O	S	0	0
			876	547	158	166	5		

- Molecule 21 is a protein called Transcription initiation factor IIA subunit 2.

Mol	Chain	Residues	Atoms					AltConf	Trace
21	O	99	Total	C	N	O	S	0	0
			806	510	142	151	3		

- Molecule 22 is a protein called TATA-box-binding protein.

Mol	Chain	Residues	Atoms					AltConf	Trace
22	P	179	Total	C	N	O	S	0	0
			1422	923	251	241	7		

- Molecule 23 is a protein called Transcription initiation factor IIA beta chain.

Mol	Chain	Residues	Atoms					AltConf	Trace
23	Q	113	Total	C	N	O	S	0	0
			930	585	152	189	4		

- Molecule 24 is a protein called Transcription initiation factor IIB.

Mol	Chain	Residues	Atoms					AltConf	Trace
24	R	282	Total	C	N	O	S	0	0
			2167	1353	384	412	18		

- Molecule 25 is a protein called General transcription factor IIF subunit 1.

Mol	Chain	Residues	Atoms					AltConf	Trace
25	S	176	Total	C	N	O	S	0	0
			1461	921	268	268	4		

- Molecule 26 is a protein called General transcription factor IIF subunit 2.

Mol	Chain	Residues	Atoms					AltConf	Trace
26	T	222	Total	C	N	O	S	0	0
			1788	1127	320	338	3		

- Molecule 27 is a protein called General transcription factor IIE subunit 1.

Mol	Chain	Residues	Atoms					AltConf	Trace
27	U	184	Total	C	N	O	S	0	0
			1520	957	272	280	11		

- Molecule 28 is a protein called Transcription initiation factor IIE subunit beta.

Mol	Chain	Residues	Atoms					AltConf	Trace
28	V	165	Total	C	N	O	S	0	0
			1357	865	235	253	4		

- Molecule 29 is a DNA chain called non-template DNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
29	X	63	Total	C	N	O	P	0	0
			1301	616	245	377	63		

- Molecule 30 is a DNA chain called template DNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
30	Y	78	Total	C	N	O	P	0	0
			1592	757	293	464	78		

- Molecule 31 is a protein called Transcription initiation factor TFIID subunit 3.

Mol	Chain	Residues	Atoms					AltConf	Trace
31	c	127	Total	C	N	O	S	0	0
			1011	638	174	193	6		

- Molecule 32 is a protein called Transcription initiation factor TFIID subunit 11.

Mol	Chain	Residues	Atoms					AltConf	Trace
32	k	98	Total	C	N	O	S	0	0
			785	499	142	139	5		

- Molecule 33 is a protein called Transcription initiation factor TFIID subunit 13.

Mol	Chain	Residues	Atoms					AltConf	Trace
33	m	87	Total	C	N	O	S	0	0
			724	456	131	131	6		

- Molecule 34 is a protein called DNA-directed RNA polymerase subunit.

Mol	Chain	Residues	Atoms					AltConf	Trace
34	o	1452	Total	C	N	O	S	0	0
			11510	7235	2056	2146	73		

- Molecule 35 is a protein called DNA-directed RNA polymerase subunit beta.

Mol	Chain	Residues	Atoms					AltConf	Trace
35	p	1149	Total	C	N	O	S	0	0
			9175	5796	1614	1701	64		

- Molecule 36 is a protein called DNA-directed RNA polymerase II subunit RPB3.

Mol	Chain	Residues	Atoms					AltConf	Trace
36	q	257	Total	C	N	O	S	0	0
			2059	1294	351	408	6		

- Molecule 37 is a protein called DNA-directed RNA polymerase II subunit RPB4.

Mol	Chain	Residues	Atoms					AltConf	Trace
37	r	128	Total	C	N	O	S	0	0
			1050	656	178	212	4		

- Molecule 38 is a protein called DNA-directed RNA polymerase II subunit E.

Mol	Chain	Residues	Atoms					AltConf	Trace
38	s	209	Total	C	N	O	S	0	0
			1720	1089	300	323	8		

- Molecule 39 is a protein called DNA-directed RNA polymerase II subunit F.

Mol	Chain	Residues	Atoms					AltConf	Trace
39	t	82	Total	C	N	O	S	0	0
			657	418	113	121	5		

- Molecule 40 is a protein called DNA-directed RNA polymerase II subunit RPB7.

Mol	Chain	Residues	Atoms					AltConf	Trace
40	u	171	Total	C	N	O	S	0	0
			1351	875	219	249	8		

- Molecule 41 is a protein called DNA-directed RNA polymerases I, II, and III subunit RPABC3.

Mol	Chain	Residues	Atoms					AltConf	Trace
41	v	148	Total	C	N	O	S	0	0
			1186	750	194	237	5		

- Molecule 42 is a protein called DNA-directed RNA polymerase II subunit RPB9.

Mol	Chain	Residues	Atoms					AltConf	Trace
42	w	114	Total	C	N	O	S	0	0
			927	571	166	179	11		

- Molecule 43 is a protein called DNA-directed RNA polymerases I, II, and III subunit RPABC5.

Mol	Chain	Residues	Atoms					AltConf	Trace
43	x	67	Total	C	N	O	S	0	0
			533	345	90	92	6		

- Molecule 44 is a protein called DNA-directed RNA polymerase II subunit RPB11-a.

Mol	Chain	Residues	Atoms					AltConf	Trace
44	y	115	Total	C	N	O	S	0	0
			920	593	152	173	2		

- Molecule 45 is a protein called RPB12.

Mol	Chain	Residues	Atoms					AltConf	Trace
45	z	44	Total	C	N	O	S	0	0
			372	231	72	63	6		

- Molecule 46 is ZINC ION (CCD ID: ZN) (formula: Zn).


Mol	Chain	Residues	Atoms		AltConf
46	0	2	Total	Zn	0
			2	2	
46	2	3	Total	Zn	0
			3	3	
46	3	2	Total	Zn	0
			2	2	

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms		AltConf
46	R	1	Total	Zn	0
			1	1	
46	U	1	Total	Zn	0
			1	1	
46	o	2	Total	Zn	0
			2	2	
46	p	1	Total	Zn	0
			1	1	
46	q	1	Total	Zn	0
			1	1	
46	w	2	Total	Zn	0
			2	2	
46	x	1	Total	Zn	0
			1	1	
46	z	1	Total	Zn	0
			1	1	


- Molecule 47 is IRON/SULFUR CLUSTER (CCD ID: SF4) (formula: Fe_4S_4) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms			AltConf
47	7	1	Total	Fe	S	0
			8	4	4	

- Molecule 48 is $[[[(2 \{S\}, 3 \{R\}, 4 \{S\}, 5 \{R\})-5-(2\text{-azanyl-6-oxidanylidene-3 \{H\}-purin-9-y l)-3\text{-methoxy-4-oxidanyl-oxolan-2-yl]methoxy-oxidanyl-phosphoryl}] \text{phosphono hydrogen phosphate} (CCD ID: W0F) (formula: $\text{C}_{11}\text{H}_{18}\text{N}_5\text{O}_{14}\text{P}_3$) (labeled as "Ligand of Interest" by$

depositor).




Mol	Chain	Residues	Atoms					AltConf
48	Z	1	Total	C	N	O	P	0
			33	11	5	14	3	

- Molecule 49 is MAGNESIUM ION (CCD ID: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		AltConf
49	o	1	Total	Mg	0
			1	1	


- Molecule 1: CDK-activating kinase assembly factor MAT1






• Molecule 3: General transcription factor IIH subunit 2

Chain 2: 66% 17% 17%



• Molecule 4: General transcription factor IIH subunit 3


Chain 3: 65% 19% 15%




• Molecule 5: General transcription factor IIH subunit 4

Chain 4: 66% 18% 15%












● Molecule 13: Transcription initiation factor TFIID subunit 4





• Molecule 13: Transcription initiation factor TFIID subunit 4




K1081 A1082 F1083 L1084 K1085	ASP	R1054	R1055	T1056	R1057	V1058	N1059	L1060	R1061	D1062	L1063	L1064	F1065	C1066	L1067	E1068	N1069	E1070	R1071	E1072	T1073	S1074	H1075	S1076	L1077	L1078	L1079	Y1080					
	CYS	R0961	E962	R963	E964	L966	R967	R968	ALA	ALA	LYS	ARG	SER	VAL	VAL	PRO	GLU	ASP	PRO	GLU	GLY	SER	GLY	GLY	PRO	VAL	GLN	GLN	GLN				
	PRO	E962	R963	E964	L966	R967	R968	ALA	ALA	LYS	ARG	SER	VAL	VAL	PRO	GLU	ASP	PRO	GLU	GLY	SER	GLY	GLY	PRO	VAL	GLN	GLN	GLN	GLN				
	GLY	E964	L966	R967	R968	ALA	ALA	LYS	ARG	SER	VAL	VAL	PRO	GLU	ASP	PRO	GLU	GLY	SER	GLY	GLY	PRO	VAL	GLN	GLN	GLN	GLN	GLN	GLN				
	SER	L966	R967	R968	ALA	ALA	LYS	ARG	SER	VAL	VAL	PRO	GLU	ASP	PRO	GLU	GLY	SER	GLY	GLY	PRO	VAL	GLN	GLN	GLN	GLN	GLN	GLN	GLN				
	ALA	R967	R968	ALA	ALA	LYS	ARG	SER	VAL	VAL	PRO	GLU	ASP	PRO	GLU	GLY	SER	GLY	GLY	PRO	VAL	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN			
	GLU	R968	ALA	ALA	LYS	ARG	SER	VAL	VAL	PRO	GLU	ASP	PRO	GLU	GLY	SER	GLY	GLY	PRO	VAL	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN			
	GLY	ALA	ALA	LYS	ARG	SER	VAL	VAL	PRO	GLU	ASP	PRO	GLU	GLY	SER	GLY	GLY	PRO	VAL	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN		
	SER	ALA	ALA	LYS	ARG	SER	VAL	VAL	PRO	GLU	ASP	PRO	GLU	GLY	SER	GLY	GLY	PRO	VAL	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN	
	GLY	ALA	ALA	LYS	ARG	SER	VAL	VAL	PRO	GLU	ASP	PRO	GLU	GLY	SER	GLY	GLY	PRO	VAL	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN
PRO	E962	R963	E964	L966	R967	R968	ALA	ALA	LYS	ARG	SER	VAL	VAL	PRO	GLU	ASP	PRO	GLU	GLY	SER	GLY	GLY	PRO	VAL	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN
GLY	E964	L966	R967	R968	ALA	ALA	LYS	ARG	SER	VAL	VAL	PRO	GLU	ASP	PRO	GLU	GLY	SER	GLY	GLY	PRO	VAL	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN
SER	L966	R967	R968	ALA	ALA	LYS	ARG	SER	VAL	VAL	PRO	GLU	ASP	PRO	GLU	GLY	SER	GLY	GLY	PRO	VAL	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN
ALA	R967	R968	ALA	ALA	LYS	ARG	SER	VAL	VAL	PRO	GLU	ASP	PRO	GLU	GLY	SER	GLY	GLY	PRO	VAL	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN
GLY	ALA	ALA	LYS	ARG	SER	VAL	VAL	PRO	GLU	ASP	PRO	GLU	GLY	SER	GLY	GLY	PRO	VAL	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN
GLY	ALA	ALA	LYS	ARG	SER	VAL	VAL	PRO	GLU	ASP	PRO	GLU	GLY	SER	GLY	GLY	PRO	VAL	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN
GLY	ALA	ALA	LYS	ARG	SER	VAL	VAL	PRO	GLU	ASP	PRO	GLU	GLY	SER	GLY	GLY	PRO	VAL	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN
GLY	ALA	ALA	LYS	ARG	SER	VAL	VAL	PRO	GLU	ASP	PRO	GLU	GLY	SER	GLY	GLY	PRO	VAL	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN
GLY	ALA	ALA	LYS	ARG	SER	VAL	VAL	PRO	GLU	ASP	PRO	GLU	GLY	SER	GLY	GLY	PRO	VAL	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN
GLY	ALA	ALA	LYS	ARG	SER	VAL	VAL	PRO	GLU	ASP	PRO	GLU	GLY	SER	GLY	GLY	PRO	VAL	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN
GLY	ALA	ALA	LYS	ARG	SER	VAL	VAL	PRO	GLU	ASP	PRO	GLU	GLY	SER	GLY	GLY	PRO	VAL	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN
GLY	ALA	ALA	LYS	ARG	SER	VAL	VAL	PRO	GLU	ASP	PRO	GLU	GLY	SER	GLY	GLY	PRO	VAL	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN
GLY	ALA	ALA	LYS	ARG	SER	VAL	VAL	PRO	GLU	ASP	PRO	GLU	GLY	SER	GLY	GLY	PRO	VAL	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN
GLY	ALA	ALA	LYS	ARG	SER	VAL	VAL	PRO	GLU	ASP	PRO	GLU	GLY	SER	GLY	GLY	PRO	VAL	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN
GLY	ALA	ALA	LYS	ARG	SER	VAL	VAL	PRO	GLU	ASP	PRO	GLU	GLY	SER	GLY	GLY	PRO	VAL	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN
GLY	ALA	ALA	LYS	ARG	SER	VAL	VAL	PRO	GLU	ASP	PRO	GLU	GLY	SER	GLY	GLY	PRO	VAL	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN
GLY	ALA	ALA	LYS	ARG	SER	VAL	VAL	PRO	GLU	ASP	PRO	GLU	GLY	SER	GLY	GLY	PRO	VAL	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN
GLY	ALA	ALA	LYS	ARG	SER	VAL	VAL	PRO	GLU	ASP	PRO	GLU	GLY	SER	GLY	GLY	PRO	VAL	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN
GLY	ALA	ALA	LYS	ARG	SER	VAL	VAL	PRO	GLU	ASP	PRO	GLU	GLY	SER	GLY	GLY	PRO	VAL	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN
GLY	ALA	ALA	LYS	ARG	SER	VAL	VAL	PRO	GLU	ASP	PRO	GLU	GLY	SER	GLY	GLY	PRO	VAL	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN
GLY	ALA	ALA	LYS	ARG	SER	VAL	VAL	PRO	GLU	ASP	PRO	GLU	GLY	SER	GLY	GLY	PRO	VAL	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN
GLY	ALA	ALA	LYS	ARG	SER	VAL	VAL	PRO	GLU	ASP	PRO	GLU	GLY	SER	GLY	GLY	PRO	VAL	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN
GLY	ALA	ALA	LYS	ARG	SER	VAL	VAL	PRO	GLU	ASP	PRO	GLU	GLY	SER	GLY	GLY	PRO	VAL	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN
GLY	ALA	ALA	LYS	ARG	SER	VAL	VAL	PRO	GLU	ASP	PRO	GLU	GLY	SER	GLY	GLY	PRO	VAL	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN
GLY	ALA	ALA	LYS	ARG	SER	VAL	VAL	PRO	GLU	ASP	PRO	GLU	GLY	SER	GLY	GLY	PRO	VAL	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN
GLY	ALA	ALA	LYS	ARG	SER	VAL	VAL	PRO	GLU	ASP	PRO	GLU	GLY	SER	GLY	GLY	PRO	VAL	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN
GLY	ALA	ALA	LYS	ARG	SER	VAL	VAL	PRO	GLU	ASP	PRO	GLU	GLY	SER	GLY	GLY	PRO	VAL	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN
GLY	ALA	ALA	LYS	ARG	SER	VAL	VAL	PRO	GLU	ASP	PRO	GLU	GLY	SER	GLY	GLY	PRO	VAL	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN
GLY	ALA	ALA	LYS	ARG	SER	VAL	VAL	PRO	GLU	ASP	PRO	GLU	GLY	SER	GLY	GLY	PRO	VAL	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN
GLY	ALA	ALA	LYS	ARG	SER	VAL	VAL	PRO	GLU	ASP	PRO	GLU	GLY	SER	GLY	GLY	PRO	VAL	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN
GLY	ALA	ALA	LYS	ARG	SER	VAL	VAL	PRO	GLU	ASP	PRO	GLU	GLY	SER	GLY	GLY	PRO	VAL	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN
GLY	ALA	ALA	LYS	ARG	SER	VAL	VAL	PRO	GLU	ASP	PRO	GLU	GLY	SER	GLY	GLY	PRO	VAL	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN
GLY	ALA	ALA	LYS	ARG	SER	VAL	VAL	PRO	GLU	ASP	PRO	GLU	GLY	SER	GLY	GLY	PRO	VAL	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN
GLY	ALA	ALA	LYS	ARG	SER	VAL	VAL	PRO	GLU	ASP	PRO	GLU	GLY	SER	GLY	GLY	PRO	VAL	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN
GLY	ALA	ALA	LYS	ARG	SER	VAL	VAL	PRO	GLU	ASP	PRO	GLU	GLY	SER	GLY	GLY	PRO	VAL	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN
GLY	ALA	ALA	LYS	ARG	SER	VAL	VAL	PRO	GLU	ASP	PRO	GLU	GLY	SER	GLY	GLY	PRO	VAL	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN
GLY	ALA	ALA	LYS	ARG	SER	VAL	VAL	PRO	GLU	ASP	PRO	GLU	GLY	SER	GLY	GLY	PRO	VAL	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN
GLY	ALA	ALA	LYS	ARG	SER	VAL	VAL	PRO	GLU	ASP	PRO	GLU	GLY	SER	GLY	GLY	PRO	VAL	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN
GLY	ALA	ALA	LYS	ARG	SER	VAL	VAL	PRO	GLU	ASP	PRO	GLU	GLY	SER	GLY	GLY	PRO	VAL	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN
GLY	ALA	ALA	LYS	ARG	SER	VAL	VAL	PRO	GLU	ASP	PRO	GLU	GLY	SER	GLY	GLY	PRO	VAL	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN
GLY	ALA	ALA	LYS	ARG	SER	VAL	VAL	PRO	GLU	ASP	PRO	GLU	GLY	SER	GLY	GLY	PRO	VAL	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN
GLY	ALA	ALA	LYS	ARG	SER	VAL	VAL	PRO	GLU	ASP	PRO	GLU	GLY	SER	GLY	GLY	PRO	VAL	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN
GLY	ALA	ALA	LYS	ARG	SER	VAL	VAL	PRO	GLU	ASP	PRO	GLU	GLY	SER	GLY	GLY	PRO	VAL	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN
GLY	ALA	ALA	LYS	ARG	SER	VAL	VAL	PRO	GLU	ASP	PRO	GLU	GLY	SER	GLY	GLY	PRO	VAL	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN	GLN
GLY	ALA	ALA	LYS	ARG	SER	VAL	VAL	PRO	GLU	ASP	PRO	GLU	GLY	SER	GLY																		


- Molecule 14: Transcription initiation factor TFIID subunit 5




D312	S313	Y314	Q315	L316	L317	K318	R319	H320	L321	Q322	E323	Q325	N326	N327	I329	W330	E335	Y338	I341	F342	D343	G344	M345	R347	S348	K349	Q351	M355	R365	E366	K369	F373	L377	GLU	PRO	ILE	GLU	VAL	PRO	LEU	ASP	ASP	GLU	ASP	GLU								
F244	H245	H246	M247	Y248	L249	E250	L251	V252	Y253	M254	Q255	H256	E257	M258	E259	A260	K261	S262	F263	F264	E265	K266	F267	H268	G269	D270	Q271	E272	C273	Y274	D277	L278	R279	V280	L282	K287	K288	E289	H290	M291	K292	L298	D299	F300	R301	T302	S303	K304	L307	R308	I309	S310	R311
ALA	ALA	PRO	GLY	LYS	VAL	SER	ALA	VAL	ASP	GLN	PRO	ASP	VAL	SER	ALA	VAL	TYR	ASN	GLN	GLY	D210	P211	T212	M213	Y214	E215	E216	Y217	Y218	S219	G220	L221	K222	H223	F224	I225	E226	C227	S228	L229	D230	C231	H232	R233	A234	E235	L236	S237	Q238	L239	F240		
GLY	LEU	THR	GLU	LYS	VAL	GLY	GLY	ALA	PRO	GLY	VAL	ASP	SER	ALA	GLY	THR	SER	ALA	LEU	SER	ARG	VAL	THR	PRO	GLY	LEU	ALA	ALA	VAL	PRO	ASP	PRO	GLY	THR	GLY	ALA	SER	LEU	ARG	GLY	VAL	ALA	ALA	SER	SER	GLY	THR	ARG	GLY	ALA			
MET	ALA	ALA	LEU	PRO	GLU	THR	VAL	SER	ALA	VAL	PRO	GLY	PRO	GLU	ALA	LEU	THR	SER	ALA	LEU	ASP	ALA	PRO	GLY	THR	LEU	ALA	VAL	VAL	LEU	GLN	PHE	PRO	ARG	GLN	LYS	LEU	ARG	GLY	VAL	ALA	ALA	SER	SER	LEU	ARG	GLY	ASP					





• Molecule 14: Transcription initiation factor TFIID subunit 5







• Molecule 15: Transcription initiation factor TFIID subunit 6




• Molecule 15: Transcription initiation factor TFIID subunit 6




● Molecule 16: Transcription initiation factor TFIID subunit 7








- Molecule 17: Transcription initiation factor TFIID subunit 8




- Molecule 18: Transcription initiation factor TFIID subunit 9




- Molecule 18: Transcription initiation factor TFIID subunit 9









- Molecule 35: DNA-directed RNA polymerase subunit beta




- Molecule 36: DNA-directed RNA polymerase II subunit RPB3






- Molecule 37: DNA-directed RNA polymerase II subunit RPB4

Chain r: 63% 27% 10%





- Molecule 38: DNA-directed RNA polymerase II subunit E

Chain s: 77% 21% .



- Molecule 39: DNA-directed RNA polymerase II subunit F

Chain t: 56% 9% 35%




- Molecule 40: DNA-directed RNA polymerase II subunit RPB7

Chain u: 66% 33% ..




- Molecule 41: DNA-directed RNA polymerases I, II, and III subunit RPABC3


Chain v: 75% 24% .




- Molecule 42: DNA-directed RNA polymerase II subunit RPB9




- Molecule 43: DNA-directed RNA polymerases I, II, and III subunit RPABC5



- Molecule 44: DNA-directed RNA polymerase II subunit RPB11-a



- Molecule 45: RPB12



4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	7488	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	NONE	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	50	Depositor
Minimum defocus (nm)	1500	Depositor
Maximum defocus (nm)	2500	Depositor
Magnification	Not provided	
Image detector	GATAN K3 (6k x 4k)	Depositor
Maximum map value	4.220	Depositor
Minimum map value	-1.775	Depositor
Average map value	0.043	Depositor
Map value standard deviation	0.191	Depositor
Recommended contour level	0.517	Depositor
Map size ($\text{\AA}$)	426.88, 426.88, 426.88	wwPDB
Map dimensions	320, 320, 320	wwPDB
Map angles ($^\circ$)	90.0, 90.0, 90.0	wwPDB
Pixel spacing ($\text{\AA}$)	1.334, 1.334, 1.334	Depositor

5 Model quality ⓘ

5.1 Standard geometry ⓘ

Bond lengths and bond angles in the following residue types are not validated in this section: CSX, G2L, ZN, ATP, W0F, ILX, TRX, MG, HYP, SF4

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	0	0.41	0/1437	0.70	3/1926 (0.2%)
2	1	0.20	0/2210	0.34	0/2975
3	2	0.19	0/2624	0.33	1/3555 (0.0%)
4	3	0.24	0/2103	0.36	0/2846
5	4	0.31	0/3262	0.45	1/4418 (0.0%)
6	5	0.41	0/433	0.79	1/585 (0.2%)
7	6	0.19	0/4994	0.33	0/6745
8	7	0.17	0/5875	0.30	0/7955
9	N	0.41	0/22	0.99	0/26
10	Z	0.50	0/21	0.56	0/30
11	A	0.63	0/4698	0.95	5/6345 (0.1%)
12	B	0.46	1/7993 (0.0%)	0.69	6/10836 (0.1%)
13	D	0.56	0/1379	0.88	3/1843 (0.2%)
13	d	0.48	0/1321	0.71	0/1772
14	E	0.45	1/4482 (0.0%)	0.72	3/6069 (0.0%)
14	e	0.55	1/4433 (0.0%)	0.77	0/6004
15	F	0.63	1/3201 (0.0%)	1.00	7/4347 (0.2%)
15	f	0.47	0/3140	0.79	6/4268 (0.1%)
16	G	0.68	0/1190	0.94	1/1601 (0.1%)
17	H	0.63	3/1673 (0.2%)	0.86	5/2285 (0.2%)
18	I	0.20	0/981	0.41	0/1332
18	i	0.21	0/989	0.40	0/1343
19	J	0.83	0/736	1.15	2/998 (0.2%)
19	j	0.73	0/775	0.96	0/1049
20	L	0.69	0/630	1.14	1/852 (0.1%)
20	l	0.59	0/888	0.88	0/1194
21	O	0.26	0/816	0.36	0/1105
22	P	0.12	0/1448	0.26	0/1948
23	Q	0.19	0/945	0.35	0/1274
24	R	0.38	1/2199 (0.0%)	0.63	5/2967 (0.2%)
25	S	0.57	0/1496	0.95	7/2013 (0.3%)
26	T	0.43	0/1817	0.63	2/2445 (0.1%)

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
27	U	0.35	0/1545	0.69	1/2075 (0.0%)
28	V	0.24	0/1380	0.58	0/1854
29	X	0.31	0/1460	0.61	0/2251
30	Y	0.40	0/1785	0.59	0/2750
31	c	0.48	0/1035	0.67	0/1406
32	k	0.28	0/799	0.53	1/1070 (0.1%)
33	m	0.85	0/733	1.18	1/977 (0.1%)
34	o	0.32	0/11723	0.47	4/15830 (0.0%)
35	p	0.34	1/9358 (0.0%)	0.47	5/12633 (0.0%)
36	q	0.32	1/2102 (0.0%)	0.41	0/2857
37	r	0.12	0/1064	0.23	0/1428
38	s	0.28	0/1751	0.43	1/2366 (0.0%)
39	t	0.24	0/667	0.29	0/901
40	u	0.23	0/1382	0.39	1/1874 (0.1%)
41	v	0.26	0/1207	0.38	0/1628
42	w	0.21	0/948	0.31	0/1284
43	x	0.36	0/542	0.48	0/730
44	y	0.27	0/939	0.34	0/1271
45	z	0.33	0/377	0.51	0/500
All	All	0.41	10/111008 (0.0%)	0.62	73/150636 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
6	5	0	1
24	R	0	2
35	p	0	2
All	All	0	5

The worst 5 of 10 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
17	H	28	ASN	C-O	-7.47	1.15	1.24
24	R	105	ARG	C-O	7.47	1.33	1.24
17	H	27	ASP	C-O	-7.05	1.15	1.24
17	H	31	LEU	C-O	-6.16	1.16	1.24
12	B	61	ASN	C-O	-6.02	1.18	1.24

The worst 5 of 73 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	0	55	LYS	CB-CA-C	-11.44	95.03	111.85
12	B	491	HIS	N-CA-C	-9.47	100.96	111.28
25	S	60	GLU	N-CA-C	-9.25	100.31	111.69
24	R	106	THR	N-CA-C	9.18	125.27	111.04
15	f	149	PRO	O-C-N	8.90	125.40	121.31

There are no chirality outliers.

All (5) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
6	5	36	GLN	Mainchain
24	R	105	ARG	Mainchain
24	R	106	THR	Peptide
35	p	391	LYS	Mainchain
35	p	426	GLY	Mainchain

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	0	1420	0	1420	122	0
2	1	2167	0	2175	39	0
3	2	2567	0	2539	94	0
4	3	2066	0	2097	103	0
5	4	3189	0	3243	141	0
6	5	428	0	434	42	0
7	6	4890	0	4949	94	0
8	7	5751	0	5794	141	0
9	N	64	0	51	7	0
10	Z	75	0	31	10	0
11	A	4580	0	4502	98	0
12	B	7796	0	7751	116	0
13	D	1366	0	1390	76	0
13	d	1307	0	1318	14	0
14	E	4376	0	4256	75	0
14	e	4327	0	4197	58	0
15	F	3143	0	3093	101	0
15	f	3081	0	3012	70	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
16	G	1171	0	1222	16	0
17	H	1633	0	1621	33	0
18	I	959	0	969	13	0
18	i	967	0	977	10	0
19	J	720	0	719	13	0
19	j	759	0	759	14	0
20	L	622	0	620	19	0
20	l	876	0	893	10	0
21	O	806	0	818	17	0
22	P	1422	0	1514	21	0
23	Q	930	0	888	12	0
24	R	2167	0	2193	61	0
25	S	1461	0	1429	71	0
26	T	1788	0	1819	69	0
27	U	1520	0	1520	215	0
28	V	1357	0	1381	90	0
29	X	1301	0	709	40	0
30	Y	1592	0	875	51	0
31	c	1011	0	975	18	0
32	k	785	0	818	8	0
33	m	724	0	744	24	0
34	o	11510	0	11615	441	0
35	p	9175	0	9196	367	0
36	q	2059	0	2007	59	0
37	r	1050	0	1033	34	0
38	s	1720	0	1737	65	0
39	t	657	0	684	12	0
40	u	1351	0	1358	166	0
41	v	1186	0	1147	31	0
42	w	927	0	860	26	0
43	x	533	0	553	9	0
44	y	920	0	942	30	0
45	z	372	0	378	7	0
46	0	2	0	0	0	0
46	2	3	0	0	0	0
46	3	2	0	0	0	0
46	R	1	0	0	0	0
46	U	1	0	0	0	0
46	o	2	0	0	0	0
46	p	1	0	0	0	0
46	q	1	0	0	0	0
46	w	2	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
46	x	1	0	0	0	0
46	z	1	0	0	0	0
47	7	8	0	0	0	0
48	Z	33	0	0	10	0
49	o	1	0	0	0	0
All	All	108683	0	107225	2782	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 13.

The worst 5 of 2782 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
34:o:189:PRO:HD3	34:o:202:TRP:CZ2	1.24	1.67
27:U:152:PHE:CE1	40:u:95:VAL:HB	1.30	1.65
34:o:189:PRO:HD3	34:o:202:TRP:CH2	1.23	1.65
27:U:139:LEU:HB2	40:u:160:ILE:CG1	1.25	1.61
36:q:44:ILE:CD1	36:q:178:PRO:HB3	1.32	1.57

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	0	169/309 (55%)	156 (92%)	13 (8%)	0	100	100
2	1	253/548 (46%)	243 (96%)	10 (4%)	0	100	100
3	2	325/395 (82%)	313 (96%)	12 (4%)	0	100	100
4	3	259/308 (84%)	253 (98%)	6 (2%)	0	100	100
5	4	384/462 (83%)	365 (95%)	19 (5%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
6	5	52/71 (73%)	48 (92%)	2 (4%)	2 (4%)	2	19
7	6	601/782 (77%)	573 (95%)	27 (4%)	1 (0%)	43	78
8	7	710/760 (93%)	683 (96%)	27 (4%)	0	100	100
9	N	4/8 (50%)	3 (75%)	1 (25%)	0	100	100
11	A	543/1872 (29%)	519 (96%)	23 (4%)	1 (0%)	43	78
12	B	959/1199 (80%)	911 (95%)	48 (5%)	0	100	100
13	D	158/1085 (15%)	153 (97%)	5 (3%)	0	100	100
13	d	154/1085 (14%)	150 (97%)	4 (3%)	0	100	100
14	E	541/800 (68%)	518 (96%)	22 (4%)	1 (0%)	43	78
14	e	531/800 (66%)	482 (91%)	48 (9%)	1 (0%)	43	78
15	F	408/677 (60%)	391 (96%)	16 (4%)	1 (0%)	43	78
15	f	399/677 (59%)	380 (95%)	19 (5%)	0	100	100
16	G	138/349 (40%)	135 (98%)	3 (2%)	0	100	100
17	H	207/310 (67%)	189 (91%)	13 (6%)	5 (2%)	4	27
18	I	118/264 (45%)	115 (98%)	3 (2%)	0	100	100
18	i	119/264 (45%)	115 (97%)	4 (3%)	0	100	100
19	J	86/218 (39%)	82 (95%)	4 (5%)	0	100	100
19	j	91/218 (42%)	85 (93%)	4 (4%)	2 (2%)	5	29
20	L	74/161 (46%)	72 (97%)	2 (3%)	0	100	100
20	l	105/161 (65%)	100 (95%)	5 (5%)	0	100	100
21	O	97/109 (89%)	95 (98%)	2 (2%)	0	100	100
22	P	177/339 (52%)	175 (99%)	2 (1%)	0	100	100
23	Q	109/376 (29%)	102 (94%)	7 (6%)	0	100	100
24	R	278/316 (88%)	258 (93%)	17 (6%)	3 (1%)	11	46
25	S	174/517 (34%)	159 (91%)	13 (8%)	2 (1%)	11	46
26	T	218/249 (88%)	213 (98%)	4 (2%)	1 (0%)	24	63
27	U	180/439 (41%)	153 (85%)	27 (15%)	0	100	100
28	V	163/291 (56%)	139 (85%)	24 (15%)	0	100	100
31	c	125/929 (14%)	116 (93%)	9 (7%)	0	100	100
32	k	96/211 (46%)	91 (95%)	5 (5%)	0	100	100
33	m	85/124 (68%)	82 (96%)	3 (4%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
34	o	1448/1970 (74%)	1400 (97%)	43 (3%)	5 (0%)	36	72
35	p	1145/1174 (98%)	1111 (97%)	33 (3%)	1 (0%)	48	83
36	q	253/275 (92%)	248 (98%)	5 (2%)	0	100	100
37	r	126/142 (89%)	126 (100%)	0	0	100	100
38	s	207/210 (99%)	202 (98%)	5 (2%)	0	100	100
39	t	80/127 (63%)	78 (98%)	2 (2%)	0	100	100
40	u	169/172 (98%)	166 (98%)	3 (2%)	0	100	100
41	v	146/150 (97%)	142 (97%)	4 (3%)	0	100	100
42	w	112/125 (90%)	109 (97%)	3 (3%)	0	100	100
43	x	65/67 (97%)	64 (98%)	0	1 (2%)	8	40
44	y	113/117 (97%)	110 (97%)	3 (3%)	0	100	100
45	z	42/58 (72%)	40 (95%)	2 (5%)	0	100	100
All	All	12996/22270 (58%)	12413 (96%)	556 (4%)	27 (0%)	44	78

5 of 27 Ramachandran outliers are listed below:

Mol	Chain	Res	Type
6	5	48	GLU
14	E	523	VAL
17	H	156	PRO
24	R	95	GLU
25	S	87	VAL

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	0	164/283 (58%)	158 (96%)	6 (4%)	30	51
2	1	241/484 (50%)	241 (100%)	0	100	100
3	2	295/352 (84%)	294 (100%)	1 (0%)	86	86
4	3	234/272 (86%)	232 (99%)	2 (1%)	70	79

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
5	4	346/399 (87%)	339 (98%)	7 (2%)	48	66
6	5	48/64 (75%)	47 (98%)	1 (2%)	47	65
7	6	536/688 (78%)	535 (100%)	1 (0%)	87	87
8	7	624/664 (94%)	624 (100%)	0	100	100
9	N	2/2 (100%)	2 (100%)	0	100	100
11	A	496/1665 (30%)	452 (91%)	44 (9%)	9	28
12	B	876/1083 (81%)	862 (98%)	14 (2%)	55	70
13	D	147/815 (18%)	136 (92%)	11 (8%)	12	33
13	d	146/815 (18%)	144 (99%)	2 (1%)	59	72
14	E	480/657 (73%)	467 (97%)	13 (3%)	39	61
14	e	475/657 (72%)	462 (97%)	13 (3%)	39	61
15	F	328/574 (57%)	307 (94%)	21 (6%)	16	37
15	f	322/574 (56%)	312 (97%)	10 (3%)	35	56
16	G	132/322 (41%)	124 (94%)	8 (6%)	17	38
17	H	181/270 (67%)	175 (97%)	6 (3%)	33	55
18	I	106/235 (45%)	106 (100%)	0	100	100
18	i	107/235 (46%)	107 (100%)	0	100	100
19	J	79/154 (51%)	72 (91%)	7 (9%)	9	28
19	j	83/154 (54%)	82 (99%)	1 (1%)	63	75
20	L	71/141 (50%)	66 (93%)	5 (7%)	14	35
20	l	98/141 (70%)	97 (99%)	1 (1%)	68	78
21	O	90/98 (92%)	90 (100%)	0	100	100
22	P	154/293 (53%)	154 (100%)	0	100	100
23	Q	105/324 (32%)	105 (100%)	0	100	100
24	R	238/268 (89%)	233 (98%)	5 (2%)	47	65
25	S	154/448 (34%)	132 (86%)	22 (14%)	3	13
26	T	196/218 (90%)	193 (98%)	3 (2%)	57	72
27	U	167/373 (45%)	166 (99%)	1 (1%)	78	83
28	V	150/261 (58%)	149 (99%)	1 (1%)	76	81
31	c	113/833 (14%)	111 (98%)	2 (2%)	51	68
32	k	87/182 (48%)	87 (100%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
33	m	80/106 (76%)	71 (89%)	9 (11%)	5	19
34	o	1280/1749 (73%)	1257 (98%)	23 (2%)	51	68
35	p	1004/1027 (98%)	986 (98%)	18 (2%)	51	68
36	q	234/252 (93%)	227 (97%)	7 (3%)	36	57
37	r	118/126 (94%)	118 (100%)	0	100	100
38	s	191/192 (100%)	187 (98%)	4 (2%)	47	65
39	t	71/111 (64%)	71 (100%)	0	100	100
40	u	152/153 (99%)	150 (99%)	2 (1%)	61	74
41	v	129/131 (98%)	126 (98%)	3 (2%)	44	64
42	w	103/112 (92%)	100 (97%)	3 (3%)	37	58
43	x	56/56 (100%)	54 (96%)	2 (4%)	31	52
44	y	104/106 (98%)	101 (97%)	3 (3%)	37	58
45	z	41/55 (74%)	40 (98%)	1 (2%)	43	64
All	All	11634/19174 (61%)	11351 (98%)	283 (2%)	43	64

5 of 283 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
36	q	58	VAL
38	s	7	THR
14	e	268	HIS
14	E	761	LEU
14	E	521	ASP

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 218 such sidechains are listed below:

Mol	Chain	Res	Type
26	T	229	HIS
34	o	703	GLN
13	d	912	ASN
27	U	183	GLN
32	k	205	HIS

5.3.3 RNA ⓘ

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
10	Z	1/3 (33%)	1 (100%)	0

All (1) RNA backbone outliers are listed below:

Mol	Chain	Res	Type
10	Z	3	G2L

There are no RNA pucker outliers to report.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

5 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
10	G2L	Z	3	30,49,10	23,26,30	1.19	3 (13%)	32,38,44	2.06	7 (21%)
9	HYP	N	8	9	6,8,9	0.77	0	5,10,12	2.17	2 (40%)
9	CSX	N	6	9	3,6,7	1.07	0	1,6,8	2.23	1 (100%)
9	TRX	N	2	9	15,16,17	1.01	1 (6%)	19,22,24	1.54	2 (10%)
9	ILX	N	1	9	8,9,10	0.62	0	9,11,13	1.32	2 (22%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
10	G2L	Z	3	30,49,10	-	2/9/27/31	0/3/3/3
9	HYP	N	8	9	-	0/0/11/13	0/1/1/1
9	CSX	N	6	9	-	1/1/5/7	-
9	TRX	N	2	9	-	2/5/6/8	0/2/2/2
9	ILX	N	1	9	-	7/11/12/14	-

All (4) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
10	Z	3	G2L	C5-C4	3.14	1.47	1.38
10	Z	3	G2L	C6-N1	-2.41	1.34	1.38
9	N	2	TRX	CD2-CE2	2.12	1.44	1.41
10	Z	3	G2L	C5-N7	-2.03	1.35	1.39

The worst 5 of 14 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
10	Z	3	G2L	C5-C4-N3	-6.17	118.45	128.46
9	N	2	TRX	CA-CB-CG	5.22	123.49	113.51
10	Z	3	G2L	C2-N3-C4	4.96	121.14	112.30
10	Z	3	G2L	N9-C4-N3	4.64	135.25	125.94
9	N	8	HYP	O-C-CA	-3.27	116.20	124.78

There are no chirality outliers.

5 of 12 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
9	N	1	ILX	C-CA-CB-CG2
9	N	1	ILX	OD1-CD1-CG1-CB
9	N	1	ILX	OD1-CD1-CG1-OG1
9	N	6	CSX	N-CA-CB-SG
10	Z	3	G2L	C3'-C4'-C5'-O5'

There are no ring outliers.

5 monomers are involved in 12 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
10	Z	3	G2L	7	0
9	N	8	HYP	1	0
9	N	6	CSX	1	0
9	N	2	TRX	1	0
9	N	1	ILX	2	0

5.5 Carbohydrates

There are no oligosaccharides in this entry.

5.6 Ligand geometry

Of 20 ligands modelled in this entry, 18 are monoatomic - leaving 2 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
47	SF4	7	1000	8	0,12,12	-	-	-		
48	W0F	Z	2500	-	31,35,35	2.88	10 (32%)	38,55,55	3.53	15 (39%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
47	SF4	7	1000	8	-	-	0/6/5/5
48	W0F	Z	2500	-	-	3/24/40/40	0/3/3/3

The worst 5 of 10 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
48	Z	2500	W0F	C03-C04	-9.42	1.27	1.52
48	Z	2500	W0F	O05-C04	6.87	1.60	1.45
48	Z	2500	W0F	O05-C06	-5.84	1.28	1.42
48	Z	2500	W0F	C12-C13	5.65	1.47	1.38
48	Z	2500	W0F	C13-N09	-3.08	1.34	1.37

The worst 5 of 15 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
48	Z	2500	W0F	O05-C06-N09	-14.43	75.38	108.36
48	Z	2500	W0F	C07-C06-N09	8.15	136.31	113.22
48	Z	2500	W0F	O05-C04-C03	-5.67	92.71	104.87
48	Z	2500	W0F	O05-C04-C20	4.79	125.14	109.37
48	Z	2500	W0F	O05-C06-C07	-4.09	97.73	106.64

There are no chirality outliers.

All (3) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
48	Z	2500	W0F	C20-O21-P22-O24
48	Z	2500	W0F	C20-O21-P22-O25
48	Z	2500	W0F	C03-C04-C20-O21


There are no ring outliers.

1 monomer is involved in 10 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
48	Z	2500	W0F	10	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-37396. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X




Y




Z


6.1.2 Raw map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 160




Y Index: 160




Z Index: 160


6.2.2 Raw map



X Index: 160



Y Index: 160




Z Index: 160


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)

6.3.1 Primary map



X Index: 146




Y Index: 142




Z Index: 222


6.3.2 Raw map



X Index: 146



Y Index: 143




Z Index: 222


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)


6.4.1 Primary map



X




Y




Z


6.4.2 Raw map



X



Y




Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.


6.5 Orthogonal surface views [i](#)

6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.517. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

6.5.2 Raw map



These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 2319 nm³; this corresponds to an approximate mass of 2095 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum ⓘ




*Reported resolution corresponds to spatial frequency of 0.117 Å⁻¹

8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC [i](#)



*Reported resolution corresponds to spatial frequency of 0.117 Å⁻¹

8.2 Resolution estimates [i](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	8.52	-	-
Author-provided FSC curve	-	-	-
Unmasked-calculated*	10.50	21.51	11.51

*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 10.50 differs from the reported value 8.52 by more than 10 %


9 Map-model fit [i](#)

This section contains information regarding the fit between EMDB map EMD-37396 and PDB model 8WAL. Per-residue inclusion information can be found in section [3](#) on page [15](#).


9.1 Map-model overlay [i](#)



X




Y



Z


The images above show the 3D surface view of the map at the recommended contour level 0.517 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.517).

9.4 Atom inclusion [i](#)



At the recommended contour level, 80% of all backbone atoms, 78% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary ⓘ

The table lists the average atom inclusion at the recommended contour level (0.517) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.7770	 0.0840
0	 0.7520	 0.0600
1	 0.8530	 0.0420
2	 0.9640	 0.0520
3	 0.9560	 0.0430
4	 0.9460	 0.0720
5	 0.8420	 0.0550
6	 0.8800	 0.0520
7	 0.9440	 0.0650
A	 0.5170	 0.0360
B	 0.9130	 0.0430
D	 0.4600	 0.0540
E	 0.7110	 0.0480
F	 0.5370	 0.0340
G	 0.2520	 0.0410
H	 0.7720	 0.0500
I	 0.5360	 0.0400
J	 0.6850	 0.0250
L	 0.1860	 0.0650
N	 0.9520	 0.1530
O	 0.9450	 0.0950
P	 0.9870	 0.1400
Q	 0.9420	 0.1000
R	 0.9600	 0.1530
S	 0.9610	 0.1000
T	 0.9600	 0.1340
U	 0.9660	 0.0980
V	 0.9680	 0.1190
X	 0.9590	 0.1820
Y	 0.9380	 0.1530
Z	 0.4720	 -0.0350
c	 0.1060	 0.0160
d	 0.0060	 0.0220
e	 0.1740	 0.0250
f	 0.5170	 0.0370



Continued on next page...

Continued from previous page...

Chain	Atom inclusion	Q-score
i	 0.0390	 0.0210
j	 0.0710	 0.0320
k	 0.0000	 0.0080
l	 0.0000	 0.0340
m	 0.0000	 0.0120
o	 0.9460	 0.1440
p	 0.9380	 0.1400
q	 0.9660	 0.1530
r	 0.9790	 0.1350
s	 0.9600	 0.1560
t	 0.9400	 0.1500
u	 0.9830	 0.1210
v	 0.9700	 0.1590
w	 0.9650	 0.1400
x	 0.9390	 0.1300
y	 0.9450	 0.1550
z	 0.9920	 0.1730